



*Eickemeyer headquarters in Tuttlingen Germany*

## World class veterinary equipment

Welcome to the latest version of the EICKEMEYER catalogue. We have added more products, and we hope you will find it interesting to browse through this buying guide for the state-of-the-art veterinarian. We believe it represents a perfect blend of modern technology and traditional instruments.

This particular catalogue features instruments and equipment which will be particularly suitable for small animal and equine practitioners, clinics and universities.

We would also like to draw your attention to the unique EICKEMEYER Veterinary Continuing Education Centre. Veterinary professionals from all over the world attend our courses and benefit from the multicultural exchange of ideas; judging by the number of repeat attendances, they are a great success.

This Continuing Education programme is a sign of our long-term commitment to the quality and development of veterinary science and surgery.



*Alexander, Gisela and Wolfgang Sprung*

## The best advice, the best service

Our Head Office is in Tuttlingen, Germany – known the world over as the home of fine instrument craftsmanship. Founded in 1961 by Walter Eickemeyer, the company has become a leader in veterinary equipment distribution.

We have a range of 5000 products in stock; we can supply everything from individual high-quality instruments to a fully-equipped clinic.



*Eickemeyer's showroom in Tuttlingen*

Our renowned customer service revolves around an outstanding team of friendly, well-trained support staff to answer any questions you may have. Furthermore, our risk-free policy allows you to return any goods without quibble within 14 days of purchase.

We are also highly accessible; our Customer Support phone lines are manned from 09:00 to 17:30 and our answering service is available at all other times. Alternatively, you can access our online ordering service 24/7 at [www.eickemeyer.de](http://www.eickemeyer.de)

## The world's best veterinary products, the best local practices

For nearly 50 years Eickemeyer have become experts not just in the science of veterinary medicine, but also in how to build and grow a successful practice. We have always sought to supply the finest instruments and equipment available, carefully sourcing the best and most practical products from all around the world. And where we can't find a product which meets our exacting quality and value criteria, we design and make our own.

Our Professional Support Team has worked with thousands of veterinarians in all kinds of practices. We know what works and what doesn't. We take the time to listen to your needs and to find solutions to the challenges of modern veterinary medicine. After all, your success is our success.



*Founder Walter Eickemeyer*

We are very excited about the future of this industry, and about our role in it. That future is tightly bound to our ever-expanding family of loyal customers. We are here to support and grow your business with you, assisting your efforts to raise standards in animal health and welfare around the world.

### Global

We source worldwide to find the best quality products at the best prices

### Veterinary products

We only deal with the veterinary market, so we have decades of experience to support you on a daily basis.

### Local

As a family company we try harder every day to meet and exceed your expectations.

### Practices

Your practice is a place dedicated to the wellbeing of all animals. This is central to everything we do.

# Continuing Education Centre

## Eickemeyer Courses - State-of-the-art training

At the EICKEMEYER training centre in Germany we offer superb training and refresher courses. Theory lectures, practical demonstrations and hands-on veterinary seminars in small groups provide the maximum learning in the minimum time. High tech lecture facilities and full operating theatre facilities make training easy, convenient and practical.

Since 1985 about 10,000 veterinarians have attended EICKEMEYER courses; only the world's best speakers are invited to address them. The objective is to improve your diagnostic and surgical skills; while theory is very important, what you try for yourself under the supervision of our course leaders is what will make you a better veterinary surgeon.

Small groups guarantee maximum learning; so popular are these courses some vets have attended more than 30.

We look forward to welcoming you to Tuttlingen.

**EICKEMEYER courses – intensive, productive, unique.**

Detailed course programme available on request.



*Hands-on training sessions*



*Full operating theatre facilities*



*Practical demonstrations in small groups*



*Top: Reception area*



*Bottom: Bistro*

“  
*perfectly organised overall*”  
and executed at a high level  
Dr E. from N

“  
*congratulations on a*”  
very successful course  
Dr P. from L

“  
*I cannot imagine*  
anything could be  
improved, congratulations”  
Dr K. from F

### **1. Validity**

For our deliveries the following business terms and conditions of sale are exclusively valid, unless otherwise agreed in writing. We do not accept conflicting general business terms, even if we have not expressly rejected them.

### **2. Prices**

Prices are subject to change without prior notice. All prices quoted are ex works Tuttlingen.

### **3. Shipping/Freight**

For all customers outside Germany charges for packing and freight are at buyer's expense.

### **4. Minimum Orders**

We require a minimum order of € 30.– from our retail customers, € 250.– from our wholesale customers.

### **5. Payment terms**

We require payment in advance for all international orders. Freight and shipping charges will be added unless otherwise stated. We accept wire transfers, VISA, MASTERCARD, UC as payments. All goods remain property of EICKEMEYER until paid in full.

### **6. Claims**

Every effort has been made to pack your order with great care. Please inspect the merchandise thoroughly for any loss or damage immediately on receipt and file claim with the forwarding agent. Concealed loss or damage must be reported within 3 days upon receipt.

### **7. Returns**

No returns are accepted without prior notice. Please call customer service to obtain your RAC No. We reserve the right to examine returned goods before issuing credit. A 15 % restocking fee will be charged for all returned goods. Special order products or goods sold on a non-return basis may not be returned. Returns must be made within 21 days of the invoice date.

### **8. Risk**

All shipments are being dispatched at the buyer's risk, even in case of "carriage paid" delivery.

### **9. Applicable Law**

All contracts are subject to German law. Exclusive court of jurisdiction is Tuttlingen.

### **10. Customer Service**

Our friendly and well-trained staff is happy to assist you in any way. Even if you are looking for something not in our range of products we will do our best to help you.

### **11. Showroom**

If you are in the vicinity of Tuttlingen, we would be very pleased to have you visit us. Many of the items in our catalog are best evaluated in your own hands. You will find almost everything on display in our 400m<sup>2</sup> showroom.

### **12. Education**

Experienced national and international speakers help you to learn the latest diagnosis and surgery techniques in a friendly atmosphere.

### **13. After Sale Service**

Our Service Team will carry out all repairs quickly and reliably.

### **14. Online Ordering**

Our website allows you to choose from more than 5.000 products and also to check availability. Check out our refurbished equipment site for bargains. There is always a special on our site.

### **15. Specials**

In our specials we offer you the best deals around. Just check your mailbox.

### **16. Product range**

Your single resource for a full spectrum of veterinary equipment and supplies offers you more than 5.000 quality products.

***Order- and Info-Hotline:***

***Phone: +49 74 61 /9 65 80-55***

***Fax: +49 7461196580-91***


***E-Mail: [export@eickemeyer.de](mailto:export@eickemeyer.de)***

***Internet: [www.eickemeyer.de](http://www.eickemeyer.de)***


# www.eickemeyer.de

Our website is dedicated to giving your clinic the service it demands:


- Online ordering
- Stock availability
- Information on over 5,000 products
- Online specials
- Auctions
- Continuing education
- Refurbished equipment
- News



## DIA-Diagnostic Imaging Atlas



250020



### DIA-DIAGNOSTIC IMAGING ATLAS – REVOLUTIONIZING CLIENT COMMUNICATION

If a picture is worth a thousand words, then DIA is worth over one million!

This exciting and innovative software allows veterinarians and their staff to better illustrate conditions to clients. There are over 1500 Surgical Animations, Radiographs, Ultrasounds, Endoscopy Images and Clinical Images combined within DIA. The content is the result of contributions from leading board certified specialists.

No more scrambling for books or sketching out conditions or procedures on a piece of paper. This program will drastically improve your ability to validate your diagnostic findings and justify in-hospital and referral procedures. Using cutting edge graphics and imagery, your clients will be amazed with the insight you can provide into their pets health and well being.

Diagnostic Imaging Licence for up to 3 work stations

**250020**

Additional 2 work places licence

**250021**

Additional 5 work places licence

**250022**

Support and update service for 12 months

**250023**

# STANDARD Scalpel Handles, Scalpel Blades, BAYHA Scalpel Handle

## STANDARD SCALPEL HANDLES


- ergonomic design
- precise cutting
- easily changeable blades
- attractive price

No. 3, small, for STANDARD Scalpel Blades size 10–15

**100503**

No. 4, large, for STANDARD Scalpel Blades size 18–23

**100504**



## STANDARD SCALPEL BLADES

- scalpel handle No. 3 for blades size 10–15
- scalpel handle No. 4 for blades size 18–23
- excellent cutting edges
- wide range of different blades
- individually foil packed (sterile)
- attractive price
- 100/box

Size 10

**100710**

Size 11

**100711**

Size 13

**100713**

Size 15

**100715**

Size 18

**100718**

Size 20

**100720**

Size 21


**100721**

Size 22

**100722**

Size 23

**100723**



## BAYHA SCALPEL HANDLE


- ergonomic design
- patented blade changing system
- easily removable blades
- precise cutting

BAYHA Scalpel Handle, No. 1

**101201**



## MICRO Scalpel Handles, Scalpel Blades, Scissors



### BAYHA SCALPEL BLADES

- fits on all BAYHA scalpel handles
- changing blades made easy
- individually foil packed (sterile)
- 12/box
- extremely sharp

Size 19


**101519**

Size 21

**101521**

Size 22

**101522**



### MICRO SCALPEL HANDLES


- ergonomic pen-shaped handle
- for precise cutting e.g. cornea or spinal surgery
- highest quality stainless steel
- changing blades made easy

10cm

**101710**

15.5cm

**101715**



### MICRO SCALPEL BLADES

- for eye-, neuro- and microsurgery
- extra strong blades for precise cutting
- razor-sharp
- individually foil packed (sterile)
- 25/box

Size 63

**101763**

Size 64

**101764**

Size 65

**101765**

Size 69

**101769**



### IRIS SCISSORS

- ideal for eye surgery e.g. conjunctiva or cornea
- for precise incisions

11.5cm, straight, sharp/sharp,TC, fine

**110011**

11.5cm, curved, sharp/sharp,TC, fine

**110111**

9cm, straight, sharp/sharp, fine

**110609**

11cm, straight, sharp/sharp, fine

**110611**

9cm, curved, sharp/sharp, fine

**110709**

11cm, curved, sharp/sharp, fine

**110711**

**STEVENS AND PROBE-POINTED SCISSORS**

STEVENS, 11cm, straight, blunt/blunt  
**110811**

STEVENS, 11cm, curved, blunt/blunt  
**110911**

11.5cm, straight, 1 probe-pointed blade  
**111011**

11.5cm, straight, 2 probe-pointed blades  
**111012**

**DRESSING SCISSORS WITH TUNGSTEN CARBIDE INSERTS (TC)**

- permanent cutting edge
- extremely durable due to inserted Tungsten Carbide cutting edges
- precise cutting

14.5cm, straight, sharp/sharp, TC  
**113414**

14.5cm, straight, sharp/blunt, TC  
**113214**

14.5cm, curved, sharp/blunt, TC  
**113314**

16.5cm, curved, sharp/blunt, TC  
**113316**

**SCISSORS, HEAVY MODEL**

- strong and accurate cutting
- extremely durable

16cm, laterally curved, blunt/blunt  
**114716**

16cm, curved, blunt/blunt  
**114916**

16cm, straight, sharp/blunt  
**115016**

16cm, straight, blunt/blunt  
**114816**



## Scissors



**VET Eickemeyer®**

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)

### DRESSING SCISSORS

- sharp cutting
- premium quality
- highest quality stainless steel

14.5cm, straight, blunt/blunt  
**114014**

16.5cm, straight, blunt/blunt  
**114016**

14.5cm, curved, blunt/blunt  
**114114**

16.5cm, curved, blunt/blunt  
**114116**

14.5cm, straight, sharp/blunt  
**114214**

16.5cm, straight, sharp/blunt  
**114216**

14.5cm, curved, sharp/blunt  
**114314**

16.5cm, curved, sharp/blunt  
**114316**

14.5cm, straight, sharp/sharp  
**114414**

14.5cm, curved, sharp/sharp  
**114514**

16.5cm, curved, sharp/sharp  
**114516**

Incision Scissors, 16.5cm, straight, sharp/  
probe-pointed  
**114616**

14cm, straight, blunt/blunt, ECONOMY  
**970014**

16cm, straight, blunt/blunt, ECONOMY  
**970016**

14cm, curved, blunt/blunt, ECONOMY  
**970114**

16cm, curved, blunt/blunt, ECONOMY  
**970116**

14cm, straight, sharp/blunt, ECONOMY  
**970214**

16cm, straight, sharp/blunt, ECONOMY  
**970216**

14cm, curved, sharp/blunt, ECONOMY  
**970314**

16cm, curved, sharp/blunt, ECONOMY  
**970316**

14cm, straight, sharp/sharp, ECONOMY  
**970414**

16cm, straight, sharp/sharp, ECONOMY  
**970416**

14cm, curved, sharp/sharp, ECONOMY  
**970514**

Incision Scissors, 14.5cm, straight, sharp/  
probe-pointed, ECONOMY  
**981214**

**METZENBAUM / DISSECTING SCISSORS WITH TUNGSTEN CARBIDE INSERTS (TC)**

- elegant and light form
- extremely durable due to inserted Tungsten Carbide cutting edges
- precise cutting accuracy

11.5cm, straight, blunt/blunt, TC

- delicate

**116011**

11.5cm, curved, blunt/blunt, TC

- delicate

**116111**

METZENBAUM, 14.5cm, straight, TC

**116214**

METZENBAUM, 18cm, straight, TC

**116218**

METZENBAUM, 14.5cm, curved, TC

**116314**

METZENBAUM, 14.5cm, curved, with serrated cutting edge, TC, wave cut

- prevents tissue slippage

**116315**

METZENBAUM, 18cm, curved, TC

**116318**

METZENBAUM-FINO, 14.5cm, straight, TC

- very delicate

**116414**

METZENBAUM-FINO, 14.5cm, curved, TC

- very delicate

**116514**

**MAYO SCISSORS WITH TUNGSTEN CARBIDE INSERTS (TC)**

- general purpose surgical scissors
- for dissection and cutting of firm tissue.

MAYO, 14.5cm, straight, blunt/blunt, TC

**117214**

MAYO, 14.5cm, curved, blunt/blunt, TC

**117314**

MAYO, 14.5cm, curved, blunt/blunt, with serrated cutting edge, TC

- prevents tissue slippage

**117315**

MAYO-STILLE, 14cm, straight, blunt/blunt, TC

**117414**

MAYO-STILLE, 17cm, straight, blunt/blunt, TC

**117417**



**VET Eickemeyer®**

Large variety of surgery-  
and examination tables



**VET Eickemeyer®**

Quality products  
for the veterinary profession  
since 1961

## Scissors, Sharpen scissors



**VET Eickemeyer®**

Your reliable source for  
innovative products



**VET Eickemeyer®**

### Our service – Your benefit

Our skilled instrument makers can fully inspect your instruments and take the necessary steps to return them to an excellent working condition.

## METZENBAUM SCISSORS

METZENBAUM, 11.5cm, straight, blunt/blunt  
**118011**

METZENBAUM, 11.5cm, curved, blunt/blunt  
**118111**

METZENBAUM, 14.5cm, straight, blunt/blunt  
**118214**

METZENBAUM, 18cm, straight, blunt/blunt  
**118218**

METZENBAUM, 14.5cm, curved, blunt/blunt  
**118314**

METZENBAUM, 18cm, curved, blunt/blunt  
**118318**

METZENBAUM-FINO, 14.5cm, straight, blunt/  
blunt  
- very delicate  
**118414**

METZENBAUM-FINO, 14.5cm, curved, blunt/  
blunt  
- very delicate  
**118514**

METZENBAUM, 14cm, straight, blunt/blunt,  
ECONOMY  
**970614**

METZENBAUM, 14cm, curved, blunt/blunt,  
ECONOMY  
**970714**

## MAYO SCISSORS/ENTEROTOMY SCISSORS

MAYO, 14cm, straight, blunt/blunt  
**118614**

MAYO, 14cm, curved blunt/blunt  
**118714**

MAYO, 17cm, curved, blunt/blunt  
**118717**

MAYO-STILLE, 14cm, straight, blunt/blunt  
**118814**

MAYO-STILLE, 14cm, curved, blunt/blunt  
**118914**

Enterotomy Scissors, 14.5cm, straight, sharp/  
probe-pointed  
**119014**

Enterotomy Scissors, 21cm, straight, blunt/  
probe-pointed  
**119021**

MAYO, 14cm, curved, blunt/blunt, ECONOMY  
**970914**

## BANDAGE AND PLASTER SCISSORS

LISTER, 18cm, TC

**122018**

LISTER, 14cm

**123014**

LISTER, 18cm

**123018**

Universal Scissors with plastic handles, 18cm, autoclavable

**123118**

BRUNS, 24cm, serrated cutting edge

**123224**

SEUTIN, 23cm

**123323**

## OSCILLATING SAW

- removable, autoclavable head
- can be used as a surgical oscillating saw
- lightweight
- high power (500W)
- silent running
- secure and accurate cutting

Oscillating Saw with two Tungsten Saw Blades, D = 50 / 65mm

**123500**

Shroud, autoclavable

*not illustrated*

**123570**

Saw Blade, Tungsten Carbide, D = 50mm

**123550**

Saw Blade, Tungsten Carbide, D = 65mm

**123565**

Saw Blade, Tungsten Carbide, width = 65mm, length = 39mm

**123600**

Saw Blade, Tungsten Carbide, width = 20mm, length = 39mm

**123602**

Saw Blade, Tungsten Carbide, width = 8mm, length = 39mm

**123604**



## STITCH CUTTER AND SCISSORS

Stitch Cutter

- individually foil packed (sterile)
- 100/box

**124000**

SPENCER, 9cm

**124009**

SPENCER, 12.5cm

**124011**

LITTAUER, 14cm

**124014**

Stitch Scissor with clamp, 13cm

- cuts and removes suture in one step

**124213**



## Bird Ring Cutter, Forceps



### BIRD RING CUTTER

Easy and safe removal of bird rings

Bird Ring Cutter, 10cm

**126010**

Parrot Ring Cutter, 18cm

**126018**

Parrot Ring Saw, 17cm, stainless steel with exchangeable Saw Blade

**126117**

Spare Saw Blade for Parrot Ring Saw

**126118**



### ATRAUMATIC FORCEPS

- firm grip
- protects delicate tissue
- Tungsten Carbide inserts

ADSON, 12cm, TC

**130012**

14.5cm, delicate, TC

**130214**

STANDARD, 14.5cm, TC

**130314**

16cm, 2mm, DE BAKEY toothed

**130516**



### DISSECTING FORCEPS

ADSON, 12cm

**132012**

CUSHING, 18cm

**132118**

10cm, medium

**132210**

13cm, medium

**132213**

14.5cm, medium

**132214**

STANDARD, 13cm

**132413**

STANDARD, 14.5cm

**132414**

STANDARD, 16cm

**132416**

14cm, delicate, ECONOMY

**971814**

11.5cm, ECONOMY

**972011**

14cm, ECONOMY

**972014**

16cm, ECONOMY

**972016**


18cm, ECONOMY

*not illustrated*

**972018**

**TISSUE FORCEPS**

BONNEY, 18cm, 1x2 teeth, heavy model,  
for thorax and soft tissue surgery  
**132618**  
OEHLER, 14cm, 1x2 teeth, TC  
**132714**  
ADSON, 12cm, 1x2 teeth  
**132812**  
ADSON, 15cm, 1x2 teeth  
**132815**



**TISSUE FORCEPS**

ADSON-BROWN, 12cm, with lateral teeth,  
- perfect for surgery and suture  
**132912**  
ADSON-BROWN, 15cm, with lateral teeth  
**132915**  
BROWN, 15cm, with lateral teeth  
**133015**  
SEMKEN, 12.5cm, 1x2 teeth, dedicate  
**133112**



**TISSUE FORCEPS**

13cm, 1x2 teeth  
**133213**  
14.5cm, 1x2 teeth  
**133214**  
16cm, 1x2 teeth  
**133216**  
20cm, 1x2 teeth  
**133220**  
15cm, 1x2 teeth, heavy model  
**133315**  
14.5cm, 2x3 teeth, heavy model  
**133414**  
16cm, 2x3 teeth, heavy model  
**133416**  
DUVAL, 14cm  
- with Tungsten Carbide inserts  
**133614**  
FEILCHENFELD, 9cm  
**134009**  
FEILCHENFELD, 11cm  
**134011**  
14cm, 1x2 teeth, ECONOMY  
**972114**  
16cm, 1x2 teeth, ECONOMY  
**972116**  
16cm, 2x3 teeth, ECONOMY  
**981346**



**VET Eickemeyer®**

Your reliable source for  
innovative products

## Forceps, Towel Clips, Artery Clips



### SPONGE AND DRESSING FORCEPS

- GROSS, 20cm, straight, with ratchet  
**137020**
- MAIER, 26cm, straight, with ratchet  
**137426**
- MAIER, 26cm, curved, with ratchet  
**137526**



### TOWEL CLIPS

- extra sharp tips
- proper retention of surgical drapes
- JONES, 5.5cm  
**140005**
- JONES, 9cm  
**140109**
- SCHAEFFEL, 9cm  
**140209**
- BACKHAUS, 9cm  
**140309**
- BACKHAUS, 11cm  
**140311**
- BACKHAUS, 13cm  
**140313**
- JONES, 9cm, ECONOMY  
**973109**
- SCHAEFFEL, 9cm, ECONOMY  
**973209**
- BACKHAUS, 9cm, ECONOMY  
**973309**
- BACKHAUS, 11cm, ECONOMY  
**973311**
- BACKHAUS, 13cm, ECONOMY  
**973313**

**VET Eickemeyer®**

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)



### ARTERY CLIPS

- 3.5cm, straight, DIEFFENBACH  
**140403**
- 3.5cm, curved, DIEFFENBACH  
**140503**

**DELICATE ARTERY FORCEPS**

- precise closure jaw
- smooth closing handle

BABY-MOSQUITO, 9cm, straight  
**141009**

BABY-MOSQUITO, 9cm, curved  
**141109**

HALSTED-MOSQUITO, 12.5cm, straight  
**141212**

HALSTED-MOSQUITO, 12.5cm, curved  
**141312**

HALSTED-MOSQUITO, 12.5cm, straight,  
1x2 teeth  
**141412**

HALSTED-MOSQUITO, 12.5cm, curved,  
1x2 teeth  
**141512**

MOSQUITO, 12cm, straight, ECONOMY  
**973412**

MOSQUITO, 12cm, curved, ECONOMY  
**973512**

MOSQUITO, 12cm, straight, 1x2 teeth,  
ECONOMY  
**973612**

MOSQUITO, 12cm, curved, 1x2 teeth,  
ECONOMY  
**973712**

**ARTERY FORCEPS**

CRILE, 14cm, straight  
**141614**

CRILE, 16cm, straight  
**141616**

CRILE, 14cm, curved  
**141714**

PEAN, 14cm, straight  
**141814**


PEAN, 14cm, curved  
**141914**

PEAN, straight, 14cm, short jaw  
**142014**

CRILE, 14cm, curved, ECONOMY  
**973714**

PEAN, 14cm, straight, ECONOMY  
**973814**

PEAN, 14cm, curved, ECONOMY  
**973914**



Visit our Online-Shop  
[www.eickemeyer.de](http://www.eickemeyer.de)



Quality products  
for the veterinary profession  
since 1961

## Forceps



**142216**

### ARTERY FORCEPS ROCHESTER-PEAN

16cm, straight

**142216**

18cm, straight

**142218**

20cm, straight

**142220**

16cm, curved

**142316**

18cm, curved

**142318**

20cm, curved

**142320**

16cm, straight, ECONOMY

**973816**

18cm, straight, ECONOMY

**973818**

16cm, curved, ECONOMY

**973916**

18cm, curved, ECONOMY

**973918**



**142416**

### ARTERY FORCEPS WITH TOOTHED KOCHER-OCHSNER

14cm, straight, 1x2 teeth

**142414**

16cm, straight, 1x2 teeth

**142416**

18cm, straight, 1x2 teeth

**142418**

20cm, straight, 1x2 teeth

**142514**

16cm, curved, 1x2 teeth

**142516**

18cm, curved, 1x2 teeth

**142518**

20cm, curved, 1x2 teeth

**142520**

14cm, straight, 1x2 teeth, ECONOMY

**974014**

16cm, straight, 1x2 teeth, ECONOMY

**974016**

18cm, straight, 1x2 teeth, ECONOMY

**974018**

14cm, curved, 1x2 teeth, ECONOMY

**974114**

16cm, curved, 1x2 teeth, ECONOMY

**974116**

18cm, curved, 1x2 teeth, ECONOMY

**974118**

**SPECIAL PURPOSE ARTERY FORCEPS**

- ideal for bitch spay

MIXTER, 17cm, curved

**142717**

SATINSKY, 15cm, curved, with atraumatic jaw

**142915**



**ATRAUMATIC VASCULAR FORCEPS**

- protects the tissue
- fast successful treatment
- special teeth for a safe grip
- atraumatic jaws

MOSQUITO, atraumatic, 12cm, straight

**143412**

MOSQUITO, atraumatic, 12cm, curved

**143512**



**BOWEL CLAMPS**

- very flexible
- perfect grip
- holds and seals the bowel with a minimum amount of pressure and trauma

BABY-KOCHER, 13cm, straight, lengthwise grip

**144013**

BABY-KOCHER, 13cm, curved, lengthwise grip

**144113**

DOYEN, 16.5cm, straight, cross grip

**144216**

DOYEN, 16.5cm, curved, cross grip

**144316**

MAYO-ROBIN, 21cm, straight, lengthwise grip

**144621**

MAYO-ROBIN, 21cm, curved, lengthwise grip

**144721**

DOYEN, 24cm, straight, lengthwise grip

**144824**

DOYEN, 24cm, curved, lengthwise grip

**144924**



## Forceps



### BOWEL AND TISSUE FORCEPS

- for easy tissue grip
- gentle teeth

ALLIS, 15cm, TC  
**145015**

ALLIS, 15cm, 5x6 teeth  
**145315**

ALLIS-THOMS, 20cm, 6x7 teeth  
**145320**




### TONGUE FORCEPS

YOUNG, 16.5cm  
**146116**

Spare Rubber insert for Tongue Forceps  
YOUNG, pair

**146117**

COLLIN, 16.5cm  
**146216**



### CHROMIC CATGUT

Natural collagen, twisted multifilament with a monofilament aspect, absorbable

EICKEMEYER CHROMIC CATGUT  
4/0 CASSETTE 100 m  
**050720**

EICKEMEYER CHROMIC CATGUT  
3/0 CASSETTE 100 m  
**050725**

EICKEMEYER CHROMIC CATGUT  
2/0 CASSETTE 100 m  
**050723**

EICKEMEYER CHROMIC CATGUT  
0 CASSETTE 100 m  
**050720**

EICKEMEYER CHROMIC CATGUT  
1 CASSETTE 75 m  
**050721**

EICKEMEYER CHROMIC CATGUT  
2 CASSETTE 50 m  
**050722**

EICKEMEYER CHROMIC CATGUT  
3 CASSETTE 50 m  
**050724**

EICKEMEYER CHROMIC CATGUT  
4 CASSETTE 30 m  
**050726**

**VET Eickemeyer®**

Your reliable source for  
innovative products

## E-AMID CASSETTE

Polyamide twisted and coated multifilament with a monofilament aspect, non-absorbable

E-AMID 4/0 CASSETTE 100 m  
**050707**

E-AMID 3/0 CASSETTE 100 m  
**050706**

E-AMID 2/0 CASSETTE 100 m  
**050705**

E-AMID 0 CASSETTE 100 m  
**050700**

E-AMID 1 CASSETTE 100 m  
**050701**

E-AMID 2 CASSETTE 75 m  
**050702**

E-AMID 3 CASSETTE 50 m  
**050703**

E-AMID 4 CASSETTE 25 m  
**050704**




Reverse cutting needles ▲	Size	Circular needles ●
150000	000	150300
150100	00	150400
150200	0	150500
150201	1	150501
150202	2	150502
150203	3	150503
150204	4	150504
150205	5	150505
150206	6	150506
150207	7	150507
150208	8	150508
150209	9	150509
150210	10	150510
150211	11	150511
150212	12	150512
150213	13	150513
150214	14	150514
150215	15	150515
150216	16	150516

Circular needles ●	Size	Reverse cutting needles ▲
150801	1	150701
150802	2	150702
150803	3	150703
150804	4	150704
150805	5	150705
150806	6	150706
150807	7	150707
150808	8	150708
150809	9	150709
150810	10	150710
150811	11	150711
150812	12	150712
150813	13	150713
150814	14	150714
150815	15	150715
150816	16	150716


- packs of 12 pcs

Reverse cutting needles ▲	Size
151100	0
151101	1
151102	2
151103	3
151104	4
151105	5



Eye needles 3/8 circle 1/1

Circular needles ●	Size
150900	00
151000	0
151001	1
151002	2
151003	3
151004	4
151005	5
151006	6
151007	7
151008	8



Suture needles 1/2 circle 1/1

EICKFIL

## ABSORBABLE SURGICAL SUTURE



## EICKFIL

**Material:** 100% Polyglycolic Acid – Braided & Coated.  
**Colour:** Violet & undyed.  
**Coating:** Calcium Stearate & Polycaprolactone.  
**Sterilization:** Ethylene Oxide.  
**Shelf Life:** 5 years

## Features

- ▶ Absorbed by Hydrolysis, Absorption within 60–90 days
- ▶ Minimal tissue reaction.
- ▶ Coating ensures smooth tissue passage.  
Outstanding pliability.

## Packing

- ▶ Dry
- ▶ Primary packaging – Aluminium Foil.
- ▶ Secondary packaging:  
Medical grade paper & Polyester laminated poly film.
- ▶ Packs of 12 pcs

Circular needles ●

Reverse cutting needles ▲

Art. No.	Needle	Metric	USP	Length/ in cm
050600	● 22mm	1.5	4/0	70
050601	● 22mm	2	3/0	70
050607	● 26mm	2	3/0	70
050615	● 30mm	2	3/0	70
050602	● 22mm	3	2/0	70
050608	● 26mm	3	2/0	70
050616	● 30mm	3	2/0	70
050622	● 37mm	3	2/0	70
050630	● 40mm	3	2/0	90
050637	● 48mm	3	2/0	90
050603	● 22mm	3.5	0	70
050609	● 26mm	3.5	0	70
050617	● 30mm	3.5	0	70
050623	● 37mm	3.5	0	70
050631	● 40mm	3.5	0	90
050638	● 48mm	3.5	0	90
050610	● 26mm	4	1	70
050618	● 30mm	4	1	70
050624	● 37mm	4	1	70
050632	● 40mm	4	1	90
050639	● 48mm	4	1	90
050644	● 60mm	4	1	70
050611	● 26mm	5	2	70
050625	● 37mm	5	2	70
050633	● 40mm	5	2	90
050640	● 48mm	5	2	90
050645	● 60mm	5	2	70
050650	▲ 19mm	1	5/0	70
050651	▲ 19mm	1.5	4/0	70
050658	▲ 24mm	1.5	4/0	70
050652	▲ 19mm	2	3/0	70
050659	▲ 24mm	2	3/0	70
050665	▲ 30mm	2	3/0	70
050653	▲ 19mm	3	2/0	70
050660	▲ 24mm	3	2/0	70
050666	▲ 30mm	3	2/0	70
050661	▲ 24mm	3.5	0	70
050667	▲ 30mm	3.5	0	70
050668	▲ 30mm	4	1	70

### NEEDLE BOXES

- secure needle storage
- easy to handle
- careful sterilisation of the needles

With holes, 75×25×5mm

**151501**

W/o holes, 70×25×9mm

**151502**

W/o holes, 70×53×9mm

**151503**

Needle Case with interior case, circular, 65×17mm

**151507**

Interior Case with holes, for 151507, 62×15mm

**151508**

Needle Case with interior case, circular, 95×16mm

**151509**

### NEEDLE BOX LARGE

With holes, 7 compartments, 150×95×13mm

**151504**

### NEEDLE HOLDER MATHIEU, WITH TUNGSTEN CARBIDE INSERTS (TC)

- highest grade stainless steel
- long lasting inserts for secure grip
- smooth ratchet

MATHIEU, 14cm, TC

**152114**

MATHIEU, 17cm, TC

**152117**

EICKEMEYER-GRACILE, 17cm, with internal ratchet, TC

**152317**



MATHIEU, 20cm, TC

**152120**

MATHIEU, 21cm, heavy model, TC

- heavy duty model for the large animal practitioner

**152121**



## Needle Holders



### NEEDLE HOLDER WITH TUNGSTEN CARBIDE INSERTS (TC)

- special Tungsten Carbide inserts provide firm grip
- extremely durable

MATHIEU-OLSEN, 14cm, TC  
**152414**

MATHIEU-OLSEN, 17cm, TC  
**152417**

MATHIEU-OLSEN, 19cm, TC  
**152419**

MAYO-HEGAR, 15cm, TC  
**152515**

MAYO-HEGAR, 18cm, TC  
**152518**



### NEEDLE HOLDER WITH SCISSOR HANDLE AND TUNGSTEN CARBIDE INSERTS (TC)

- special carbide inserts provides firm grip, no needle turning
- ergonomic handle
- long lasting
- with sharp cutting scissors

OLSEN-HEGAR MINI, 12cm, TC  
**152612**

OLSEN-HEGAR, 14cm, TC  
**152614**

OLSEN-HEGAR, 16cm, TC  
**152616**

OLSEN-HEGAR, 18cm, TC  
**152618**

GILLIES, 16cm, RH, with scissors  
**153016**



### STANDARD NEEDLE HOLDER

- smooth ratchet
- long lasting
- best price performance

MATHIEU, 14cm  
**153114**

MATHIEU, 17cm  
**153117**

MAYO-HEGAR, 15cm  
**153415**

OLSEN-HEGAR, 14cm  
**153514**

OLSEN-HEGAR, 16cm  
**153516**

MATHIEU, 17cm, ECONOMY  
**975017**

### REPAIR OF NEEDLE HOLDERS WITH CARBIDE INSERTS (TC)

Send us your broken needle holders. Generally it is worth repairing them. We help you to save money.

**VET Eickemeyer®**

**Our service – your benefit**



**We repair your needle holders**

**DESCHAMPS LIGATURE NEEDLE**

- 45cm, right/sharp  
- modified acc. to HUSKAMP  
- long model for equine surgery  
**154045**
- 45cm, left/sharp  
**154145**
- 20cm, left/blunt  
**154320**
- 20cm, right/blunt  
**154220**
- 20cm, left/sharp  
**154120**
- 20cm, right/sharp  
**154020**
- 20cm, left/sharp, small curve  
**154520**
- 20cm, right/sharp, small curve  
**154420**



**SUTURE CLIPS**

- Stapler STICHS, 16mm, 500/pack  
**157016**
- Stapler STICHS for 16mm Staples  
**157116**



**DISPOSABLE SKIN STAPLER**


- faster recovery with minimal scar
- low infection risk
- individually sterile packed
- attractive price
- barely scar formation minimal scar

Disposable Skin Stapler with 35 stainless steel staples, staples size: 6.8mm×3.9mm  
**157310**

- Skin Staple Extractor, stainless steel, sterilisable
- for easy removal of staples  
**157309**



## Probes, Retractors




### PROBES

- Groove Director, 14.5cm  
**155014**
- Groove Director with Probe, 15cm  
**155015**
- Probe with eye, 14.5cm  
**155114**
- Button Probe, 1.5mm, 14.5cm  
**155314**
- Button Probe, 2mm, 14.5cm  
**155414**



### RETRACTORS

- SENN-MILLER, 17cm, sharp point  
**160117**
- STRANDELL-STILLE, 19cm  
**160319**



### RETRACTORS

- VOLKMANN, 20cm, 1 prong, sharp  
**160401**
- VOLKMANN, 22cm, 2 prongs, blunt, 9×8mm  
**160502**
- VOLKMANN, 22cm, 3 prongs, blunt, 9×13mm  
**160503**
- LANGENBECK, 21cm, 25×8mm  
*not illustrated*  
**160621**



### ROUX RETRACTORS

- Set, size 1–3  
**160700**

## PARKER-LANGENBECK (ARMY-NAVY) RETRACTORS

21cm, double ended, set, size 1 & 2  
**160900**



## WEITLANER RETRACTORS

10.5cm, sharp

**161310**

13cm, sharp

**161313**

20cm, sharp

**161320**

10.5cm, blunt

**161410**

13cm, blunt

**161413**

16.5cm, blunt

**161416**

20cm, blunt

**161420**



## GELPI RETRACTOR

- sharp tips
- extremely versatile retractor
- particularly useful in orthopaedic surgery

9cm

**161609**

11cm

**161611**

14cm

**161614**

19cm

**161619**



## COLLIN LARYNX RETRACTOR

20cm, with narrow blades


**161720**

Roaring burr, 21cm

**161821**



## Self Retaining Retractors



### HERTZLER ABDOMINAL RETRACTOR

- Measurements:
- Length = 150mm
  - Height = 25mm
  - Width = 25mm
  - Spreadable up to 120mm

**162100**



### BABY-BALFOUR ABDOMINAL RETRACTOR

- Measurements:
- Length = 120mm
  - Height = 27mm
  - Width = 27mm
  - Spreadable up to 90mm

**162110**



### GOSSET ABDOMINAL RETRACTOR

- Measurements:
- Length = 200mm
  - Height = 35mm
  - Width = 63mm
  - Spreadable up to 160mm

**162120**



### BALFOUR ABDOMINAL RETRACTOR

- Measurements:
- Length = 250mm
  - Height = 35mm
  - Width = 70mm
  - Spreadable up to 180mm

**162130**


# Self Retaining Rib Spreaders, Tenaculum Forceps, Bone Scoops

## FINOCCHIETTO-BABY RIB SPREADER

Measurements:

- Length = 115mm
- Height = 20mm
- Width = 20mm
- Spreadable up to 75mm

**163000**



## RIB SPREADER

HAIGHT

Measurements:

- Length = 195mm
- Height = 30mm
- Width = 30mm
- Spreadable up to 90mm

**163001**

FINOCCHIETTO

Measurements:

- Length = 210mm
- Height = 40mm
- Width = 40mm
- Spreadable up to 165mm


**163002**



## TENACULUM AND GRASPING FORCEPS

Tenaculum forceps PRATT, 27cm width of jaw  
22mm

**164127**



## VOLKMANN BONE SCOOPS

- oval cutting surface, single ended scoop
- excellent cutting accuracy, very sharp

Size 000, width = 4mm

**165000**

Size 00, width = 5mm

**165100**

Size 0, width = 6mm

**165200**

Size 1, width = 7mm

**165201**

Size 2, width = 8mm

**165202**

Size 3, width = 9mm

**165203**

Size 4, width = 11mm

*not illustrated*

**165204**



## Bone Scoops, Periosteal Elevators, Ophthalmoscopes



### BONE SCOOPS

Bone Scoop, 17cm, very delicate and deep, black chrome

**165317**

MARTINI, 14cm, double ended

**165514**

WILLIGER, 14cm, double ended

**165614**

VOLKMANN, 14cm, double ended

**165714**

VOLKMANN, 17cm, double ended

**165717**



### PERIOSTEAL ELEVATORS

To remove tissue from bones

WILLIGER, 14cm, 4mm

**166014**

WILLIGER, 16cm, 6.5mm

**166016**

Handle "Ferrozell" 18.5cm, 3mm, sharp

**166018**

Handle "Ferrozell" 18cm, 6mm, sharp

**166118**

Handle "Ferrozell" 19.5cm, 14mm, sharp

**166219**



### WELCH ALLYN PANOPTIK

Revolutionary concept for visualising the fundus

- illumination system converges the light to a point at the cornea, allowing
- easy entry into small, undilated pupils
- the illumination pathway then diverges to the retina, illuminating a very
- wide area of the fundus
- provides a 5-times larger view of the fundus than with a standard
- ophthalmoscope in an undilated eye
- enables a 25-degree field-of-view
- greater working distance improves the comfort of both examiner and patient
- the dynamic focusing wheel adjusts the focus in a continuous, smooth action
- for more precise control
- focusing range of -20 to +20 diopters

WELCH ALLYN PANOPTIK w/o Battery Handle

**301145**

Adaptor WELCH-ALLYN to HEINE Battery Handle

**302046**

WELCH ALLYN Battery Handle for PanOptik and Video Oscope

**302045**

**HEINE OMEGA 500 BINOCULAR INDIRECT OPHTHALMOSCOPE**

Based on the market leading Omega 180 the Omega 500 has been optimised for even clearer views of the fundus. A new multicoated illumination system incorporating Xenon Halogen technology, minimises reflex off the cornea and produces high resolution images

- super light weight
- only 450g

**173480**

HEINE OMEGA 500 unplugged with headband battery

100% freedom of movement

- no cable connections!

The OMEGA 500 ophthalmoscope with mPack UNPLUGGED rechargeable battery allows one-of-a-kind mobility without restriction or hindrance caused by cables, cords, or similar connections. In addition, the OMEGA 500 with mPack UNPLUGGED is the lightest indirect ophthalmoscope of its kind on the market! Direct operation possible while charging through the use of the mobile plug-in transformer. LED charge status indicator. LED indication of remaining operating time. Lightweight with balanced weight distribution. High level of comfort. Charging time 2 hours.

**173485**



**173480**



**173485**



**V E T Eickemeyer®**

Visit us on our website

[www.eickemeyer.de](http://www.eickemeyer.de)

## Accessories for HEINE OMEGA 500, Aspheric Lenses



### ACCESSORIES FOR HEINE OMEGA 500

Aspheric ophthalmoscope lens 20 D = 50mm,  
with case

**173470**

Aspheric ophthalmoscope lens 30 D = 46mm,  
with case

**173471**

Teaching mirror for OMEGA 500

**173465**

Carrying case for head mounted  
ophthalmoscope OMEGA 500

- to prevent damage during transportation  
- durable

**173490**

Battery power pack with brightness control and  
charger, for OMEGA 500

- lasts appx. 1 hour (continuous use)

**173475**

mPack with Li-ion rechargeable battery and  
transformer.

The new mPack offers freedom from cables,  
the Li-ion technology gives triple the capacity of  
current Ni-cad systems and more than double  
that of existing Li-ion systems.

**173476**



### VOLK DOUBLE ASPHERIC LENSES

VOLK 15D

**17353815**

VOLK 60D

**17353860**

VOLK 78D


**17353878**

VOLK 90D

**17353890**

VOLK Pan Retinal 2.2 D

**173536**



**KOWA GENESIS-D HANDHELD DIGITAL RETINAL CAMERA**

Small, lightweight, single handed operation for professional documentation

- high resolution (2 megapixel)
- high resolution 2.5" LCD
- recording media: Compact Flash or via USB
- lightweight (only 1070g)
- with diopter adjustment
- Xenon flash-light

**173530**

Footswitch for GENESIS-D

**173531**

## Tonometer



173560

### REICHERT TONO-PEN VET

Applanation Tonometer for the measurement of intraocular pressure

- ideal instrument to screen intraocular pressure
- the easiest way to detect glaucoma
- the patient can be positioned in any way
- fast and accurate IOP measurement with minimal training
- large and easy-to-read display
- less cornea irritation due to smaller sensor
- disposable covers to eliminate cross contamination
- range of measurements: 5–80mm Hg
- lightweight (only 64 g)
- maintenance free
- including OCU-Film tip covers, 150/box

**173560**

OCU-FILM Tip Covers, 150/box

**173565**

**TONOMETER AVIA**

Combines all benefits of the TONOPEN Vet plus:

- ergonomic design
- long lasting battery (more than 2500 measurements)
- no daily calibration
- large display on both sides
- ideal for the ophthalmic specialist

**173600**



**173600**

**SCHIOETZ TONOMETER**

- original improved model with 2 weights
- for intraocular pressure screening
- contains full instructions for use

**173551**



**173551**

**TEAR TEST**

SCHIRMER Tear Test, 100 stripes/box


- physiological area: 10–20mm
- suspicious area: < 10mm
- profoundly path. altered: < 5mm("dry eye")

**173590**

FLUORESCEIN Test, 10 blocks with 100 stripes/block

- slight dyeing of the cornea

**173595**



**173590**

**173595**

**GONIOSCOPY LENSES**

- examination of the eye
- easy to handle
- specially designed for small animals

KOEPPE, 17mm

**173574**


KOEPPE, 18mm

**173575**

BARKAN

- hydrostatic pressure attaches lens to cornea

**173580**



**173574**

**173580**



173585



### EICKEMEYER ERG-SYSTEM

- hereditary and acquired disorders of the retina can be evaluated
- useful in determining if retinal surgery is recommended
- complete ERG and VEP testing
- provides accurate data
- easy to use
- connectable to any PC or Notebook (Win98 or higher)
- incl. white stimulus, 9 disposable lens electrodes and one needle electrode

ERG/VEP System

**173585**

Needle electrode 12mm 0.28 GA

**173586**

Disposable lens electrode, 3/box

**173587**

### SURGICAL MICROSCOPE

A new dimension in micro and eye surgery

- ergonomic construction gives a you relaxed comfortable position even when operating for long periods
- 5 magnifying steps:  
3.6x/ 5.4x/ 8.9x/ 14.2x/ 22.3x
- Visual field = 56–9mm
- integrated light source, 150 W, delivers bright light
- Micro-focusing 40mm, motorised, pedal operated
- mobile floor stand with 5 lockable castors provides excellent mobility
- available with wall mounting on request

Operating microscope with Electronic Zoom  
**328140**



### MAGNIFYING LOUPE

VETERINARY STEREO Magnifying Loupe

- 2.2x magnification
- working distance: 200mm
- lightweight
- can be worn over regular glasses

**310602**

ESCHENBACH Binocular Loupe

Mounted Galilean systems for near vision

- 4x magnification
- visual field: 35mm / 250mm
- working distance: 250mm

**310704**



## Magnifying Glasses: Glasses, Binocular Loupes




### MAGNIFYING GLASSES MAX DETAIL

The economic glasses for demanding detailed work

- Magnification: 2.0 x
- very simple to use due to large PD tolerance range
- large distance of use = approx. 40cm
- weight = only 40g
- also suitable for spectacle wearers as they have right and left dioptre compensation which can be separately adjusted

**310600**



### A GUIDE TO MAGNIFICATION SELECTION

Simply select the lowest magnification that will meet your needs. The lower the magnification, the larger the field of view, and the easier the loupe will be to use. Then determine your working distance, which will also automatically determine your field of view. To determine your working distance, assume a comfortable, posture-correct position for the intended loupe application and determine the distance between your eyes and your working area. Using the chart below, match this distance with the nearest nominal working distance option shown beside the magnification you chose.

**Note:** The closer the loupes are O3. Finally, select your preferred mounting option, Spectacle Frame or Headband. All options offer the user flexibility and adaptability for precise optical position, alignment and performance.



### HEINE HR S-FRAME BINOCULAR LOUPE

- 2.5x magnification, working distance 420mm
- Maximum comfort thanks to modern, ergonomic design
- State-of-the-art technologies and innovative materials
- Low weight (only 42g)

**310707**

HEINE LED Loupelight

- powered by 3.5V HEINE battery or rechargeable handle. Fully portable.

**310708**

## MAGNIFYING GLASSES HEINE HR

like 310707, but with lightweight headband  
**310710**


like 310707, but with headband professional L  
**310713**

4× magnification and 340mm working distance  
 - with lightweight headband  
*not illustrated*  
**310711**

6× magnification and 340mm working distance  
 - with lightweight headband  
*not illustrated*  
**310712**

4× magnification and 340mm working distance  
 - with headband Professional L  
**310714**

6× magnification and 340mm working distance  
 - with headband Professional L  
*not illustrated*  
**310715**



## WELCH ALLYN HEADLIGHT

- cool, bright light for excellent evaluation of tissue colour and structure
- focusable light field of appx. 10cm
- working distance: 30cm
- positioning individually adjustable
- soft headband with Velcro closure
- rechargeable lithium-battery incl. net plug, integrated in the headband
- longlasting lamp

With white headband  
**311100**

External battery power pack. Up to 4 hrs. of continuous illumination  
**311101**



## FIBRE OPTIC HEADLIGHT

- fits to universal fibre light cable 306518/20/30 (see page 167)
  - with comfortable headband
  - please inform us about your light source
- 311120**



## Headlamp, Headlight



### HEINE 3S LED HEADLIGHT

- Reference colour temperature of 6.000 Kelvin and an extraordinary 30.000 Lux of illumination
- compact design ensures clear, unobstructed co-axial illumination
  - weight: only 70g
  - continuously adjustable spot size and brightness control
  - mains or portable power supply
  - integrated attachment options for HR/HRP Binocular Loupes and Prism for Video

#### 311130

like 310707, but with lightweight headband

#### 311132

Guard for 3S-LED Headlight

#### 311131

Unplugged (no cables, headband integrated high capacity battery pack) with Headband Professional L

#### 311133



### HEADLIGHT EQUI-LITE

- portable Halogen Headlight System
- integrated bulb cooling
- heavy duty but lightweight aluminium body
- including power supply

#### 177721



### SUPERLIGHT HEADLIGHT

- With LED-lighting technology
- ultra lightweight, only 70g (incl. batteries)
  - bright, white light for optimal illumination of the treatment area
  - LED's last for several years of continuous use

#### 178201

### EYELID SPECULAE AND RETRACTORS

Eyelid Speculum BARRAQUER (COLIBRI),  
4cm

**170004**

Eyelid Speculum GRAEFE, 9cm

**170009**

Eyelid Speculum CASTROVIEJO, 8cm


**170008**

Eyelid Retractor DESMARRES, 14mm, size 2

**170114**

Eyelid Retractor DESMARRES, 16mm, size 3

**170116**



### DEPILATION FORCEPS

DOUGLAS, 9cm

**170309**

GRADLE, 9.5cm

- extra firm grip

**170310**



### TEAR DUCT INSTRUMENTS

BOWMAN Probe, size 0/00, German silver,  
pointed

**170470**

WILDER Dilator, size 1

**170481**

WILDER Dilator, size 2

**170482**

WILDER Dilator, size 3

**170483**

KELLNAR Probe, left

**170486**

KELLNAR Probe, right

**170487**

KELLNAR Probe, double

**170490**

Silicon Tube for KELLNAR Probes,  
ID = 0.3mm, OD = 0.6mm, length = 1m


**170503**

Silicon Tube for KELLNAR Probes,  
ID = 0.5mm, OD = 0.9mm, length = 1m

**170505**

Silicon Tube for KELLNAR Probes,  
ID = 0.7mm, OD = 1.6mm, length = 1m

**170507**



## Eye Surgery Kit, Ophthalmic Instruments



### OPHTHALMIC INSTRUMENTS

Cornea Scraper KUHNT

**170331**

Scoop MEYHOEFER, 2mm, sharp

**170420**

Scoop MEYHOEFER, 2.5mm, sharp

**170512**

Cyclodialysis Spatula CASTROVIEJO, double

**170512**

Eye Hook GRAEFE, blunt

**170440**

Lens Loop WEBER

**170464**



### EYE SURGERY KIT

complete with autoclavable silicone pegged mat and autoclave container

- Scalpell handle No.3
- ADSON forceps 12 cm
- eye lid retractor BARRAQUER (Colibri)
- cornea scraper KUHNT
- lens loup WEBER
- cyclodialysis spatula CASTROVIEJO, double
- Iris forceps HESS (Colibri), 7 cm
- Iris forceps BISHOP-HARMON, 8.5 cm, 1x2 teeth, 0.5mm
- Capsular forceps FUCHS
- fixation forceps GRAEFE, 11 cm, with splint
- suture forceps CASTROVIEJO, teeth 0.5 mm, 10 cm
- suture forceps TUEBINGEN, 10 cm
- Chalazian forceps DESMARRES, 9 cm
- iris scissor CASTROVIEJO, curved, 10 cm, sharp
- cornea scissor CASTROVIEJO, 10 cm, left
- Chalazion Forceps DESMARRES, 9cm
- Iris Scissor CASTROVIEJO, 10cm, curved, sharp
- Cornea Scissor CASTROVIEJO, 10cm left
- Cornea Scissor CASTROVIEJO, 10cm right
- Needle Holder BARRAQUER, 11cm, curved, round handle, w/o ratchet
- Tenotomy Scissors STEVENS, 11cm, curved, blunt/blunt

**173020**



### EYE FORCEPS

Chalazion Forceps DESMARRES, 9cm, fig. 2

**171522**

Nictitating Membrane Forceps STADES, 9.5cm

**171609**

Trachom/roll Forceps KNAPP, 11cm

**171611**

**GRAEFE FIXATION FORCEPS**

11cm, with splint  
**171411**  
 11cm, with lock  
**171412**



**CAPSULE AND SUTURE FORCEPS**

Capsule Forceps HESS, 6.5cm, double curved  
**171306**  
 Capsule Forceps GILL-ARRUGA, 7.5cm  
**171307**  
 Suture Forceps CASTROVIEJO, 10cm,  
 teeth = 0.3mm  
**171503**  
 Suture Forceps CASTROVIEJO, 10cm,  
 teeth = 0.5mm  
**171505**  
 Suture Forceps TUEBINGEN, 10cm  
**171510**



**CAPSULE FORCEPS ARRUGA**

length 10cm  
 - specially designed for intraocular surgery  
**171309**




**EYE FORCEPS UTRATA TITANIUM**

10cm  
 Specially designed for intraocular surgery  
**171511**




## Ophthalmic Instruments




### GRAEFE IRIS FORCEPS

- 10cm, straight, serrated  
**170610**
- 10cm, curved, serrated  
**170710**
- 10cm, straight, 1x2 teeth  
**170810**
- 10cm, curved, 1x2 teeth  
**170910**




### IRIS AND CAPSULE FORCEPS

- Iris Forceps HESS/Colibri, 7cm  
**171007**
- Iris/Suture Forceps BARRAQUER, 7cm, teeth: 0.5mm / 45°  
**171105**
- Iris/Suture Forceps BARRAQUER-KATZIN (Colibri), 7cm, teeth: 0.12mm / 90°  
**171107**
- Iris Forceps BISHOP-HARMON, 8.5cm, 1x2 teeth  
**171108**
- Capsule Forceps FUCHS, 7cm  
**171207**



### IRIS AND CORNEAL SCISSORS

- Iris Scissors CASTROVIEJO, 10cm, curved, sharp  
**171710**
- Corneal Scissors CASTROVIEJO, 10cm, left, curved  
**172110**
- Corneal Scissors CASTROVIEJO, 10cm, right, curved  
**172111**
- Secondary Cataract Scissors VANNAS, model TUEBINGEN, 8.5cm, sharp, curved  
**172208**



### EYELID SPATULAS GRAENITZ

- to put under the eye lid while cutting
- length: 77mm

- Size 1, width: 10mm  
**170221**
- Size 2, width: 16mm  
**170222**
- Size 3, width: 22mm  
**170223**
- Size 4, width: 25mm  
*not illustrated*  
**170224**

## EYE NEEDLE HOLDERS

CASTROVIEJO, 14cm, straight, with ratchet  
**172414**

CASTROVIEJO, 14cm, curved, with ratchet  
**172514**

BARRAQUER-TROUTMANN, 10cm, curved,  
round handle, with ratchet  
**173010**

BARRAQUER, 11cm, curved, round handle,  
w/o ratchet

- perfect for intraocular surgery  
**173011**

BOYNTON, 12cm, straight, TC  
- perfect for lid surgery  
**173112**

## EYE IMPLANTS

- black silicon  
- for cosmetic treatment after bulbus extraction

Eye Implant Inserter  
**173500**

Diameter = 14mm  
**173514**

Diameter = 15mm  
**173515**

Diameter = 16mm  
**173516**

Diameter = 17mm  
**173517**

Diameter = 18mm  
**173518**

Diameter = 19mm  
**173519**

Diameter = 20mm  
**173520**

Diameter = 22mm  
**173522**

Diameter = 23mm  
**173523**

Diameter = 24mm  
**173524**

Diameter = 26mm  
**173526**

Diameter = 28mm  
**173528**

Diameter = 30mm  
**1735290030**

Diameter = 33mm  
**1735290033**

Diameter = 36mm  
**1735290036**

Diameter = 38mm  
**1735290038**

Diameter = 40mm  
**1735290040**

Diameter = 45mm  
**1735290045**

Diameter = 43mm  
**1735290043**


Diameter = 50mm  
**1735290050**

Diameter = 47mm  
**1735290047**


Diameter = 52mm  
**1735290052**

Diameter = 55mm  
**1735290055**

Diameter = 60mm  
**1735290060**



## Cellulose Spears, Cryosurgery



### CELLULOSE SPEARS

- extremely absorbent

Cellulose Spears, wedge-shaped, 200/box  
**166520**

Cellulose Spears, round, length 66mm,  
diam. 5mm, pointed tips, 500/box  
**166530**



### KRYOSURGERY "CRYO-STICK"

The Cryostick is an evolutionary lightweight multifunctional instrument made up of a cartridge and a body.

- extremely precise, with a constant penetrating temperature of  $-89^{\circ}\text{C}$  during work
- rare scares
- ideal for ophthalmic and dermatologic procedures
- special cartridge prevents loss of  $\text{N}_2\text{O}$

Including 1 cartridge

**173443**

$\text{N}_2\text{O}$  Cartridge

**173444**


# State of the art continuing education centre in Tuttlingen, Germany



Since 1985 almost 10.000 veterinary professionals from all over the world have attended our courses.



Theory lectures, practical demonstrations and hands-on veterinary seminars in full operating theatre facilities provide the maximum learning in the minimum time.



#### DENTAL CARE UNIT EICKEMEYER PROFIDENT PLUS

Compact unit for professional animal dental care

- high-speed handpiece (water-cooled) up to 400.000 rpm
- straight low-speed handpiece up to 20.000 rpm
- water flow control
- 3-way air/water syringe
- attachment for prophy cups
- integral suction unit with tank
- easy to fill water tank
- foot switch
- unit will be delivered ready for use – just connect a compressor
- table top or wall mountable
- stand not included

Dental Care Unit PROFIDENT Plus

#### 174020

Scaling Extension to 174020 including EICKSONIC Ultrasonic Scaler

#### 174021

Complete stainless steel stand with 4 lockable casters

#### 174042

Disposable Suction Tube, 3 pcs./pack.

#### 174048

## Handpieces, Compressor



### CONTRA ANGLE HANDPIECES

High-speed Handpiece, friction grip (FG), with key, water cooled, up to 400.000 rpm

- good quality
- reasonable price

**174055**

Low-speed Handpiece, to use with SCHEIN/PROFIDENT Units, fits burs and polisher with contra angled shaft

*not illustrated*

**174061**



### STRAIGHT HANDPIECES

Straight Handpiece incl. Low-speed Air Motor, max 20.000 rpm

- used e.g. to cut rabbit teeth
- best price performance

**174060**

Single Straight Handpiece for use with Snap On Propy Head (174063) and Propy Cups (174014)

*not illustrated*

**17406001**



### SNAP-ON PROPHY HEAD

Fits on Low-speed Handpieces 174060 and 17406001, for Propy Cups 174065

**174063**

Disposable, Snap-On Propy Cups for Propy Head (174063), 36/box

**174065**



### COMPRESSOR FOR DENTAL CARE UNITS

340 Watt, 230V, 8 bar, 50L/Min

- silent operation
- compact
- low maintenance
- powerful
- to use with PROFIDENT Plus (174020)

**174052**

Air Filter

- reduces oil emission to almost 0%
- to extend the life of your handpieces

**174043**

## DENTAL MICROMOTOR EICKEMEYER

- compact and powerful motor
- high-performance 0–35.000 rpm
- variable speed control
- clockwise and counter-clockwise rotation
- best value for money
- including foot switch

Micromotor EICKEMEYER incl. foot switch  
**174025**


Handpiece, contra angle, autoclavable  
**174026**

Handpiece, straight, autoclavable  
**174027**



## STARTER BUR KIT

Including burs for straight handpiece and burs with friction grip (FG) for previously high speed contra angle handpieces  
**174100**




## VETERINARY BUR KIT

For low-speed contra angle handpiece, containing:

- 1× diamond bur, size 12
- 1× diamond bur, size 23
- 1× cone bur, size 12
- 1× cone bur, size 18
- 1× straight dome bur, size 8
- 1× straight dome bur, size 12
- 1× wheel-type bur, size 12
- 1× bur, LINDEMANN pattern

**174105**



## Bur Kits, Bur Guard, Cutting Disc



### CARBIDE BUR KIT

For LOW-SPEED handpiece, containing:

- 1 excavating bur, size 18
- 1 tapered bur, size 14
- 1 tapered bur, size 23
- 1 cone bur, size 12
- 1 cone bur, size 21

**174205**



### BUR KIT FOR RODENTS

For LOW-SPEED handpiece

- extra long shaft
- length = 44.5mm

**177280**



### BUR GUARD

Mucosa protection – fits on straight handpiece

- prevents injuries caused by drilling

**177282**



### DIAMOND CUTTING DISC SUPERFLEX

flexible, assembled

For straight handpiece

**174450**

For contra angle handpiece

**174451**

### SAFETY SHIELD FOR DIAMOND DISC

Attaches to the handpiece  
- prevents injury to the Vet and patient  
- w/o handpiece  
**177284**



### ANTI-DUST SPRAY

Anti-Dust Spray, 500ml, incl. spray nozzle  
**174880**



### CLEANING BRUSH

To clean burs, drills and milling cutters  
**174908**



### OIL SPRAY FOR ROTATING INSTRUMENTS

Spray for handpieces, 250ml, w/o adapter  
**174010**

Adapter for contra angle handpieces  
*not illustrated*  
**174011**

Adapter for high-speed handpieces  
*not illustrated*  
**174012**



## Guttapercha Points, Dental Root Set, Expansion Screw



### GUTTAPERCHA-POINTS

- coloured
- for cats and dogs
- easy to open packaging

28mm, Set ISO 15–40

**174816**

28mm, Set ISO 45–80

**174817**

Absorbent Points medium, 55mm, 100/box

**174803**



### GUTTAPERCHA-POINTS

55mm, 150 pcs assortment

- extra large for dogs

**174813**




### DENTAL ROOT SET 60MM

For small animals

containing:

- 5x HEDSTROM file ISO 20/30/40/50/80
- 2x Lentulo, medium
- 1x Nerve Needle

**174814**



### EXPANSION SCREW

With short (15mm) and long (21mm) screw and wrench

**175250**

## DENTAL PROTECTION SHIELD

Perfect protection during dental treatment, including 3 exchangeable visors  
- convenient for all dental procedures  
**940000**



## DENTAL MODELS

Transparent canine/feline dental models  
- durable acrylic  
- three dimensional view  
- enables veterinarians to demonstrate the necessity of dental treatment

Cat  
**174092**

Dog  
**174093**



## DENTAL ELEVATOR

Elevator BEIN, 13.5cm, 2mm  
**175302**

Elevator BEIN, 13.5cm, 3mm  
**175303**

Elevator BEIN, 13.5cm, 4mm  
**175304**

Elevator LINDO-LEVIEN, 13.5cm, 3mm, serrated  
**175403**

Elevator GEISSFUSS, 13cm  
**175613**

Curved Elevator FAHRENKRUG, size 1, for dogs  
**175801**

Curved Elevator FAHRENKRUG, size 2, for cats / small dogs  
**175802**



## Dental Forceps, Dental Hand Instruments



**VET** Eickemeyer®

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)



### DENTAL FORCEPS AND TARTAR FORCEPS

- specially designed for dogs and cats teeth
- parallel jaws (while open)

Dental Forceps 11cm, for cats and small dogs  
**176011**

Dental Forceps 11cm, for cats and small dogs,  
diamond plated for optimal grip  
**176010**

Dental Forceps 16.5cm, for dogs  
**176016**

Dental Forceps 16.5cm, for dogs, diamond  
plated for optimal grip  
**176015**

Dental Forceps 16.5cm, for dogs, straight  
**176017**

Tartar Forceps DIETRICH, 12cm, small, ideal  
for removing heavy tartar  
**176112**

Tartar Forceps DIETRICH, 16.5cm, large, ideal  
for removing heavy tartar  
**176116**

### DENTAL FORCEPS

WITZEL, No. 166, 15cm, with narrow blades  
- excellent for root fragments  
**176215**

Right Angled Dental Forceps No. 13, curved  
- excellent for small incisors and caudal teeth  
**176316**

### PERIODONTAL INSTRUMENTS

Supragingival Scaler JAQUETTE, 16.5cm, right  
angled curved, double ended  
**176410**

Scaler, 16.5cm, right angled curved, double  
ended  
**176412**

Dental Mirror with handle, D = 22mm  
**176422**

Measuring Pocket Probe, 16cm  
**176456**

Explorer Probe No. 9, to locate subgingival  
calculus  
**176459**

Exolorer Probe No. 17, to locate subgingival  
calculus, ideal for cats  
**176467**

### TARTAR SCRAPERS AND SCALERS

- to remove tartar
- heavy duty model

Hook shaped

**176401**

With enamel chisel

*not illustrated*

**176402**

Universal Scaler, left

**176403**

Universal Scaler, right

**176404**

Hatchet shaped, sharp

*not illustrated*

**176405**

Hatchet shaped, sharp, heavy

**176406**

### ULTRASONIC SCALER BANDELIN SONADENT C

With handle and 2 inserts

(universal and spatula tip)

Ultrasonic scaling equipment especially for  
application in veterinary medicine

- dental scaler with high performance.
- long lasting titan nitride coated tips
- light weight handpiece

**176800**

Quick Release Attachment

- quick-change valve (for SONADENT / P5  
BOOSTER / COCOON / EICKSONIC)

**177000**

Foot switch for SONADENT

**177101**

Handpiece with Finger Switch for SONADENT

**177105**



## Ultrasonic Scalers



### TIPS FOR SONADENT

Scaler Tip ML61, for SONADENT C, lengthwise  
- for general scaling

**176903**

Scaler Tip ML16,  
for SONADENT C,  
spatula type  
- for subgingival scaling

**176904**

Scaler Tip ML60, for SONADENT SD3A/SD3B,  
lengthwise

**176901**

Scaler Tip ML15, for SONADENT SD3A/SD3B,  
spatula type

**176902**

Urinary Tip HZ 13 LE, working length = 145mm

- to pulverise wedged calculus

- less traumatic than general surgery


**176914**

*Just plug in  
the new processor  
and fill it with chemicals  
and the ECOMAX  
is ready for operation.*



**VE**  
**T Eickemeyer®**

So ingeniously simple.



176870

### ULTRASONIC SCALER EICKSONIC

- compact and light design
- ease of use
- modern Piezo-Technology
- control switch for easy water flow adjustment
- water source required (e.g. 176875)
- including 5 scaling tips
- very reasonable price

Ultrasonic Scaler EICKSONIC

**176870**

Scaler Tip No. 1 for 176870, flat, sharp

**176871**

Scaler Tip No. 2 for 176870, flat, wide

**176872**

Scaler Tip No. 3 for 176870, pointed

**176873**

Pump up Portable Water Tank for 176870, 5 litre, max. 3 bar

**176875**

## Ultrasonic Scalers, Water Container, Dental Tray



### ULTRASONIC SCALER P5 BOOSTER

- the world's smallest Ultrasonic Scaler
- easy to handle with turn-switch adjustable in 4 steps and 14 power levels
- ultrasonic frequency precisely adjustable
- easy to clean
- lightweight titanium handle

P5 BOOSTER with handle and scaling Tip No.1  
**176900**



### TIPS FOR P5 BOOSTER AND COCOON

Scaler Tip No. 1  
**17690005**

Scaler Tip No. 2  
**17690003**

Urinary Tip for dogs, short (102mm)  
*not illustrated*  
**17690007**

Urinary Tip for cats, curved  
*not illustrated*  
**17690008**

Urinary Tip for dogs, large (150mm)  
*not illustrated*  
**17690009**



### PORTABLE WATER TANK

- 5 litre
  - stainless steel pressure tank, 2–5 bar
  - D = 17cm, height: 53cm
- 177100**

5 litre, with quick release coupling, plastic  
*not illustrated*  
**17690002**

Screw Adaptor M10 x 1,5, coupling nut for  
portable water tank No. 177100  
- fits on P5 BOOSTER and SONADENT  
*not illustrated*  
**17710001**



### DENTAL TRAY

- Dimensions: L = 39x W = 35x H = 4.5cm
- stops water soaking back on to patient
  - comfortable positioning of the patients head
  - removable grate
  - easy to clean and disinfect
- 177200**

**PROPHY PASTE AND CUPS**

- perfectly shiny teeth with a highly polished enamel surface
- prophylaxis to tartar build up

Prophy Paste  
**176780**

Rubber Prophy Cups Kit, containing:  
 3x Brownie, 2x Greenie, 1x Super Greenie  
 cupform and mini-point  
**176785**



**RODENT MOUTH GAGS**

Ideal for examination and treatment of  
 rabbit molars

SCHMIDTKE, 11.5cm, lightweight  
**177303**

11cm, heavy model  
**177304**



**RODENT MOUTH GAG**

Heavy model, 11cm, with ratchet, modified acc.  
 to BIRKLE

- self retaining
  - one-hand-use
  - easy and fast locking/opening
- 177330**




**RODENT CHEEK DILATORS**

Cheek Dilator, large  
 - blade width = 15mm / length = 21mm  
**177305**

Cheek Dilator, small  
 - blade width = 11mm / length = 14mm  
**177306**

Cheek Dilator, for chinchillas and guinea pigs  
 - blade width = 4mm (tip) / 9mm (back) /  
 length = 21mm  
**177311**

Cheek Dilator, small  
 - with long blades  
 - blade width = 10mm / length = 35mm  
*not illustrated*  
**177310**



## Tongue Spatula, Molar Cutters



### TONGUE SPATULA

Tongue spatula, 17.5cm

**177307**

Tongue spatula HOLLMANN, small, concave blade, 19cm

**177308**


Tongue spatula HOLLMANN, large, concave blade, 19cm

**177309**

HEIDEMANN-Spatula for tooth extraction on rodents

*not illustrated*

**174825**



### MOLAR CUTTERS WITH SPRING LOADED HANDLES

MINI-FRIEDMANN, 12cm, double spring, delicate

**177312**

MINI-FRIEDMANN, 14cm, double spring, very delicate

**177314**

Molar Cutter with spring, for Rabbits and Guinea Pigs, 18cm, curved

**177315**



### MOLAR CUTTER WITH TUNGSTON CARBIDE INSERTS (TC)

- with double spring, 17cm

- use to de-bulk or for trimming spurs and hooks

- highest quality, extremely durable

- stay sharper, longer

**177316**



### MOLAR CUTTER FOR CHINCHILLAS

- with spring, 13cm

- ergonomic design

**177317**

## RODENT MOLAR RASP

To smooth off sharp edges w/o disturbing the delicate tooth roots

Diamond coated Molar Rasp, 18cm,  
for small rodents, delicate  
**177319**



## WOODEN MOUTH GAGS

- secure and easy access to the mouth
- lightweight
- sturdy
- economically priced

Small, 7cm  
**200007**

Large, 9cm  
**200009**



## SPRING ACTION MOUTH GAGS


- easy to handle
- less traumatic nylon/rubber inserts
- lightweight
- very durable

For dogs, small, 6.5cm  
**200107**

For dogs, medium, 10.5cm  
**200110**

For dogs, large, 15cm  
**200115**

For cats, 6cm  
**200117**



## SMITH BAXTER MOUTH GAGS

Size 1, for cats  
**200201**


Size 2, for small dogs  
**200202**

Size 3, for medium dogs  
**200203**

Size 4, for large dogs  
**200204**




## Equine Dental Forceps



### WORLD WIDE EQUINE MOLAR FORCEPS

- 48cm, serrated, short jaw, box joint, stainless steel
- with knurled handles
  - engineered to be used with one or two hands
  - fits short crowned molars and premolar caps well


**177518**



### WORLD WIDE EQUINE MOLAR FORCEPS

- 48cm, concave, long jaw, box joint, stainless steel
- concave with knurled handles
  - fits higher crowned molars well


**177519**



### WORLD WIDE EQUINE ROOT FRAGMENT FORCEPS

- 46cm, short jaw, box joint, stainless steel
- with knurled handles
  - used for removal of split and fractured molars

**177520**



### WORLD WIDE EQUINE MOLAR FORCEPS

- 48cm, three root, box joint, "off side", stainless steel
- with knurled handles
  - for molars with very little crown in aged horses and deciduous premolar caps

**177521**

## WORLD WIDE EQUINE MOLAR FORCEPS

48cm, three root, box joint, "on side", stainless steel

- with knurled handles
- for molars with very little crown in aged horses and deciduous premolar caps

**177522**




## WORLD WIDE EQUINE MOLAR SPREADER

48cm, box joint, molar spreader, stainless steel

- with knurled handles
- for loosening premolar and molar teeth


**177523**



## WORLD WIDE EQUINE EXTRACTOR REYNOLDS STYLE

43cm, heavy model, upper


**177524**




## WORLD WIDE EQUINE EXTRACTOR REYNOLDS STYLE

43cm, heavy model, lower

**177525**



## Equine Dental Forceps




### WORLD WIDE EQUINE LOWER MOLAR CUTTER

56cm, simple joint, lower molar cutter, hardened stainless steel  
- with permanent handles  
- works well on small back ramps and hooks  
**177526**



### WORLD WIDE EQUINE LOWER MOLAR CUTTER

56cm, simple joint, lower molar cutter, hardened stainless steel  
- with permanent handles  
- slightly opened head  
- best selling cutter  
**177527**



### WORLD WIDE EQUINE TOOTH FORCEPS

25cm, Incisor and Canine Cutter  
- for incisors that are scored and to reduce protuberant canine teeth  
**177528**



### EQUINE EXTRACTION FORCEPS

GUENTHER, 44.5cm  
**177444**


## MOLAR CUTTER

- 75cm, hardened stainless steel
  - powerful compound action
  - with detachable handles for easy storage
- 177450**




## TREPHINE PUNCHES WITH SERRATED HEADS

- 20cm, straight
- 177620**
- 20cm, curved
- 177720**



## DENTAL ELEVATOR SET FOR HORSES

- contains 4 elevators (medial, lateral, posterior and anterior)
  - works well on incisor or molar fragments
  - length = 40cm
- 177517**




## WORLD WIDE EQUINE ELEVATOR

- 8mm head
  - palm fitting hexagon handle
  - especially for elevating incisors and wolf teeth
- 177515**



## Equine Elevator, Wolf Tooth Elevator Kit, Trephine, Equine Tooth Rasps



### WORLD WIDE EQUINE ELEVATOR SET

- contains 3 elevators (straight, left and right)
  - for removing wolf teeth, incisors, and deciduous tooth fragments
  - length = 15cm
  - 3mm head
- 177516**



### WOLF TOOTH ELEVATOR KIT

- Spare Head, small D = 8mm  
**177761**
- Spare Head, large D = 10mm  
**177762**



### GALT TREPHINE

- With removable handle
- With cutting head 19mm + 22mm  
**184910**
- With cutting head 19mm + 25mm  
**184911**



### WORLD WIDE EQUINE TOOTH RASP

- Pro-Lite
- 28cm, with round shaft, head angle 20°, w/o blade  
**177505**
- 23cm, with round shaft, head angle 25°, w/o blade  
**177504**

## WORLD WIDE EQUINE TOOTH RASP

Pro-Lite

38cm, with round shaft, straight, w/o blade

**177506**

43cm, with round shaft, straight, w/o blade

**177507**



## WORLD WIDE EQUINE TOOTH RASP

Slim-Line Pro-Lite

46cm, with round shaft and marking scale, head angle 15° up, with carbide blade

**177510**




## WORLD WIDE EQUINE TOOTH RASP

Slim-Lin

23cm, with curved shaft, premolar and bit seat rasp, with carbide blade

**177511**



## WORLD WIDE EQUINE CURVED TOOTH RASP

S-shaped, Tungsten Carbide chip


- length = 51cm

- width = 3.8cm

**177512**



## Tooth Rasps Blades, Stainless Steel Bucket, Equine Tooth Rasps



### WORLD WIDE EQUINE TOOTH RASP PLATES

Tungsten Carbide, medium, for Peo-Lite Tooth Rasp 3.25 inch

**177509**

Tungsten Carbide, medium, for Pro-Lite 2.25 inch

**177514**



### EQUI VET BUCKET

Stainless steel, with integrated brush and rubber bottom

- especially for cleaning tooth rasps during treatment
- the rubber bottom keeps noise levels to a minimum around nervous animals

**178390**




### TOOTH RASP MULTIFLOAT

Dental Rasp "Multifloat"

- 12 different angles to perform all dental procedures
- angles can be easily adjusted
- no tools required
- incl. heavy duty Tungsten Carbide chip blade
- easy exchange of the blade
- complete stainless steel construction
- working length = 48cm

**177600**



### TOOTH RASP SYSTEM EQUI DENT

EQUI DENT Set, including:

- 2 handles 17 and 40cm
- 3 exchangeable rasp tops with TC chip blades

**178080**

Handle short, 17cm

**178081**

Handle long, 40cm

**178082**

Top with TC chip blade, straight

**178083**

Top with TC chip blade, curved up, excellent for rear molars

**178084**

Top with TC chip blade, curved down  
- for use on upper arcade molars

**178085**

### WORLD WIDE EQUINE NYLON DENTAL HALTER

Nylon Dental Halter with quick release, double braided nylon rope and steel bar in halter for hanging heads

**177555**

Quick release, one handed height adjustment

**177601372**



**177555**

### EQUINE TOOTH RASPS SLIMLINE

- RECHARGEABLE battery powered (up to 9000 rpm)
- special flat head for reaching the rear molars
- durable stainless steel cabinet
- ergonomic design
- overload protection
- lightweight and easy to use

SLIMLINE incl. charger

**178150**

Spare battery for Tooth Rasp SLIMLINE

**178152**

Like 17815502 but with rechargeable power-battery-pack

- lasts more than 4 hours, connectable to a car (12V)

**178155**

### DISCS FOR TOOTH RASP SLIMLINE

- diamond-plated
- long-lasting

Disc, coarse


**178157**

Disc, fine

**178158**



**178150**



**178157**

**178158**

### ELECTRIC TOOTH RASP SWISSFLOAT-EISENHUT

Easily reduces unevenness of equine molars


- slim model, length = 65cm
- very flat head (only 22mm)
- adjustable from 0–1900 rpm
- safety net plug
- low-noise
- saves time and energy
- incl. Tungsten Carbide disk (178104)

**178111**



**178111**

## Electric Equine Tooth Rasps



### DISCS FOR SWISSFLOAT-EISENHUT

Tungsten Carbide Disc

**178104**

Diamond Disc, fine

- long-lasting, for more than 100 treatments
- quick and efficient

**178107**

Diamond Disc Golden Line, flat

- plated with diamond chips
  - long-lasting and easy to clean
- not illustrated*

**178108**

SuperCut Disc EICKEMEYER

*not illustrated*

**178105**



### ELECTRIC TOOTH RASP EICKEMEYER

EICKEMEYER Motor with foot switch and protective switch

- high performance 300 Watts engine
- foot switch splash-water protected
- dust proof
- electronic speed regulation from 0 up to approx. 12.000 U/min.

**177585**

Flexible shaft for 177585, length 100cm

**177586**

ELECTRIC TOOTH RASP EICKEMEYER

- head and blade made of stainless steel
- handle made of aluminium
- including disc and grease gun
- low profile head
- easy handling

**177580**

Disc for electric toothrasp

**177583**



### WORLD WIDE EQUINE HORSEPOWER HANDPIECE

The handpiece for professionals

- overall length = 45.5cm, shaft = 32cm
- works well in most positions on molars
- low profile head
- incl. diamond disc and guard
- fits on DREMEL/FOREDOM/EICKEMEYER motor

**177551**

Diamond disc for 177551

**177552**

Special lubricating grease for 177551

**177553**

Grease gun "De Luxe" for 177551

**177554**

**WORLD WIDE EQUINE HORESEPOWER  
HANDPIECE APPLE CORE**

Motor attachment

- unguarded handpiece uses the apple core burrs for bucal cusps, bit seats and radius work on cheek teeth battery edges
- comes with a diamond coated apple core burr
- lenght = 45.5cm

**177601315**

**MAINTENANCE AND REPAIR OF EQUINE  
DENTAL EQUIPMENT**

Eickemeyer after sales service.

You can rely on us

- fast and relieable in our own shop

**HANDPIECE FOR EICKEMEYER MOTOR**

EICKEMEYER Handpiece

- suitable for DREMEL engines with flexible shaft
- large hand piece with 2 draw-in attachments for 1/8" and 1/4" cutter

**177531**

**EICKEMEYER HANDPIECE GUARD**

For EICKEMEYER handpiece


**177533**

**Apple Core, Electric Equine Tooth Rasps**



**VET Eickemeyer®**

Maintenance and repair of  
equine dental equipment



## Carbide Burs, Diamond Cutting Disc




### CARBIDE BURS FOR EICKEMEYER-HANDPIECE

Ball burr, diamond cut, D = 1.3cm, for 177531  
**177535**

Drum burr, diamond cut, D = 1.6cm, for 177531  
**177536**

Apple core burr, concave, 1/4" shaft  
**177601299**

Drum Bur, D = 1.3cm, for 177531  
**17753601**



### DIAMOND CUTTING DISC

large, D = 4cm  
**177549**


Diamond cutting disc  
D = 2.2cm, double sided, for 177531  
**177550**



### SUCTION ATTACHMENT "SUPER SLOBBER SUCKER"

attaches to vacuum cleaner

**177601398**




### EQUINE DENTAL MIRROR

Large mirror (D = 5 cm) for perfect view,  
35cm length with T-handle  
**177601408**

## Hypomochlion, Equine Mouth Speculum

### HYPOMOCHLION

With two different plateaux  
**177537**



### WORLD WIDE EQUINE MOUTH SPECULUM

Series 2020

- stainless steel
- with 15 clicks for easy adjustment
- improved handling
- double stitched belts
- with interchangeable ratchet inserts

**177529**

Series 4000

- heavy duty stainless steel
- with 6 ratchets

*not illustrated*

**177601445**



## Equine Mouth Speculum, Equine Mouth Wedges




### HAUSSMANN/CLIMAX MOUTH SPECULUM

- high grade forged stainless steel
- spring loaded ratchets on both sides for easy opening
- easy adjustment
- quality stitched leather halter

**211015**

Real Bone Horse Skull

**909011**



### EQUINE MOUTH WEDGES

Mouth Wedge COMET, plastic

**210008**

Mouth Wedge SCHOUPE, metal

**210009**

Mouth Wedge with rubber block

- with atraumatic rubber block
- extremely durable
- easy replacement of rubber block

**210013**

Spare rubber block for Mouth Wedge 210013

**E210013001**



### EQUINE MOUTH WEDGE

Stainless steel with poly wedge, poll strap and off cheek hook

**177530**

## DENTAL TREATMENT DVD

DVD Introduction to Equine Dentistry  
**177599**

DVD Incisor and Molar Malocclusions  
**177598**




**177598**

## EAR FORCEPS

TROELTSCH, 13cm  
**134113**

LUCAE, 14cm  
**134214**



**134011**

**134113**

**134214**

## HAEMATOMA COMPRESS

Pack with 10 pcs.  
 - 12x18cm  
 - for aural haematoma treatment. Easy to cut to shape, good ventilation, sterile  
**173920**



**173920**

## EAR CLEANING INSTRUMENTS

- perfect ear cleaning with ease

Ear Loop BUCK, 15cm, curved, blunt  
 - for general ear cleaning  
**173615**


Flexible Ear Loop BILLEAU, 16.5cm, No. 2  
 - specially designed for cats ears  
**173716**

Forceps for ear hair removal  
**173750**

Cotton applicator, 14cm, 1.2mm  
**173812**

Cotton applicator, 18cm, 1.5mm  
**173815**

Cotton applicator, 18cm, 1.8mm  
**173818**



**173615**

**173716**

**173750**

**173815**

## Ear Irrigation, Bulb Syringes, WOODS Lamps



### AURIFLUSH EAR IRRIGATION SYSTEM

Faster, easier and more effective way to clean ears of small animals

- especially designed for veterinary use
- max. pressure 10PSI to avoid injuring the ear drum
- latex-free disposable eartips provide a tight seal within the patient's external ear canal
- water flow is regulated easily with the handle actuator
- injection port for administration of ear cleaning agents
- integrated temperature sensor
- easily attaches to most taps
- well-tolerated in unsedated dogs & cats

**173940**

Disposable tips for 173940, 100/box  
**173941**



### BULB SYRINGE

90ml

- red rubber
- to aspirate fluids

**453690**



### WOODS LAMP

- maximum ultraviolet irradiance
- magnification

WOODS Lamp, 230V, 4x 40W

**179010**

WOODS Lamp with additional lens  
(12 dpt, D = 3cm)

**179015**

UV Lamp, hand held

*not illustrated*

**179050**

## Dermatoscopes, External Fixation Clamps, External Fixation Bars

### HEINE DELTA 10 DERMATOSCOPE

For dermal diagnosis and evaluation

- 10x magnification
  - detailed picture
  - bright illumination
  - easy to use
  - fits on HEINE 3.5V rechargeable handle
- 179435**



### EXTERNAL FIXATION CLAMPS


KIRSCHNER pattern

Single, 2.4mm, small  
**180010**

Single, 3.2mm, medium  
**180011**

Double, 3.2mm, small  
**180020**

Double, 4.8mm, medium  
**180021**



### EXTERNAL FIXATION BARS

For single and double clamps

D = 3.2mm, L = 5.0cm, small  
**180031**

D = 3.2mm, L = 7.6cm, small  
**180032**

D = 3.2mm, L = 10.0cm, small  
**180033**

D = 3.2mm, L = 12.7cm, small  
**180034**

D = 3.2mm, L = 15.0cm, small  
**180035**

D = 4.8mm, L = 7.6cm, medium  
**180041**


D = 4.8mm, L = 10.0cm, medium  
**180042**

D = 4.8mm, L = 15.0cm, medium  
**180044**


D = 4.8mm, L = 17.8cm, medium  
**180045**

D = 4.8mm, L = 20.3cm, medium  
**180046**

D = 4.8mm, L = 25.4cm, medium  
**180047**



## KIRSCHNER Trocar Pins, KIRSCHNER-ELLIS Pins, External Fixation Kit



### KIRSCHNER TROCAR PINS

Double trocar point, for use with KIRSCHNER external fixation clamps

D = 2.4mm, L = 20.3cm


**180062**

D = 3.2mm, L = 22.9cm

**180063**

D = 4.0mm, L = 22.9cm

**180064**



### KIRSCHNER-ELLIS PINS

Negative threaded pin with round end, for use with KIRSCHNER external fixation clamps

D = 2.36mm, L = 11.5cm, small

**180070**

D = 3.12mm, L = 13.0cm, medium

**180071**



### EXTERNAL FIXATION KIT, SMALL

For cats and dogs up to 10kg

contains:

- 180010 single clamp, 2.4mm, small, 8 pcs
- 180020 double clamp, 3.2mm, small, 2 pcs
- 180031 bar, D = 3.2mm, L = 5.0cm, small, 2 pcs
- 180035 bar, D = 3.2mm, L = 15.0cm, small, 2 pcs
- 180085 wrench, small
- 180062 STEINMANN pins, double trocar point, D = 2.4mm, L = 20.3cm, 4 pcs
- 180490 STEINMANN pins with positive mid thread, D = 2.4mm, L = 10.2cm, thread: D = 3.2mm, 4 pcs
- 180496 STEINMANN pins with positive end thread, D = 2.4mm, L = 10.2cm, thread: D = 3.2mm, 6 pcs

**180110**


### EXTERNAL FIXATION KIT, MEDIUM

For dogs up to 20kg

Contains:

- 180011 single clamp, 3.2mm, medium, 8 pcs
- 180021 double clamp, 4.8mm, medium, 2 pcs
- 180041 bar, D = 4.8mm, L = 7.6cm, medium, 2 pcs
- 180046 bar, D = 4.8mm, L = 20.3cm, medium, 2 pcs
- 180086 wrench, medium
- 180063 STEINMANN pins, double trocar point, D = 3.2mm, L = 22.9cm, 4 pcs
- 180491 STEINMANN pins with positive mid thread, D = 3.2mm, L = 12.7cm, thread: D = 4.0mm, 4 pcs
- 180497 STEINMANN pins with positive end thread, D = 3.2mm, L = 12.7cm, thread: D = 4.0mm, 6 pcs

**180120**



### STEINMANN PINS WITH POSITIVE THREAD

For use with KIRSCHNER external fixation clamps

- thread extending above the smooth shank
- available with mid or end thread
- highest quality implant steel
- improved pull out resistance

D = 2.4mm, L = 10.2cm, mid thread: D = 3.2mm  
**180490**

D = 3.2mm, L = 12.7cm, mid thread: D = 4.0mm  
**180491**


D = 4.0mm, L = 15.2cm, mid thread: D = 4.8mm  
**180492**

D = 0.9mm, Interface: D = 1.2mm, length 7.5cm  
**180501**

D = 1.6mm, Interface thread: D = 1.9mm, length 7.5cm  
**180503**

D = 2.4mm, L = 10.2cm, end thread: D = 3.2mm  
**180496**


D = 3.2mm, L = 11.6cm, end thread: D = 4.0mm  
**180497**



## STEINMANN Pins



180540



180592

180492

180595

180594

180593

180498

### STEINMANN PINS WITH NEGATIVE THREAD

For use with the metric system  
- the thread is similar to a self-taping  
cortical screw

D = 1.2mm, L = 18cm

**180512**

D = 1.5mm, L = 18cm

**180515**

D = 2.0mm, L = 18cm

**180520**

D = 2.5mm, L = 20cm

**180525**

D = 3.0mm, L = 23cm

**180530**

D = 4.0mm, L = 25cm

**180540**

D = 5.0mm, L = 30cm

**180550**

D = 6.5mm, L = 31cm

**180565**

### STEINMANN PINS WITH POSITIVE THREAD

For use with the metric system  
- thread extending above the smooth shank  
- available with mid or end thread  
- highest quality implant steel  
- improved pull out resistance

D = 2mm, L = 9.7cm, mid thread: D = 2.5mm

**180592**

D = 3mm, L = 12.2cm, mid thread: D = 3.5mm

**180594**

D = 2mm, L = 9.7cm, end thread: D = 2.5mm

**180593**

D = 3mm, L = 11.0cm, end thread: D = 3.5mm

**180595**

D = 4.0mm, L = 15.2cm, end thread:

D = 4.8mm

**180498**

**TROCAR PINS**

For use with the metric system

- highest quality implant steel
- special long point
- Trocar / Bayonet point
- length = 15cm
- 10/box

D = 0.8mm

**180608**

D = 1.0mm

**180610**

D = 1.2mm

**180612**

D = 1.4mm

**180614**

D = 1.6mm

**180616**

D = 1.8mm

**180618**

D = 2.0mm

**180620**

D = 2.2mm

**180622**

D = 2.5mm

**180625**

D = 3.0mm

**180630**

**TROCAR PINS**

For use with the metric system

- highest quality implant steel
- special long point
- Trocar / Trocar point
- length: 15cm
- 10/box

D = 0.8mm

**180758**

D = 1.0mm

**180760**

D = 1.2mm

**180762**

D = 1.4mm

**180764**

D = 1.6mm

**180766**

D = 1.8mm



**180768**

D = 2.0mm

**180770**

D = 3.0mm

**180780**



## Trocar Pins, Pin Dispenser



### TROCAR PINS

- For use with the metric system
- highest quality implant steel
- special long point
- Trocar / Trocar point
- length = 31cm
- 10/box

D = 0.8mm

**180808**

D = 1.0mm

**180810**

D = 1.2mm

**180812**

D = 1.4mm

**180814**

D = 1.6mm

**180816**

D = 1.8mm

**180818**

D = 2.0mm

**180820**

D = 2.2mm

**180822**

D = 2.5mm

**180825**

D = 3.0mm

**180830**



### PIN DISPENSER

For 16cm pins, autoclavable

D = 0.8mm

**180835**

D = 1.0mm

**180836**

D = 1.2mm

**180837**

D = 1.4mm

**180838**

D = 1.6mm

**180839**

D = 2.0mm

**180840**

D = 2.2mm

**180841**

D = 2.5mm

**180842**

## External Fixation Kit, External Fixation Clamps, External Fixation Bars

### EXTERNAL FIXATION KIT – FRENCH TYPE


- economically priced kit for fracture treatment
- for small to medium cats and dogs
- easy to use
- reusable

Complete starter Kit with autoclavable bag  
180006

contains:

- fixation clamp 1x2mm, 10 pcs
- fixation clamp 2x3mm, 10 pcs
- fixation clamp 2x4mm, 10 pcs
- fixation clamp 3x4mm, 10 pcs
- wrench
- pin, D = 1.0mm, L = 16cm, trocar/trocar, 10 pcs
- pin, D = 2.0mm, L = 16cm, trocar/trocar, 10 pcs
- pin, D = 3.0mm, L = 16cm, trocar/trocar, 10 pcs
- bar, D = 2mm, L = 50cm, 3 pcs
- bar, D = 3mm, L = 50cm, 3 pcs
- bar, D = 4mm, L = 50cm, 3 pcs
- Stainless Steel Gauge for pins D = 0.8mm to D = 3mm

**180850**



### EXTERNAL FIXATION CLAMPS

1x2mm, for cats and small dogs

**180852**

1.5x3mm, for cats and small dogs

**180860**

2x3mm, for medium dogs

**180853**

2x4mm, for medium dogs

**180854**


3x4mm, for large dogs

**180855**

Wrench

*not illustrated*

**180856**



### EXTERNAL FIXATION BARS

External fixation bar, D = 2.0mm, L = 50cm

**180857**

External fixation bar, D = 3.0mm, L = 50cm


**180858**

External fixation bar, D = 4.0mm, L = 50cm

**180859**

Stainless Steel Gauge for pins D = 0.8mm to D = 3mm

**180844**



## Interlocking Nail System, Orthopaedic Mallets, Chucks



### TITANIUM INTERLOCKING NAIL SYSTEM

D = 3.5mm, consisting of:

- 4x Cortical Screws D = 2.0mm, self tapping, L = 12mm
- 4x Cortical Screws D = 2.0mm, self tapping, L = 14mm
- 1x Interlocking Nail D = 3,5mm, L = 109mm
- 1x Interlocking Nail D = 3,5mm, L = 119mm
- 1x Interlocking Nail D = 3,5mm, L = 130mm
- 1x Screw Driver D = 1.5mm
- 1x Drill D = 1.5mm, L = 105mm
- 1x Drill D = 2.5mm, L = 105mm
- 1x Drill Guide D = 1.5mm
- 1x Drill Guide D = 4.0mm
- 1x Interlocking Nail Guide D = 3.5mm
- 1x Tray

**181070**

**VET Eickemeyer®**

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)



### ORTHOPAEDIC MALLETS

HAJEK, L = 22cm, 140g

**180482**

BERGMANN, L = 24cm, 300g

**180484**

With lead insert, 180g

**174818**



### T-HANDLED JACOBS CHUCKS

- to insert bone pins
- fully cannulated
- autoclavable

15cm with key, for pins up to D = 6.35mm

**180861**

14cm with key, for pins up to D = 4.5mm

**180863**

## ORTHOPAEDIC DRILL

Orthopaedic Drill Kit with extended stainless steel JACOBS chuck, charger, 2 batteries and case

- correct pin insertion with maximum control
- pure axial rotation
- infinitely variable speed
- chuck sterilisable and autoclavable

**180866**

Autoclavable Drill Cover with Velcro closure

**180869**

Extended stainless steel JACOBS chuck

- fits on standard cordless drills


**180090**

Rechargeable Spare Battery for 180866

**180870**

T-Handle for JACOBS chuck, for small bone fractures

**18009001**



## QUICK RELEASE CHUCK

- quick and easy instrument change
- autoclavable
- for drills, screwdrivers, etc
- fits for Square and AO-Shaft

**180868**



## STERILISING CONTAINER

For pins up to 16cm

Sterilising container, 23x13x7cm, filter cloth inlays, stainless steel, with locking clamp


**180843**

Sterilising rack for pins up to D = 2.0mm, 17x9.2x2.5cm

**180845**



## Sterilising Containers, Implant Cutters, K-Wire Cutter



### STERILISING CONTAINER

For pins up to 31cm

Sterilising container 34x20x7cm, filter cloth inlays, stainless steel, with locking clamp  
**180846**

Sterilising rack for pins up to  
D = 2.5mm, 31.5x19.5x6cm  
**180851**



### IMPLANT CUTTERS

- extremely strong
- durable
- with Tungsten Carbide inserts (TC)

21.5cm, for hard wire up to D = 2.2mm  
**180921**

22cm, for soft wire up to D = 3.5mm and hard wire up to D = 2.5mm  
**180922**

Plate and wire cutter up to D = 3.5mm  
**180924**



### K-WIRE CUTTER HERCULES

Approved transmission of power. Rubber jaws keep the Pin ends together after cutting

- over 40% less power required
- exchangeable TC-blades and rubber jaws

HERCULES, 23cm, TC  
- for pins up to 3mm  
**180955**

HERCULES, 18cm, TC  
- for pins up to 2.2mm  
**180960**


Spare Cutting Plates Set for Wire Cutter  
180955  
**18095501**

Spare Rubber Inserts Set for Wire Cutter  
180955  
**18095502**

Spare Cutting Plates Set for Wire Cutter  
180960  
**18096001**

## K-WIRE CUTTER

42cm, heavy model, fits autoclave MELAG 23  
- for pins up to 6mm  
- stainless steel with Tungsten Carbide inserts  
**180947**



## K-WIRE BENDER

For K-wires, 12cm, ID = 2.7mm  
**181011**



## WIRE EXTRACTION FORCEPS

For K-wires, 13cm  
**181213**

For K-wires, 18cm  
**181218**



## Cerclage Wire Forceps, Cerclage Wire



### CERCLAGE WIRE FORCEPS

These forceps guarantee a safe and easy tensioning of all sizes of cerclage wire

Wire tightener, 15cm, TC

Specially designed for tension band wiring and to bend pins to minimise Backing

**181315**

Wire cutting and bending pliers, 16cm

**181316**



### PARALLEL ACTION PLIERS

18.5cm

- for bending and holding

- industrial finish

- will autoclave with optical deterioration

- lubricate well prior to autoclaving

**181318**



### CERCLAGE WIRE

- highest quality implant steel

- length = 10m

- soft bone wire

D = 0.2mm

**181402**

D = 0.4mm

**181404**

D = 0.6mm

**181406**

D = 0.8mm for animals up to 15kg

**181408**

D = 1.0mm for animals up to 40kg

**181410**

D = 1.2mm for animals more than 40kg

**181412**

D = 1.5mm

**181415**

# Wire Cutters, Orthopaedic Wire Twister, Graft Passers, Cerclage Wire Passer

## WIRE CUTTERS

- curved cutting edges with notch
- serrated
- for soft cerclage wire

12cm, with Tungsten Carbide inserts

**181012**

12cm

**181112**



## ORTHOPAEDIC WIRE TWISTER LOUTE

Loute wire twister

- fits all diameter cerclage wire
- easy tightening
- automatic wire cut
- 22cm length

**181622**



## GRAFT PASSER SCHAWALDER

Specially designed instrument for cranial crucial ligament surgery  
Particularly suitable for large dogs

Head diameter = 5cm, L = 18cm

**181505**

Head diameter = 6cm, L = 20cm

**181506**



## CERCLAGE WIRE PASSER / INTRODUCER SET

Wire Passer, head diameter 2.5cm, L = 21cm


**181521**

SISMEY'S Wire Introducer

Set of wire passing and suture passing needles for different-sized bones

- handle, double ended (181551)
- 6 suture needles, large (181556 and 181566)
- 3 wire passers, small, medium, large

**181550**



## Graft Passers, CCL Staple Instrument



### CURVED GRAFT PASSER

For the repair of the cranial crucial ligament by the, over-the-top' technique  
- to pull the graft through the stiffler joint

Head diameter 2.0cm, L = 15.5cm

**181520**

Head diameter 3.0cm, L = 16.5cm


**181530**

Head diameter 4.5cm, L = 17.5cm

**181545**

Head diameter 6.0cm, L = 20.5cm

**181560**



### CCL STAPLE INSTRUMENT

For the fixation of the fascia lata graft to the distal femur, 3 different staple sizes

CCL Staple introducer

**185190**

CCL Staple, L = 15mm, W = 6mm

**185196**

CCL Staple, L = 23mm, W = 8mm

**185198**

CCL Staple, L = 23mm, W = 11mm

**185201**

# VET Eickemeyer®

## Medizintechnik für Tierärzte

Our family run business has earned a worldwide reputation for the supply of state-of-the-art veterinary equipment. For nearly 50 years Eickemeyer have become experts not just in the science of veterinary medicine, but also in how to build and grow a successful practice. We have always sought to supply the finest instruments and equipment available and where we can't find a product which meets our exacting quality criteria, we design and make our own. We take the time to listen to your needs and to find solutions to the challenges of modern veterinary medicine. After all, your success is our success.



Eickemeyer Headoffice in Tuttlingen, Germany



Eickemeyer Logistic Centre in Tuttlingen, Germany

## CRANIAL CRUCIAL LIGAMENT SUTURE SYSTEM

This system helps to make an enduring fixation of the cranial crucial ligament easily and without the help of an assistant

- crimp tubes instead of a large knots
- enduring stretching by strong crimp tubes
- successfully established worldwide

Set of 1 crimp tube 10mm and Nylon 50cm  
- for animals up to 10kg, sterile packed  
**19409501**

Set of 1 crimp tube 12mm and Nylon 80cm  
- for animals up to 20kg, sterile packed  
**19409601**

Set of 1 crimp tube 12mm and Nylon 80cm  
- for animals more then , sterile packed  
**19409701**

Set of 3 crimp tubes 10mm and Nylon 50cm  
- for animals up to 10kg, sterile packed  
**194095**

Set of 3 crimp tubes 12mm and Nylon 80cm  
- for animals up to 20kg, sterile packed  
**194096**

Set of 3 crimp tubes 12mm and Nylon 80cm  
- for animals more , sterile packed  
**194097**

Nylon, 50lb, L = 50cm, sterile packed  
**194062**

Nylon, 80lb, L = 80cm, sterile packed  
**194066**

Nylon, 100lb, L = 80cm, sterile packed  
**194070**

10mm crimp tube, 10/box, sterile packed  
**194060**

12mm crimp tube, 10/box, sterile packed  
**194058**

Crimping Forceps  
*not illustrated*  
**194090**

Fabella Needle, small, 6/box  
*not illustrated*  
**194074**

Fabella Needle, medium, 6/box  
*not illustrated*  
**194076**


Fabella Needle, large, 6/box  
*not illustrated*  
**194078**

## KNEE RETRACTOR WALLACE


Length = 10cm

- allows gentle retraction between tibia and femur
- visualisation of the entire stifle joint

**161710**



## Knee Retractors, Fixing Arm, Bone Rasps



### KNEE RETRACTOR INGE MODIFIED ACC. TO MEUTSTEGE

Knee Retractor, 17cm

- designed to open the stifle joint
- easy to use especially on small dogs
- ratchet lock allows the stifle to be locked open
- very delicate tips

**184117**

Knee Retractor, with additional slits for tightening the cranial crucial ligament

- the well-known osteotome retractor with an additional function
- the cranial crucial ligament can be fixed in a shorter time and without assistance

**184118**

Knee Retractor, for small joints, 8mm

- perfect for opening small incisions, as well as meniscus operations either lateral or collateral
- very delicate

**164115**



### FIXING ARM

For easy and comfortable restraint of the extremities, during surgery, X-Ray or arthroscopy

- to locate in nearly every position
- quick fixation because of Velcro closure
- can also be used to hold endoscopes

**603850**



### BONE RASPS

Trochlea Rasp, round, 17cm

- for deepening the trochlea groove in patella luxation
- wide range of diameters

**182117**

Bone rasp, 24cm, large

**182124**

Molar Rasp, 18cm, delicate

**177318**

## BONE SAWS

Adjustable Bone Saw with 5 blades, 15 to 19cm

**182315**

Spare blades, 5/pkg.

**182317**

LINDEMANN, 20cm

**182320**

LANGENBECK, 23cm

**182323**

Sterile Saw Blades for STANDARD Scalpel

Handle No. 3, 10/box

**182329**



## BONE SAW

With interchangeable saw blade, L = 16.5cm

- stepless adjustment of the saw blade

- corrugated handle guarantees a safe grip


**182310**

Saw blade for bone saw, L = 13cm

**182311**

Saw blade for bone saw, coarse, L = 13cm

**182312**



## GIGLI WIRE SAW

Also works well for femoral head excision in larger dogs

Saw handle, rotational

**182331**

Saw wire GIGLI, 30cm

**182332**



## OSTEOTOME LAMBOTTE

L = 25cm, W = 8mm

**182408**

L = 25cm, W = 10mm

**182410**

L = 25cm, W = 15mm

**182415**

L = 25cm, W = 20mm

**182420**

L = 12.5cm, W = 4mm

**182454**

L = 12.5cm, W = 6mm

**182456**

L = 12.5cm, W = 8mm


**182458**

L = 12.5cm, W = 10mm


**182460**

L = 12.5cm, W = 15mm

**182465**



## Osteotomes, Bone Retractors, Retractors, Fragment Forceps



### CHISEL AND GAUGES

Chisel, 14cm, width = 10mm

**182510**

Gauge, 14cm, width = 6mm

**182606**

Gauge, 14cm, width = 10mm

**182610**



### BONE RETRACTORS

L = 15cm, W = 6mm

**182705**

L = 16cm, W = 8mm

**182708**

HOHMANN, L = 22cm, W = 10mm, for knee surgery

**182710**

HOHMANN, L = 27cm, W = 13mm

*not illustrated*

**182713**

Femoral head disarticulator, L = 14cm, with blade to cut the ligamentum teres

**182714**

HOHMANN, L = 24cm, W = 17mm

**182717**



### RETRACTOR MEYERDING

- ideal for hip surgery

Length = 21cm, width = 50x16mm

**182724**

Length = 23cm, width = 75x25mm

**182725**



### FRAGMENT FORCEPS

Length = 13.5cm

*not illustrated*

**182813**

Length = 17cm

**182817**

Length = 20cm

**182820**

Length = 14cm, with closing tips

**182914**

## BONE HOLDING FORCEPS

With central insert for bone screws, angled jaw,  
15cm  
**183016**



## BONE HOLDING FORCEPS

With ratchet and serrated jaws,  
for cats and midsize dogs, 13.5cm  
**183014**

With central insert for bone screws, 15cm  
**183015**

SETTER Reduction Forceps, 16cm  
- with serrated jaws and spin lock  
**183017**

SETTER Reduction Forceps, 24cm  
- with serrated jaws and spin lock  
**183020**




## BONE HOLDING FORCEPS

KERN-MINI, with ratchet, 17cm  
**183117**

KERN, with ratchet, 21cm  
**183121**

KERN-MINI, modified for small bones, with  
ratchet, 17cm  
**183527**



## BONE HOLDING AND BONE CUTTING FORCEPS

Self-Centering Bone Holding Forceps, with spin  
lock, 15cm  
**183415**

Self-Centering Bone Holding Forceps, with spin  
lock, 19cm  
**183419**

LISTER Bone Cutting Forceps, straight, 17cm  
**183617**



## Rongeurs, Bone Laminectomy Forceps, Laminectomy Rongeurs, Meniscal Instruments



### RONGEURS

LUER-FRIEDMANN, curved, 14cm  
**184114**

LUER, curved, 14cm  
**184115**

BOEHLER, straight, compound action, 15cm  
**184215**

BOEHLER, curved, compound action, 15cm  
**184315**



### BONE AND LAMINECTOMY RONGEURS

Rongeur BEYER, curved, compound action, 18cm  
**184318**

SCHNEIDEMANN Laminectomy Forceps, 15cm, laterally curved, compound action, very delicate  
**184414**

SCHNEIDEMANN Laminectomy Forceps, 15cm, laterally curved, compound action  
**184415**



### LAMINECTOMY RONGEURS FERRIS-SMITH-KERRISON

Traditional design in top-level quality

2mm shank, 18cm, 40° upward cutting jaw  
**184502**

3mm shank, 18cm, 40° upward cutting jaw  
**184503**



### MENISCAL INSTRUMENTS

PRIEUR-SUMNER-SMITH pattern  
Very efficient use of the limited space within the canine stifle

Meniscus Forceps, 13cm  
**184813**

Meniscus Knife, 17cm  
**184817**

### BONE BIOPSY NEEDLE

With mandrin, for taking bone marrow samples

ID = 2.0mm, OD = 3.0mm, L = 17cm

**184903**

ID = 3.0mm, OD = 5.0mm, L = 17cm

**184905**



### MINI BONE PLATES

- for screws with 1.5 and 2.0mm diameter

- width = 5.0mm

- thickness = 1.0mm

4-holes, length = 22mm (AESCULAP)

**187604**

5-holes, length = 27mm (AESCULAP)

**187605**

6-holes, length = 32mm (AESCULAP)

**187606**

7-holes, length = 37 mm (AESCULAP)

**187607**

8-holes, length = 42mm (AESCULAP)

**187608**

4 holes, length = 22mm (EICKEMEYER)

**98187604**

5 holes, length = 27mm (EICKEMEYER)

**98187605**

6 holes, length = 32mm (EICKEMEYER)


**98187606**

7 holes, length = 37mm (EICKEMEYER)


**98187607**

8 holes, length = 42mm (EICKEMEYER)

**98187608**



## Mini Compression Plates



98187306

### MINI COMPRESSION PLATES

- for screws with 2.0mm diameter
- width = 5.0mm
- thickness = 2.0mm

2 holes, length = 12mm (EICKEMEYER)  
**98187302**

4 holes, length = 22mm (EICKEMEYER)  
**98187304**

6 holes, length = 32mm (EICKEMEYER)  
**98187306**

8 holes, length = 42mm (EICKEMEYER)  
**98187308**

10 holes, length = 52mm (EICKEMEYER)  
**98187310**




98187324

### MINI COMPRESSION PLATES

- for screws with 2.7mm diameter
- width = 8.0mm
- thickness 2.6mm

14 holes, length = 112mm  
**187324**



98187505

### MINI COMPRESSION T-PLATE

- for screws with 1.5 and 2.0mm diameter
- width = head = 12.0mm / shaft = 5.0mm
- thickness = 1.0mm

4 holes, length = 18mm  
**187505**

4-holes, T-shaped, length = 18mm, for screws  
with D = 1.5 and 2.0mm (EICKEMEYER)  
**98187505**

### MINI FRAGMENT PLATES

- with round holes
- curved profile
- for screws with 2.7mm diameter
- width = 7.0mm
- thickness = 1.0mm

2-holes, length = 17mm (AESCULAP)  
**187702**

3 holes, length = 25mm (AESCULAP)  
**187703**

4 holes, length = 33mm (AESCULAP)  
**187704**

6 holes, length = 49mm (AESCULAP)  
**187706**

8 holes, length = 65mm (AESCULAP)  
**187708**

10 holes, length = 81mm (AESCULAP)  
**187710**

3-holes, length = 25mm (EICKEMEYER)  
**98187703**

4-holes, length = 33mm (EICKEMEYER)  
**98187704**

8-holes, length = 65mm (EICKEMEYER)  
**98187708**

6-holes, length = 49mm (EICKEMEYER)  
**98187706**

10-holes, length = 81mm, (EICKEMEYER)  
**98187710**

### COMPRESSION PLATES / LC-DCP PLATES

- low contact (LC)
- for screws with 2.7mm diameter
- width = 8.0mm
- thickness = 2.5mm

4-holes, length = 36mm  
**98187614**



6-holes, length = 52mm  
**98187616**

8-holes, length = 64mm  
**98187618**

10-holes, length = 80mm  
**98187620**

12-holes, length = 96mm  
**98187622**

14-holes, length = 112mm  
**98187624**



## Extension Plates, Compression Plates



98187377

### EXTENSION PLATES

- for screws with 2.7mm diameter
- width = 8.0mm
- thickness = 2.5mm

7 holes, length = 70mm

**98187377**

8 holes, length = 80mm

**98187378**

7 holes, length = 80mm

**98187387**

8 holes, length = 90mm


**98187388**

7-holes, length = 90mm

**98187397**

8-holes, length = 100mm

**98187398**



187806

### COMPRESSION PLATES

- for screws with 2.7mm diameter
- width = 8.0mm
- thickness = 2.0mm

4-holes, length = 36mm (AESCULAP)

**187804**

5-holes, length = 44mm (AESCULAP)

**187805**

6-holes, length = 52mm (AESCULAP)

**187806**

7-holes, length = 60mm (AESCULAP)

**187807**

8-holes, length = 68mm (AESCULAP)

**187808**

9 holes, length = 76mm

**187809**

10 holes, length = 84mm

**187810**

12 holes, length = 100mm

**187812**

4 holes, length = 36mm

**98187804**

5 holes, length = 44mm

**98187805**

6 holes, length = 52mm

**98187806**

7 holes, length = 60mm

**98187807**

8 holes, length = 68mm

**98187808**

9-holes, length = 76mm, (EICKEMEYER)

**98187809**

10-holes, length = 84mm, (EICKEMEYER)

**98187810**

12-holes, length = 100mm, (EICKEMEYER)

**98187812**

**MINI FRAGMENT T-PLATE**

- round holes
- for screws with 2.7mm diameter
- width = 7.0mm
- thickness = 1.0mm

5-holes, length = 32mm, (AESCULAP)  
**187905**

5 holes, length = 32mm, (EICKEMEYER)  
**98187905**

**COMPRESSION T-PLATES**

- thickness = 1.5mm

4 holes, length = 35mm, width: 5.0mm,  
for screws with 2.0mm diameter  
**98187514**

5 holes, length = 36mm, width = 5.0mm,  
for screws with 2.0mm diameter  
**98187515**

6 holes, length = 52mm, width = 8.0mm,  
for screws with 2.0mm diameter  
**98187516**

4 holes, length = 60mm, for screws with 2.7mm  
+ 3.5mm diam.  
**98187524**

6 holes, length = 60mm, for screws with 2.7mm  
+ 3.5mm diam.  
**98187536**

heavy duty, 10 holes, length = 135mm,  
for screws with 3.5mm diam.  
**98187540**



**98187905**



**98187514**

**VET Eickemeyer®**

Quality products  
for the veterinary profession  
since 1961

## Compression Plates, Broad Compression Plates



98188106

### COMPRESSION PLATES

- curved profile
- for screws with 3.5 and 4.0mm diameter
- width = 10.0mm
- thickness = 3.0mm

4 holes, length = 50mm (AESCULAP)

**188104**

5 holes, length = 62mm (AESCULAP)

**188105**

6 holes, length = 74mm (AESCULAP)

**188106**

7 holes, length = 86mm (AESCULAP)

**188107**

8 holes, length = 98mm (AESCULAP)

**188108**

10 holes, length = 122mm (AESCULAP)

**188110**

12 holes, length = 146mm (AESCULAP)

**188112**

4 holes, length = 50.0mm

**98188104**

5 holes, length = 62.0mm

**98188105**

6 holes, length = 74.0mm

**98188106**

7 holes, length = 86.0mm

**98188107**

8 holes, length = 98.0mm

**98188108**

10 holes, length = 122.0mm

**98188110**

12 holes, length = 146.0mm

**98188112**

### BROAD COMPRESSION PLATES

- for screws with 3.5 and 4.0mm diameter
- width = 10.0mm
- thickness = 3.6mm

9 holes, length = 110mm

**98188159**

10 holes, length = 122mm

**98188160**

11 holes, length = 134mm

**98188161**

12 holes, length = 146mm


**98188162**

13 holes, length = 158mm

**98188163**

14 holes, length = 170mm

**98188164**



98188159

## Broad Compression Plates, Cuttable Plates, Broad Extension Plates

### COMPRESSION PLATES

- for screws with 4.5mm diameter

- width = 12.0mm

- thickness = 4.0mm

4 holes, length = 71mm (AESCULAP)

**188204**

5 holes, length = 87mm

**188205**

6 holes, length = 103mm

**188206**

7 holes, length = 119mm (AESCULAP)

**188207**

8 holes, length = 135mm (AESCULAP)

**188208**

9 holes, length = 151mm (AESCULAP)

**188209**

10 holes, length = 167mm (AESCULAP)

**188210**

11 holes, length = 183mm (AESCULAP)

**188211**

12 holes, length = 199mm (AESCULAP)

**188212**

4 holes, length = 71mm

**98188204**

5 holes, length = 87mm (EICKEMEYER)

**98188205**

6-holes, length = 103mm (EICKEMEYER)

**98188206**

7 holes, length = 119mm

**98188207**

8 holes, length = 135mm

**98188208**

9 holes, length = 151mm

**98188209**

10 holes, length = 167mm

**98188210**

11 holes, length = 183mm

**98188211**

12 holes, length = 199mm

**98188212**

### CUTTABLE PLATES

Width: 7mm

For screws with 2.0mm diameter,

length: 300mm, thickness: 1.2mm

**98188320**

For screws with 2.7mm diameter,

length = 300mm, thickness = 1.5mm

**98188327**

### EXTENSION PLATES

- Extension: 30mm

- for screws with 4.5 and 6.5mm diameter

- width = 1.6mm




- thickness = 5.0mm

8-holes, length = 135mm, (AESCULAP)

**188408**

8 holes, length = 135mm (EICKEMEYER)

**98188408**



## Reconstruction Plates, Acetabular Plates



### RECONSTRUCTION PLATES

Designed for easy contouring

18 holes, length = 144mm, for screws with 2.7mm diameter, width = 8.0mm, thickness: 3.0mm

**98192018**

24 holes, length = 192mm, for screws with 2.7mm diameter, width = 7.5mm, thickness: 2.5mm

**98192124**

20 holes, length = 100mm, for screws with 2.0mm diameter, width = 5.0mm, thickness: 1.0mm

**98192020**

22 holes, length = 262mm, for screws with 3.5mm diameter, width = 9.5mm, thickness: 2.0mm

**98192152**



### ACETABULAR PLATES

Length = 31mm

6 holes, for screws with 1.5mm diameter, width = 5mm, thickness = 1.5mm

**98192304**

4 holes, for screws with 2.7 and 3.5mm diameter, width = 8mm, thickness = 2.0mm

**98192308**

6 holes, for screws with 2.7 and 3.5mm diameter, width = 8mm, thickness = 2.0mm

**98192309**

## TPLO SAW BLADES

Fits on all standard Oscillating Saws

TPLO Saw Blade R = 18mm

**192909**

TPLO Saw Blade R = 22.5mm

**192910**

TPLO Saw Blade R = 30.0mm

**192911**



**192910**

## TPLO JIG

Aluminium blue anodized

- to maintain bone alignment during TPLO

- TPLO jig arms permits flexibility for different breeds

**192915**

TPLO Rotation Gauge Pack with 10 pcs

**192981**



**192915**

## TPLO SAW BLADE

- fits to OrthoVet and ELAN Vet

Macro flexible cable, 160cm

(210cm upon request)

**195025**

Macro Line transversal saw, w/o blades for TPLO sawblades

delivery without sawblades

**195026**



**195025**



**195026**

## OSTEOTOMY GAUGE SET FOR TPLO

Simplifies the marking and cutting of the appropriate wedge, proximally and distally

Set 9 to 22

**192980**



**192980**

## TPLO Plates, Pancarpal Arthrodesis Plates, Pantarsal Plates



### TPLO-PLATES

- especially for tibia plateau levelling operation
- shaft with gliding holes for 3.5mm screws
- head with round holes for 3.5mm and 4.0mm screws
- degenerative joint disease changes are minimal

Length = 39mm

**192939**

Length = 55mm

**192955**

Length = 77mm

**192977**



### PANCARPAL ARTHRODESIS PLATES

2.0/2.7mm, self compressing, length = 73mm

**98193110**

2.0/2.7mm, with round holes, length = 75mm

**98193112**

2.7/3.5mm, self compressing, length = 100mm

**98193120**

2.7/3.5mm, with round holes, length = 102mm

**98193122**

3.5/3.5mm, self compressing, length = 140mm

**98193130**

3.5/3.5mm, with round holes, length = 140mm

**98193132**



### PANTARSAL PLATES

2.7/3.5mm Pantarsal Plate, right

**192800**

2.7/3.5mm Pantarsal Plate, left

**192801**

**FEMUR CONDYLAR PLATES**

For cats, 44mm, right, length: 40mm  
- for screws with 2.0mm diameter  
**98190796**

For cats, 44mm, left, length: 40mm  
- for screws with 2.0mm diameter  
**98190797**

For dogs, right, length: 110mm  
- for screws with 3.5mm diameter  
**98190798**

For dogs, left, length: 110mm  
- for screws with 3.5mm diameter  
**98190799**



Visit our Online-Shop  
[www.eickemeyer.de](http://www.eickemeyer.de)

**TPO-PLATES**

For screws with 3.5mm diameter

TPO-Plate, small  
**192983**


TPO-Plate, large  
**192982**

TPO-Plate, small, 30° left, curved  
**192986**

TPO-Plate, small, 30° right, curved  
**192987**

TPO-Plate, large, 30° left, curved  
**192984**

TPO-Plate, large, 30° right, curved  
**192985**



**Y-PLATES**

Y-Plate large, left for screws with  
2.7mm up to 4.5mm  
**192990**

Y-Plate large, right for screws with  
2.7mm up to 4.5mm  
**192991**

Y-Plate medium, left for screws with  
2.7mm up to 4.5mm  
**192992**


Y-Plate medium, right for screws with  
2.7mm up to 4.5mm  
**192993**

Y-Plate small, left for screws with  
2.0mm up to 3.0mm  
**192994**

Y-Plate small, right for screws with  
2.0mm up to 3.0mm  
**192995**



## Plate Bending Forceps, Bone Plate Benders, Depth Gauges



### BONE PLATE BENDING PRESS

For easy and safe bending of bone plates,  
For screws with diameter 2.7mm, 3.5mm and  
4.5mm

- fits into MELAG autoclave


**189130**



### PLATE BENDING FORCEPS

Plate bending forceps for 2.7 / 3.5mm plates  
*not illustrated*

**189135**



### BONE PLATE BENDING IRON

For small bone plates

for plates with D = 3.5 and 2.7mm

**98189206**

for plates with D = 2.7mm and 3.5mm

*not illustrated*

**98189207**

- length = 20cm

- for 3.5mm bone plates

**189220**



### DEPTH GAUGES

Accurate measurement of hole depth

Range = 6–24mm, length = 14cm

**188442**

Range = 6–40mm, length = 15cm

**188444**

Range = 10–60mm, length = 22cm

**188447**

6 - 26mm, 15cm (EICKEMEYER)

*not illustrated*

**98188442**

6 - 40mm, 15cm (EICKEMEYER)

*not illustrated*

**98188444**

### QUICK RELEASE TAP HANDLES

- specially designed for delicate procedures
- allows fingertip control

T-Bar Tap Handle for instruments with 4 square fit (Aesculap)


**188605**

Tap Handle for instruments with dental fit (Aesculap)

**188607**

with 4 square shaft (EICKEMEYER)

**98188605**



### DRILL GUIDE / SLEEVES

Drill guide for Drills with D = 1.1 and 1.5mm

**188811**

Load /neutral guides for drills with D = 2.0mm, 3/1 holes

**188820**

Load /neutral guides for drills with D = 2.5mm, 3/1 holes

**188825**

Drill guide for compression plates, for drills with D = 2.0mm

**188920**

Drill guide for compression plates, for drills with D = 2.5mm

**188925**

Mini drill guide, for drills with 1.1mm and D = 1.5mm

**98188811**

Triple drill guide / Sleeve for drills with D = 2.0mm, 3-/1-holes

**98188820**

for self compressing bone plates with D = 2.0mm, 3/1 holes(EICKEMEYER)

D = 2.0mm, 3/1 holes(EICKEMEYER)

*not illustrated*

**98188920**

Triple drill guide / Sleeve for drills with D = 2.5mm, 3-/1-holes

**98188825**

for self compressing bone plates with D = 2.5mm, 3/1 holes(EICKEMEYER)

*not illustrated*

**98188925**



## Cortical Screws

### CORTICAL SCREWS by EICKEMEYER or AESCULAP

- pack of 5 pcs

**d = 1.5mm**



L = 6mm	<b>98185206</b>
L = 7mm	<b>98185207</b>
L = 8mm	<b>98185208</b>
L = 9mm	<b>98185209</b>
L = 10mm	<b>98185210</b>
L = 11mm	<b>98185211</b>
L = 12mm	<b>98185212</b>
L = 14mm	<b>98185214</b>
L = 16mm	<b>98185216</b>
L = 18mm	<b>98185218</b>
L = 20mm	<b>98185220</b>

**AESCULAP**

<b>185206</b>
<b>185207</b>
<b>185208</b>
<b>185209</b>
<b>185210</b>
<b>185211</b>
<b>185212</b>
<b>185214</b>
<b>185216</b>
<b>185218</b>
<b>185220</b>



**98185210**

**d = 2.0mm**



L = 6mm	<b>98185306</b>
L = 8mm	<b>98185308</b>
L = 10mm	<b>98185310</b>
L = 12mm	<b>98185312</b>
L = 14mm	<b>98185314</b>
L = 16mm	<b>98185316</b>
L = 18mm	<b>98185318</b>
L = 20mm	<b>98185320</b>
L = 22mm	<b>98185322</b>
L = 24mm	<b>98185324</b>

**AESCULAP**

<b>185306</b>
<b>185308</b>
<b>185310</b>
<b>185312</b>
<b>185314</b>
<b>185316</b>
<b>185318</b>
<b>185320</b>
<b>185322</b>
<b>185324</b>



**98185310**

**d = 2.7mm**



L = 8mm	<b>98185408</b>
L = 10mm	<b>98185410</b>
L = 12mm	<b>98185412</b>
L = 14mm	<b>98185414</b>
L = 16mm	<b>98185416</b>
L = 18mm	<b>98185418</b>
L = 20mm	<b>98185420</b>
L = 22mm	<b>98185422</b>
L = 24mm	<b>98185424</b>
L = 28mm	<b>98185428</b>

**AESCULAP**

<b>185408</b>
<b>185410</b>
<b>185412</b>
<b>185414</b>
<b>185416</b>
<b>185418</b>
<b>185420</b>
<b>185422</b>
<b>185424</b>
<b>185428</b>



**98185410**

**CORTICAL SCREWS by EICKEMEYER or AESCULAP**

- pack of 5 pcs

**d = 3.5mm**

L = 10mm	<b>98185510</b>
L = 12mm	<b>98185512</b>
L = 14mm	<b>98185514</b>
L = 16mm	<b>98185516</b>
L = 18mm	<b>98185518</b>
L = 20mm	<b>98185520</b>
L = 22mm	<b>98185522</b>
L = 24mm	<b>98185524</b>
L = 26mm	<b>98185526</b>
L = 28mm	<b>98185528</b>
L = 30mm	<b>98185530</b>
L = 32mm	<b>98185532</b>
L = 36mm	<b>98185536</b>
L = 40mm	<b>98185540</b>
L = 45mm	<b>98185545</b>
L = 50mm	<b>98185550</b>

**AESCULAP**

<b>185510</b>
<b>185512</b>
<b>185514</b>
<b>185516</b>
<b>185518</b>
<b>185520</b>
<b>185522</b>
<b>185524</b>
<b>185526</b>
<b>185528</b>
<b>185530</b>
<b>185532</b>
<b>185536</b>
<b>185540</b>
<b>185545</b>
<b>185550</b>

**98185516****d = 4.5mm**

L = 14mm	<b>98185714</b>
L = 16mm	<b>98185716</b>
L = 18mm	<b>98185718</b>
L = 20mm	<b>98185720</b>
L = 22mm	<b>98185722</b>
L = 24mm	<b>98185724</b>
L = 26mm	<b>98185726</b>
L = 28mm	<b>98185728</b>
L = 30mm	<b>98185730</b>
L = 32mm	<b>98185732</b>
L = 34mm	<b>98185734</b>
L = 36mm	<b>98185736</b>
L = 38mm	<b>98185738</b>
L = 40mm	<b>98185740</b>
L = 42mm	<b>98185742</b>
L = 44mm	<b>98185744</b>
L = 46mm	<b>98185746</b>
L = 48mm	<b>98185748</b>
L = 50mm	<b>98185750</b>
L = 52mm	<b>98185752</b>
L = 54mm	<b>98185754</b>
L = 56mm	<b>98185756</b>
L = 58mm	<b>98185758</b>
L = 60mm	<b>98185760</b>

**AESCULAP**

<b>185714</b>
<b>185716</b>
<b>185718</b>
<b>185720</b>
<b>185722</b>
<b>185724</b>
<b>185726</b>
<b>185728</b>
<b>185730</b>
<b>185732</b>
<b>185734</b>
<b>185736</b>
<b>185738</b>
<b>185740</b>
<b>185742</b>
<b>185744</b>
<b>185746</b>
<b>185748</b>
<b>185750</b>
<b>185752</b>
<b>185754</b>
<b>185756</b>
<b>185758</b>
<b>185760</b>

**98185724**

# Orthopaedic Kits

## SCREW SET

Includes Sterilizing Container  
188010

### 1.5 MM SCREWS

98185207	4	L = 7 mm
98185208	4	L = 8 mm
98185209	4	L = 9 mm
98185210	4	L = 10 mm
98185211	4	L = 11 mm
98185212	4	L = 12 mm
98185213	4	L = 13 mm
98185214	4	L = 14 mm
98185216	4	L = 16 mm

### 2 MM SCREWS

98185306	4	L = 6 mm
98185308	4	L = 8 mm
98185310	4	L = 10 mm
98185312	4	L = 12 mm
98185314	4	L = 14 mm
98185316	4	L = 16 mm
98185318	4	L = 18 mm
98185320	4	L = 20 mm
188011	1	Screw Rack 1.5/2.0 mm (gold)
188012	1	Screw Rack 2.7 (red)
188013	1	Screw Rack 3.5 mm (silver)



188010

### 2.7 MM SCREWS

98185406	8	L = 6 mm
98185408	8	L = 8 mm
98185410	8	L = 10 mm
98185412	8	L = 12 mm
98185414	8	L = 14 mm
98185416	8	L = 16 mm
98185418	8	L = 18 mm
98185420	8	L = 20 mm
98185422	8	L = 22 mm
98185424	8	L = 24 mm

### 3.5 MM SCREWS

98185510	8	L = 10 mm
98185512	8	L = 12 mm
98185514	8	L = 14 mm
98185516	8	L = 16 mm
98185518	8	L = 18 mm
98185520	8	L = 20 mm
98185522	8	L = 22 mm
98185524	8	L = 24 mm
98185526	8	L = 26 mm
98185528	8	L = 28 mm
98185530	8	L = 30 mm
98185532	8	L = 32 mm

## PLATE SET 1.5–3.5 MM

Including Sterilizing Container  
Rack for Bone Plates (3) and Trays  
10 Additional Plate Fixation Pins  
188020

### MINI BONE PLATES, SELF-COMPRESSING, For Screws with 1.5 and 2.0 mm diameter Width: 5 mm, Thickness: 1 mm

98187604	14 holes,	L = 22 mm
98187605	15 holes,	L = 27 mm
98187606	16 holes,	L = 32 mm
98187607	17 holes,	L = 37 mm
98187608	18 holes,	L = 42 mm

### MINI BONE PLATES WITH ROUND HOLES for Screws with 2.7 mm diameter Width: 7 mm, Thickness: 1 mm

98187704	14 holes,	L = 33 mm
98187706	16 holes,	L = 49 mm
98187708	18 holes,	L = 65 mm

### SMALL BONE PLATES, SELF-COMPRESSING, For Screws with 2.7 mm diameter, Width: 8 mm, Thickness 2 mm


98187804	14 holes,	L = 36 mm
98187805	25 holes,	L = 44 mm
98187806	26 holes,	L = 52 mm
98187807	27 holes,	L = 60 mm
98187808	38 holes,	L = 68 mm
98187809	29 holes,	L = 76 mm
98187810	310 holes,	L = 84 mm
98187812	212 holes,	L = 100 mm

### BONE PLATES, SELF-COMPRESSING, For Screws with 3.5 and 4.0 mm diameter, Width 10 mm, Thickness 3 mm

98188105	15 holes,	L = 64 mm
98188106	26 holes,	L = 75 mm
98188107	27 holes,	L = 86 mm
98188108	28 holes,	L = 98 mm
98188110	310 holes,	L = 122 mm
98188112	212 holes,	L = 146 mm

### MINI T-PLATES WITH ROUND HOLES, Width: 7 mm, Thickness: 1 mm


98187905	15 holes, L = 32 mm
----------	---------------------



188020

**INSTRUMENT SET**

Includes Sterilizing Container  
and Trays  
**188000**



**DRILLS**

- 98186111 2 d = 1.1 mm
- 98186115 2 d = 1.5 mm
- 98186120 2 d = 2.0 mm
- 98186125 2 d = 2.5 mm
- 98186127 2 d = 2.7 mm
- 98186135 1 d = 3.5 mm

**TAPS**

- 98186315 2 For Screws 1.5 mm
- 98186320 2 For Screws 2.0 mm
- 98186427 1 For Screws 2.7 mm
- 98186435 1 For Screws 3.5 mm

**DRILL GUIDE SLEEVES**

- 98188811 1 Mini Drill Guide, for drills 1.1 mm and 1.5 mm
- 98188820 1 Mini Drill Guide, for drills with 2.0 mm diameter, 3-/1 holes
- 98188825 1 Mini Drill Guide, for drills with 2.5 mm diameter, 3-/1 holes

**DRILL GUIDE FOR COMPRESSION PLATES**


- 98188920 1 For Drills with d = 2.0 mm
- 98188925 1 For Drills with d = 2.5 mm

**PROTECTION SLEEVE**

- 98189435 1 For Drills and Taps up to D = 3.5 mm

**SCREW DRIVERS**

- 98187215 1 For Cortical Screws with D = 1.5 and 2.0 mm
- 98187225 1 For Cortical Screws with D = 2.7 and 4.0mm
- 98189206 1 Bending Iron, 3.5/2.7 mm, 14 cm
- 98189207 1 Bending Iron, 14 cm



**188000**

**INSTRUMENTS**

- 98166118 1 Raspatory Handle 18 cm, 6 mm, sharp
- 98182813 1 Bone Fragment Reduction Forceps, 13.5 cm
- 98182820 1 Bone Fragment Reduction Forceps, 20 cm
- 98183014 2 Bone Holding Forceps 13.5 cm
- 180482 1 Hajek
- 182456 1 Lambotte, 12.5 cm, 6 mm
- 182460 1 Lambotte, 12.5 cm, 10 mm
- 182465 1 Lambotte, 12.5 cm, 15 mm
- 98182710 2 Bone Retractor, 22 cm, 10 mm

**DRILL GUIDE SLEEVES**


- 98189320 1 For Drills with d = 2.0 mm
- 98189327 1 For Drills with d = 2.7 mm

**DEPTH GAUGE**

- 98184444 1 6–40 mm
- 98188442 1 6–26 mm

**K-WIRE AND CERCLAGE SET**

Includes Sterilizing Container  
and Sorting Rack  
**188030**



**K-WIRE, TROCAR/TROCAR POINT 16 CM, 10/BOX**

- 180758 1 d = 0.8 mm
- 180760 1 d = 1.0 mm
- 180762 1 d = 1.2 mm
- 180764 1 d = 1.4 mm
- 180766 1 d = 1.6 mm
- 180768 1 d = 1.8 mm
- 180770 1 d = 2.0 mm

**CERCLAGE WIRE, SOFT, ROLL WITH 10 M**

- 181402 1 d = 0.2 mm
- 181404 1 d = 0.4 mm
- 181406 1 d = 0.6 mm
- 181408 1 d = 0.8 mm
- 181410 1 d = 1.0 mm
- 181412 1 d = 1.2 mm
- 181415 1 d = 1.5 mm

**INSTRUMENTS**

- 181011 1 K-Wire Bending Instrument
- 181315 1 Wire tightener, 15 cm, TC
- 180922 1 Pin Cutter up to d = 3.5 mm, (soft wire) or d = 2.5 mm (hard wire), 22 cm, TC





**188030**

# VET **Eickemeyer**®


Medizintechnik für Tierärzte





# Continuing Education Centre

## Drills, Taps, Counter Sinks, Screw Drivers

	Shaft	Screw Ø	Drills Ø	AESCULAP		<b>VE</b>		
<b>Drills for throughhole</b>	with dental shaft	1.5	1.5	<b>186015</b>				
		2.0	2.0	<b>186020</b>				
	with round/square shaft	1.5	1.5	<b>186115</b>		<b>98186115</b>		
		2.0	2.0	<b>186120</b>		<b>98186120</b>		
		2.7	2.7	<b>186127</b>		<b>98186127</b>		
		3.5	3.5	<b>186135</b>		<b>98186135</b>		
		4.5	4.5	<b>186145</b>		<b>98186145</b>		
<b>Drills for core hole</b>	with dental shaft	1.5	1.1	<b>186011</b>				
			2.0	1.5	<b>186015</b>			
		2.7	2.0	<b>186020</b>				
	with round/square shaft	1.5	1.1	<b>186111</b>		<b>98186111</b>		
		2.0	1.5	<b>186115</b>		<b>98186115</b>		
		2.7	2.0	<b>186120</b>		<b>98186120</b>		
		3.5	2.5	<b>186125</b>		<b>98186125</b>		
		4.5	3.2	<b>186132</b>		<b>98186132</b>		
<b>Taps</b>	with dental shaft	1.5		<b>186315</b>				
			2.0		<b>186320</b>			
	with round/square shaft	1.5				<b>98186315</b>		
		2.0				<b>98186320</b>		
		2.7		<b>186427</b>		<b>98186427</b>		
		3.5		<b>186435</b>		<b>98186435</b>		
		4.0		<b>186440</b>		<b>98186440</b>		
4.5		<b>186445</b>		<b>98186445</b>				
<b>Counter sink</b>	with dental shaft	1.5/2.0		<b>186615</b>				
								
	with round/square shaft	2.7/3.5/4.0		<b>186727</b>		<b>98186727</b>		
		4.5		<b>186745</b>		<b>98186745</b>		
<b>Screw drivers</b>	with dental shaft	1.5/2.0		<b>186915</b>				
								
		with round/square shaft	2.7/3.5		<b>187025</b>			
4.5				<b>187035</b>				
	with hard press handle	1.5/2.0		<b>187215</b>		<b>98187215*</b>		
		2.7/3.5		<b>187225</b>		<b>98187225*</b>		
		4.5		<b>187235</b>		<b>98187235*</b>		
<b>Screw Holding Sheat</b>		1.5/2.0		<b>185970</b>				
		2.7/3.5		<b>185980</b>				

\*incl. sleeve

# Screw Racks, Trans Ilias Nut, Drill Guide / Tissue Protector Sleeves, Drill Insert Sleeves

## SCREW RACKS

For screws with D = 1.5/2.0mm, 1.5mm screws from 7 to 16mm, 4 each; 2.0mm screws from 6 to 20mm, 4 each

**188011**

For screws with D = 2.7mm, 2.7mm screws from 6 to 24mm, 8 each

**188012**

For screws with D = 3.5mm, 3.5mm screws from 12 to 40mm, 8 each

**188013**



## TRANS – ILIAL SCREWS AND NUTS

For the both sided iliosaceal luxation in cats  
- for 2.7mm screws with 44–50mm length

**185450**

Cortical screw, D = 2.7mm, length = 44mm  
*not illustrated*

**98185444**

Cortical screw, D = 2.7mm, length = 46mm  
*not illustrated*


**98185446**

Cortical screw, D = 2.7mm, length = 48mm  
*not illustrated*

**98185448**

Cortical screw, D = 2.7mm, length = 50mm  
*not illustrated*

**98185450**



## DRILL GUIDE / TISSUE PROTECTOR SLEEVES

Protection Sleeve for drills/taps up to  
D = 3.2mm

**189432**

Protection Sleeve for drills/taps up to  
D = 3.5mm

**189435**

Protection Sleeve for drills/taps up to  
D = 4.5mm

**189445**

Pointed drill guide, for drills with  
D = 3.5mm

**189535**

Pointed drill guide, for drills with  
D = 4.5mm

**189565**

Aiming device d = 3.5mm (EICKEMEYER)

**98189535**

## DRILL INSERT SLEEVE


Centre smaller drills for lag screws placement

for drills with D = 2.0mm

**189320**

for drills with D = 2.7mm

**189327**



## No-Contact-Plates

### Osteosynthesis with No-Contact plate (NCP) – A new biological implant system!

This new method of a biological fracture treatment – the No-Contact Plate – describes a new monocortical bone plate system with no contact to the bone. Experimental studies which compared this new method with the established Dynamic Compression Plate (DCP) – osteosynthesis at models and tibia of dead dogs revealed similar results. In the clinical trial, fractures of the femur and the tibia were treated with the NCP. The healing time of the fractures was half the time compared to fractures treated with the DCP. No avascularisation or necrotic defects of periost or cortical bone were seen under the plate.

#### Set for Screws with D = 2.0mm 192400

192418	10	Corticall Screws, with cone thread, lengthh 8mm
192420	10	Corticall Screws, with cone thread, lengthh 10mm
192422	10	Corticall Screws, with cone thread, lengthh 12mm
192404	1	No-Contact-Platte, width 5.3mm, 4 holes
192406	1	No-Contact-Platte, width 5.3mm, 6 holes
192408	1	No-Contact-Platte, width 5.3mm, 8 holes
192410	1	No-Contact-Platte, width 5.3mm, 10 holes
192490	3	Drill sleeve
192492	1	Drill
192494	1	Screw driver with handle
192496	1	Screw holding forceps
192497	5	KIRSCHNER Wire, trocar point, 1.8x150mm
192498	1	Tray



#### Set for Screws with D = 3.5mm 192500

192520	10	Corticall Screws, with cone thread, lengthh 10mm
192522	10	Corticall Screws, with cone thread, lengthh 12mm
192514	10	Corticall Screws, with cone thread, lengthh 14mm
192516	10	Corticall Screws, with cone thread, lengthh 16mm
192518	10	Corticall Screws, with cone thread, lengthh 18mm
192504	1	No-Contact-Platte, width 10mm, 4 holes
192506	1	No-Contact-Platte, width 10mm, 6 holes
192508	1	No-Contact-Platte, width 10mm, 8 holes
192510	1	No-Contact-Platte, width 10mm, 10 holes
192590	2	Drill sleeve
192592	1	Twist drill, for quick release
192594	1	Screw driver with handle
192596	1	Screw holding forceps
192597	5	KIRSCHNER Wire, trocar point
192598	1	Tray



### NON-CONTACT PLATE

- extension 25mm
- for screws with 3.5mm diameter
- width = 10mm
- thickness = 3.2mm

4 holes, length = 27mm

**192504**

6 holes, length = 37mm

**192506**

8 holes, length = 47mm

**192508**

10 holes, length = 57mm

**192510**

### NCP-CORTICAL SCREWS

- with conical thread
- self tapping
- D = 3.5mm

Length = 10mm

**192520**

Length = 14mm

**192514**

Length = 16mm

**192516**

Length = 18mm

**192518**



## Bone Cement, Lubra-Plates, Spinal Instruments, Toggle Pin Instrumentation




### BONE CEMENT CERAFIX H

- sterile packed
- rapid set cement
- extremely durable

CERAFIX H, Pack with 40g  
**190748**

Mixing cup, autoclavable, blue, 280ml  
**190741**



### LUBRA-PLATES

- easy and safe fixation of spinal fractures
- autoclavable

9.5cm, small, pair

**193010**

14cm, medium, pair


**193020**

20cm, large, pair

**193030**

Screw with washer and nut for LUBRA plates

**193050**



### SPINAL INSTRUMENTS

Curette HOUSE, 1.0 / 1.2mm, 15cm, especially for spinal disease surgery

**165730**

Sharp hook, 15cm

**188715**

Blunt hook KASA, 15cm

**188716**

Intervertebral disc scoop, right


**188730**

Intervertebral disc scoop, left

**188731**

Intervertebral disc scoop, CUMINE, double ended

**188732**



### TOGGLE PIN INSTRUMENTATION WALLA

Special drill guide WALLA with two sleeves (short and long)

**194001**

Drill guide WALLA, with mandrin

**194004**

Toggle pins WALLA, small, 10/pkg.

**194010**

Toggle pins WALLA, large, 10/pkg.

**194110**

### ORTHOPAEDIC WASHER

D = 7.0mm, for 2.7–3.5mm screws

**185907**

D = 11.0mm, for 3.5–4.5mm screws

**185911**

ORMROD-SCHMITT

**181416**



### SPIKEY WASHERS

Stainless steel

For screws with 2.7mm diameter, OD: 8.0mm,  
ID: 4.0mm


**191892**

For screws with 3.5mm, OD: 13.5mm, ID:  
4.0mm

**191893**

For screws with 4.5mm, OD: 14mm, ID: 5.0mm

**191894**



**VET Eickemeyer®**

Your reliable source for  
innovative products

## Electrosurgery Set OrthoVET



### ELECTROSURGERY SET ORTHOVET

Electrosurgery Set OrthoVET incl. foot control, flexible micro cable, handpiece and JACOBS chuck

- powerful and silent
- infinite variable speed
- flexible micro cable, length = 175cm, autoclavable
- ideal for drilling, introduction of bone pins and screwing
- right/left turn
- fully cannulated handpiece
- universal JACOBS chuck for instruments with shank up to 4.0mm diameter

**195060**

Intra angle piece, no key needed for tightening, transmission 1:2, up to 36000 rpm

- especially for spinal surgery

**19760201**

Oscillating Saw compatible with OrthoVet

**19600001**

## AESCULAP ELECTRO-SURGERY MOTOR ELAN-VET-LINE

- The ELAN-VET-LINE combines modern technology with practical application
- providing more power for precise application
  - high-speed and high torque
  - smooth running
  - electronic brake
  - improved visibility of system status by new indication elements
  - universal for drilling, sawing, reaming and shaving in just one system
  - right/left turn

### 195001

Special Oil for handpiece GA 59, 50 ml, for the care of your flexible micro cable and handpieces

*not illustrated*

### 195059

## PNEUMATIC SURGICAL MOTOR SYSTEM MINILAN

- For small animal surgery
- micromotor, easy to handle
  - smooth motion
  - powerful (100 Watt output)
  - infinitely variable speed control from 0–20.000 rpm
  - forward and reverse gear
  - intracoupling (suitable for all small animal handpieces)
  - smooth starting
  - optimised air circulation seal

### 198410

## ACCESSORIES FOR MINILAN

Connection hose between MINILAN and foot control with quick-air-stop coupling, length = 3m, autoclavable

### 198401

Foot Switch for infinitely variable speed control


### 198402

Connection hose, for air supply and extraction with quick-air-stop coupling, autoclavable


### 198403



195001




198410



198401

198402

## Accessories for ELAN-VET-LINE and MINILAN, Hand Pieces, Oscillating Saw



### ELAN-VET-LINE AND MINILAN ACCESSORIES

One power system for all professional surgical procedures

Foot Switch with moveable lever for ELAN-VET-LINE

**195015**

Flexible micro cable for ELAN-VET-LINE, length = 180cm, autoclavable

**195020**

Hand piece with forward and reverse gear, fully cannulated

**195500**

Quick release chuck for 4 square shanks


**195501**

Universal JACOBS chuck for instruments with shanks up to 4mm diameter, with key

**195502**

Universal JACOBS chuck for instruments with shanks up to 6.35mm diameter, with key

**195503**



### HAND PIECES FOR ELAN-VET-LINE AND MINILAN

- quick exchange

Intra-angle handpiece, transmission 1:1, 0–22000 rpm

**197001**

Spray nozzle with clamp for 197001

**197005**

Intra-angle handpiece, transmission 1:2, 0–36000 rpm 0–36000 rpm

**197602**



### OSCILLATING SAW

- 18.000 mpm

- surgical blade swivels up to 75°

Oscillating Saw for flexible micro cable, w/o blades

**196000**

## SAW BLADES

Width = 10mm, length = 60mm

**196010**

Width = 20mm, length = 60mm


**196020**

Width = 10mm, length = 75mm

**196110**

Width = 20mm, length = 75mm

**196120**



## SURGICAL BURS

- length = 70mm

- with round shaft, D = 2.3mm

Head size: D = 3.1mm

**197831**

Head size: D = 4.0mm

**197840**

Head size: D = 5.0mm

**197850**

Head size: D = 6.0mm

**197760**

Head size: D = 7.0mm

**197770**



## SURGICAL SUCTION DEVICE ECONOMY

Economically priced Surgical Suction Device

- high suction power

- up to 20 l/min

- up to 80% max vacuum

- complete with 2 litre suction glass and cover

- 2m surgical suction tube (autoclavable)

**199080**

Suction tube ID = 7mm, autoclavable

(sold by the meter)

**199087**



# Surgical Suction Devices, Suction Tips, Canine and Feline Mouth Gags, Catching Net



## ELECTRIC SUCTION PUMP

- suction power up to 25 l/min
  - vacuum up to -650 bar
  - suction tube DI = 6mm, length = 1.25m
  - with suction glass 1000ml
  - portable
- 306050**



## SUCTION TIPS

Attach to most suction pumps

Curved, length = 19cm

**199219**

FERGUSSON, D = 3.0mm

**199230**


FERGUSSON, D = 5.0mm

**199250**

YANKAUER disposable suction set, curved  
Tubus: 200cm, 6.0x8.5mm Handpiece: 22cm,  
4.5x6.5mm

*not illustrated*

**455520**



## WEDGE MOUTH GAGS

- anatomic design for secure placement
- soft and pliable for cats and dogs
- radiolucent
- autoclavable

For dogs

**200206**

For cats

**200205**



## CATCHING NET

For small pets and cats

- designed for safe and easy handling of animals
- constructed of tough nylon webbing
- easy to open and close
- Length = 150 cm


**201305**

### QUICK RELEASE DOG SNARE

Length = 149cm

- quick-release mechanism
- pull handle to tighten, turn handle to lock and release
- plastic coated cable to avoid injuries
- durable and lightweight aluminium construction

**201012**




**201012**

### CAT CATCHER

Length = 76cm

- easy restraint of cats at a safe distance
- reinforced aluminium
- curved, plastic covered jaws to minimise discomfort

**200570**



**200570**

### RESTRAINT GLOVES

Pair of strong leather, double thickness gloves

- heavy-duty material
- increased padding
- 40cm length for extra protection

**201500**



**201500**

### RESTRAINT GLOVES

Pair of strong leather gloves


- length = 30cm

**20150001**



**20150001**

## Cat Trap, Restraining Equipment



### CAT TRAP

Animal friendly Trap

- zinc plated, solid metal construction
  - easy to operate
  - safe
  - dimensions: L = 100cm, W = 28cm, H = 28cm
- 203000**



### NOSE TWITCH FOR HORSES

Wooden, 21.5cm


**211121**

Light metal, 37cm

**211137**

Plastic, 40cm

**211140**



### EQUINE RESTRAINT EQUIPMENT BERLIN MODEL

Easy and safe restraint of the horse during treatment and examination

- with 4 soft-padded leather cuffs
- heavy duty buckles
- easy adjustment

**211301**

Fixation band, polyester, length = 9m, width = 5cm

**211302**



### ANAESTHETIC MACHINE EICKEMEYER

Anaesthetic Machine EICKEMEYER for small animals with reconditioned ISOFLURANE Vaporizor

Complet set with:

- absorber soda lime canister
- flowmeter (0.4–4.4 litre/min)
- mobile stand with mounting support for a 10 litre oxygen cylinder
- Bain Circuit for small animals (less then 7kg)
- patient tubing
- 2 litre rebreathing bag
- table top or floor stand model available

Floor Stand Model

**213095**

Trolley model with new isoflourane TEC3-style vaporizor

**213075**

Tray for oxygen concentrator

**213098**

Tray attachment for monitoring devices

**213099**

Table top model with new isoflourane TEC3-style vaporizor

*not illustrated*

**213076**

Table Top Model

**213096**

Wall mount for anaesthesia machine

**213094**

## Anaesthesia Machine



**212005**

### **ANAESTHESIA MACHINE MARTRX VMS ISO**

Anaesthesia machine VMS stand model, TEC3 -style vaporizer including:

- Flowmeter 0.2–4 L/min
- transparent soda lime canister (1500 cc)
- pop-off valve
- Pressure gauge
- Oxygen bypass
- moveable stand with 5 castors

**212005**

Wall mounted model

**212007**

With EICKEMEYER stand including tray for oxygen cylinder

**212009**



**212010**

## **ANAESTHESIA MACHINE MATRX VMS PLUS**

Stand model with TEC3 – style vaporizer including:


- Flowmeter 0.2–4 L/min
- transparent soda lime canister (1500 cc)
- pop-off valve
- Pressure gauge
- Oxygen bypass
- 2nd vaporizer attachable (optional)
- 2nd flowmeter attachment (optional)
- moveable stand with 5 casters
- tray for monitoring devices
- gas evacuation system optional

**212010**

equipped with EICKEMEYER stand, including holder for 2 separate

**212012**

# Anaesthetic Machines for Small Animals, Anaesthesia Machine, Oxygen Concentrator



## ANAESTHETIC MACHINE MEDVET FOR SMALL ANIMALS

- With universal vaporizer, closed circuit system with low-flow
- complete set with tubing and breathing bag
  - closed circuit with transparent CO<sub>2</sub> absorber
  - universal vaporizer
  - economical
  - portable
  - small dimensions
- 212801**



## ANAESTHESIA MACHINE RESEARCH FOR LAB ANIMALS

- With reconditioned isoflurane vaporizer (while supply lasts)
- ideal for all animals up to 3kg
  - simple to operate
  - reliable
  - Flowmeter 0–5 lpm
  - compact
- 213086**
- With Isoflurane TEC3 – style vaporizer
- 213087**



## OXYGEN CONCENTRATOR OXYVET

- transfers ambient air into oxygen
  - produces up to 95% pure oxygen, up to 5 litre/min
  - almost maintenance free
  - noise free operation
  - can be adapted to fit all major anaesthetic systems
  - also may be used in critical care
  - mobile with 4 castors
  - including flowmeter and humidifier for oxygen therapy
  - dimension: W = 400 H = 700 D = 350
- 213180**

Y Piece to connect an oxygen concentrator to anaesthesia machines and oxygen dose simultaneously

**213185**

### OXYGENCONCENTRATOR OXYVET EASY

- transfers ambient air into oxygen (45 db (A))
  - produces up to 93% pure oxygen, up to 5 l/min
  - maximum output reached after 3 mins of operation
  - attachable to all major anaesthesia machines including flowmeter and humidifier used for oxygen therapy
  - 3 years warranty
- 213170**



**213170**

### VENTILATOR FOR SMALL ANIMALS SAV 2500

Can be connected on all Anaesthetic Machines with closed and open circuits

- electronically controlled
- time cycled
- pressure controlled
- assures constant volume for each delivered breath
- easy to operate
- ensures safe anaesthesia
- adapts easily to anaesthetic circuits with out-of-circuit vaporisers

**213015**

Paediatric bellow assembly 0–300ml especially for small animals less than 7kg

**213017**



**213015**

# Ventilator, Reduction Valves, Central Gas Supplying System, Oxygen Emergency Kit



## VENTILATOR FOR SMALL ANIMALS

- For assisted and controlled breathing.
- for animals from 1 to 65kg
- microprocessor electronically ventilates the patient if spontaneous respiration does not occur
- sets breathing parameters automatically after entering patients weight
- can also be used with masks
- versatile: critical care ventilation or anaesthetic delivery unit (with vaporizer)
- assures ideal oxygen level
- rechargeable battery


213011



## MEDICAL REDUCTION VALVE

- Keyless connection to all DIN bottles
- with flow control

212704



## CENTRAL GAS SUPPLYING SYSTEM

Oxygen, recessed  
212500

Compressed air, recessed  
*not illustrated*  
212505

Compressed air, surface  
*not illustrated*  
212506

Oxygen connector  
212503

Compressed air connector  
212507



## OXYGEN EMERGENCY KIT FOR SMALL ANIMALS

- mobile
- with 2 litre oxygen cylinder
- carrying case

Model I, with Reduction Valve 4 LPM  
219013



## LARGE ANIMAL ANAESTHETIC MACHINE LAVC-2000D

- with BIRD respirator for spontaneous, assisted and/or controlled ventilation
- Flowmeter (0–10 litre/min)
- O<sub>2</sub>-Bypass
- flush valve
- pressure gauge
- two 160cm corrugated breathing tubes
- inhaler Y-piece with 4 adapters (18/20/25/30mm)
- optional foal kit (see below)
- with 30 litre breathing bag

Anaesthetic Machine LAVC-2000 D-2, with each one reconditioned ISOFLURANE and HALOTHANE vaporizer  
**21320001**

With new ISOFLORANE vaporizer  
**21320201**

Utility tray for LAVC-2000D, 700x280x15mm  
**213205**

## Anaesthetic Machines for Large Animals



### LARGE ANIMAL ANAESTHETIC MACHINE LAVC-2000

- with BIRD respirator for spontaneous, assisted and/or controlled ventilation
- Flowmeter (0–10 litre/min) – Bypass
- flush valve
- pressure gauge
- two 160cm corrugated breathing tubes
- inhaler Y-piece with 4 adapters (18/20/25/30mm)
- optional: foal kit (see below)
- with 30 litre breathing bag

With new ISOFLURANE vaporizer  
**213201**



### LARGE ANIMAL ANAESTHETIC MACHINE LAPD-1000

- Flowmeter (0–10 litre/min)
- pressure gauge
- patient circuit with Y-piece and 4 adapters (18/20/25/30mm)
- O<sub>2</sub>-Bypass
- with 30 litre breathing bag

With TEC3-Style ISOFLURANE vaporizer  
**213101**

Large animal ventilator LAVC 3000  
connectable to all major anaesthesia machines  
*not illustrated*  
**213120**



### FOAL BREATHING CIRCUIT KIT

Conversion kit for LAVC-2000 to foal ventilator  
**213220**

Small circuit with adapters for foal conversion  
**213221**



### ACCESSORIES FOR LARGE ANIMAL ANAESTHETIC MACHINES

Breathing circuit, grey  
**215710**

Y-piece, plastic, large  
**E213200159**


## LARGE ANIMAL BREATHING CIRCUIT

Floor stand for large animal breathing circuit

**213022**

Foal Set for large animal breathing circuit

**213025**



## LARGE ANIMAL BREATHING CIRCUIT MATRIX VML

Anaesthesia machine VML Stand model,  
including:

- large soda lime cannister (5200 cc)
- large volume patient tubing with Y-piece
- 30 l breathing bag
- pressure gauge
- Flowmeter (1–10 l/Min)
- mobile stand

**212020**

Anaesthesia machine VML, as above, with  
EICKEMEYER stand and oxygen bottle holder,  
*not illustrated*

- including FEC3-style vaporizer

**212021**



## Vaporisers



213261

### EICKEMEYER ISOFLURO VAPORISER

#### ISOFLURANE Vaporizer

- calibrated dial (0.5%–5% at 0.5% intervals)
- with key filling
- temperature/flow compensated vaporiser
- large sight glass for easy liquid level checks
- with safety lock
- laser-calibrated (0.25 to 5%)

**213261**

#### Selectatec Connector

*not illustrated*

**222227**

#### Sevoflurane vaporizer with key filling

*not illustrated*

**213271**



222225

### RECONDITIONED VAPORISER

#### Reconditioned DRAEGER ISOFLURANE Vaporizer

- with certificate
- accurate and reliable
- with key filling

**222225**



222226

### VAPORISER CONVERSION

We convert your Vaporizer from HALOTHANE to ISOFLURANE

Including calibration

**222222**

Pivoting connection for DRAEGER Vaporizer 19.1 or 19.3

- to connect on a used DRAEGER Anaesthetic Machine

**222226**

### SAFETY KEY FILLER FOR NARCOTIC

Fits only on special bottles and vaporizers with key filling system

- with anti-polluting plug
- allows you to rapidly fill your vaporizer

Safety Key Filler for ISOFLURANE (purple)

**213246**

Safety Key Filler for SEVOFLURANE

**213247**



### CYLINDER CART

White, for one 10 litre O<sub>2</sub>-Cylinder

**213465**



### ACTIVE ANAESTHETIC GAS SCAVENGE SYSTEM

For better conditions in the surgery room

- the active scavenge system provides a safe, cost effective method of ensuring health and safety of the staff in the operating theatre
- the system exhausts all anaesthetic waste gases without depleting oxygen and anaesthetics from the anaesthetic machine
- normal anaesthetic protocols need not be altered

- easy to install

**213480**

Scavenger tubing per meter

**212729**



### ANAESTHETIC GAS FILTER

- removes excess halogenated gases from the operating theatre


- absorbs up to 200g anaesthetic gas (lasts 20–25 hours)

- easily adaptable

**213485**



## Endotracheal Tubes



### ENDOTRACHEAL TUBES, RED RUBBER WITH INFLATABLE CUFF

- curved, easy to introduce
- bevel tip

ID = 2.5mm, OD = 5.5mm, CH 12  
**213525**

ID = 3.0mm, OD = 6.0mm, CH 14  
**213530**

ID = 3.5mm, OD = 7.0mm, CH 16  
**213535**

ID = 4.0mm, OD = 7.5mm, CH 18  
**213540**

ID = 4.5mm, OD = 8.0mm, CH 20  
**213545**

ID = 5.0mm, OD = 8.5mm, CH 22  
**213550**

ID = 5.5mm, OD = 9.0mm, CH 24  
**213555**

ID = 6.0mm, OD = 10.0mm, CH 26  
**213560**

ID = 6.5mm, OD = 10.5mm, CH 28  
**213565**

ID = 7.0mm, OD = 11.0mm, CH 30  
**213570**

ID = 7.5mm, OD = 11.5mm, CH 32  
**213575**

ID = 8.0mm, OD = 12.0mm, CH 34  
**213580**

ID = 8.5mm, OD = 12.5mm, CH 36  
**213585**

ID = 9.0mm, OD = 13.0mm, CH 38  
**213590**

ID = 9.5mm, OD = 14.0mm, CH 40  
**213595**

ID = 10.0mm, OD = 14.5mm, CH 42  
**213600**

ID = 10.5mm, OD = 15.0mm, CH 44  
**213610**

ID = 11.0mm, OD = 15.5mm, CH 46  
**213611**

ID = 12.0mm, OD = 16.0mm, CH 50  
**213612**

ID = 13.0mm, OD = 17.0mm, CH 54  
**213613**

ID = 14.0mm, OD = 20.0mm, CH 58  
**213614**

## ENDOTRACHEAL TUBE, SILICONE-LATEX, WIRE RE-ENFORCED WITH CUFF

- wire re-enforcement prevents from kinking
- conforms to body contours
- high resistance to deterioration
- transparent

ID = 3.0mm, OD = 5.0mm, w/o cuff  
**213830**

ID = 3.5mm, OD = 6.0mm, w/o cuff  
**213835**

ID = 4.5mm, OD = 7.0mm  
**213845**

ID = 5.5mm, OD = 8.5mm  
**213855**

ID = 6.0mm, OD = 9.0mm  
**213861**

ID = 7.0mm, OD = 10.0mm  
**213871**

ID = 8.0mm, OD = 12.0mm  
**213881**

ID = 9.0mm, OD = 13.0mm  
**213891**

ID = 10.0mm, OD = 15.0mm  
**213810**

## PVC ENDOTRACHEAL TUBE

- crystal clear
- cuff inflation valve for Luer and Luer lock
- flat, non traumatic tip
- with connector

ID = 2.5mm  
**214025**

ID = 3.0mm  
**214030**

ID = 3.5mm  
**214035**

ID = 4.0mm  
**214040**

ID = 4.5mm, with cuff  
**214045**

ID = 5.0mm, with cuff  
**214050**

ID = 5.5mm, with cuff  
**214055**

ID = 6.0mm, with cuff  
**214060**

ID = 6.5mm, with cuff  
**214065**

ID = 7.0mm, with cuff  
**214070**

ID = 7.5mm, with cuff  
**214075**

ID = 8.0mm, with cuff  
**214080**

ID = 8.5mm, with cuff  
**214085**


ID = 9.0mm, with cuff  
**214090**

ID = 9.5mm, with cuff  
**214095**


ID = 10.0mm, with cuff  
**214101**

ID = 10.5mm, with cuff  
**214102**

ID = 11.0mm, with cuff  
**214103**



## Connector Set, Connectors



### CONNECTOR-SET FOR ENDOTRACHEAL TUBES

2.5–11.0mm, with SWIVEL-Connector  
**213901**

### CONNECTORS FOR ENDOTRACHEAL TUBES

- fits to 15mm standard Y-piece
- durable plastic
- adapter size fits tracheal tube inner diameter

2.5mm

**213902**

3.0mm

**213903**

3.5mm

**213935**

4.0mm

**213904**

4.5mm

**213945**

5.0mm

**213905**

5.5mm

**213955**

6.0mm

**213906**

6.5mm

**213965**

7.0mm

**213907**

7.5mm

**213975**

8.0mm

**213908**

8.5mm

**213985**

9.0mm

**213909**

9.5mm

**213995**

10.0mm

**213910**

10.5mm

**213911**

11.0mm

**213912**

15mm

**213913**

SWIVEL-Connector

**213920**

Intubation stylets for tracheal tubes

D = 2.6mm, length = 40cm

**214126**

D = 4.3mm, length = 45cm

**214143**


D = 5.6mm, length = 50cm

**214156**

# Display Rack for Endotracheal Tubes, Tracheal Tubes, Endotracheal Tubes for Horses

## DISPLAY RACK FOR ENDOTRACHEAL TUBES

Designed to dry and hold 15 endotracheal tubes in place by their connectors  
- with two hooks for rebreathing bags  
- made of stainless steel  
**213900**



## PLASTIC TRACHEAL TUBE FOR SMALL ANIMALS

With obturator for easy insertion  
- for long term or temporary use

D = 6mm

**214106**

D = 10mm

**214110**



## TRACHEAL TUBE FOR HORSES

PAPE pattern

**214621**



## ENDOTRACHEAL TUBE FOR LARGE ANIMALS AND HORSES


- red soft rubber  
- strong cuff (appx. 15cm length) with cuff inflator (silicon) and pilot balloon

ID = 18mm, for calves and foals

**214218**

ID = 25mm, for cattle and horses

**214225**



## Endotracheal Tubes for Horses, Connectors, Equine Mouth Gags, Teething Ring



### ENDOTRACHEAL TUBES ROESCH, RED RUBBER

ID = 20mm, for large calves and foals

**214320**

ID = 25mm, for cattle and horses

**214325**

ID = 30mm, for cattle and horses

**214330**



### CONNECTORS FOR ENDOTRACHEAL TUBES

For oversized tracheotubes

12mm

**214501**

14mm

**214502**

16mm

**214503**

18mm for large animal Anaesthetic Machines

**214518**

20mm/22mm for large animal Anaesthetic Machines


**214519**

26mm for large animal Anaesthetic Machines

**214521**

30mm for large animal Anaesthetic Machines

**214522**



### GUENTHER-HEPKE EQUINE MOUTH GAG

- for anaesthetised horses

- opening: 12cm

**210002**



### TEETHING RING

ID = 50mm, height = 70mm, length = 100mm, for horses

- heavy duty plastic construction

- protection of the tracheal tubes

**214001**

## Diagnostic Lamp, Curved Bulb Holder, Laryngoscopes

### DIAGNOSTIC LAMP

- ideal for intubation of small animals
- practical for examination of throat, nose, ears and eyes

Diagnostic lamp, includes 2 spatulas (flat and pointed)

**214210**

Spare spatula, pointed

**214212**



### CURVED BULB HOLDER

For HEINE 3.5V Battery Handle

- 3 different spatula attachments available
- for intubation of small animals

**301255**

Tongue spatula, narrow, short


**301261**

Tongue spatula, narrow, long

**301262**

Tongue spatula, wide, long

**301263**



### HEINE LARYNGOSCOPE WITH FIBER OPTICS

Laryngoscope handle with rechargeable batteries, 3.5V halogen

**301436**

Fiber optic laryngoscope spatula, size 2, length = 130mm, width at distal end 16mm

**301412**

Fiber optic laryngoscope spatula, size 3, length = 160mm, width at distal end 16mm

**301413**



## Laryngoscopes, Accessories for Tracheal Tubes, Anaesthesia Masks



### LARYNGOSCOPE ECONOMY

- FREIBURGER model, including spatula and battery handle
- spatula: length = 145mm, width = 15mm (distal end)
  - brilliant illumination
  - sturdy
  - economically priced
  - with batteries
- 301450**



### ACCESSORIES FOR TRACHEAL TUBES

- Silicon Spray 500ml  
**214600**
- Tracheal Cuff Inflator to inflate equine tracheotubes  
**214605**



### SMALL ANIMAL ANAESTHESIA MASKS

- durable clear plexiglass
- with rubber diaphragms
- excellent seal
- quick release

Small  
**214801**

Medium  
**214802**

Large  
**214803**

Spare diaphragm, small  
**214810**

Spare diaphragm, medium  
**214812**

Spare diaphragm, large  
**214813**

**VET Eickemeyer®**

Large variety of surgery-  
and examination tables

### SMALL ANIMAL ANAESTHESIA MASKS

- durable clear plexiglass
- with rubber diaphragms
- excellent seal

Size 1, D = 47mm, ID = 25mm

**214901**

Size 2, D = 57mm, ID = 33mm

**214902**

Size 3, D = 63mm, ID = 40mm

**214903**

Size 4, D = 90mm, ID = 38mm

**214904**

Size 5, D = 135mm, ID = 72mm

**214905**

Spare diaphragm, size 1

**214911**

Spare diaphragm, size 2

**214912**

Spare diaphragm, size 3

**214913**

Spare diaphragm, size 4

**214914**

Spare diaphragm, size 5

**214915**



**VET Eickemeyer®**

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)

### REBREATHING BAGS

- black rubber
- with hang up hook for drying
- antistatic

0.5 litre

**215005**

0.75 litre

**215007**

1.0 litre

**215010**

1.5 litre

**215015**

2.0 litre

**215020**

3.0 litre

**215030**

4.0 litre

**215040**

5.0 litre


**215050**

15.0 litre, for foals, w/o hang up hook

**215115**

30.0 litre, for horses, w/o hang up hook

**215130**



## Anaesthesia accessories, Anaesthetic Set, ULMER Fixator



### ANAESTHESIA ACCESSORIES

Transparent parallel breathing circuit with Y-Piece and female ends (ID = 22mm)


**212718**

Rubber tube for patients less than 7kg (ID = 15mm)

**212805**

Rubber tube, length = 1m, diameter = 22mm, for small animal circuit

**215507**



### ANAESTHESIA ACCESSORIES

ULMER Anaesthetic Set for small animals, made of SILKOMED

**216500**

Mapleson Bain Circuit (open system) for patients less than 7kg.)

Complete with 0.5 l breathing bag, pop-off valve, connector to anaesthesia machine

**21309514**



### ANAESTHETIC SET FOR SMALL ANIMALS

AYRES-T-PIECE for small animals up to 7kg

- connect to standard anaesthetic systems

- open circuit

- low resistance

**216000**



### ULMER FIXATOR

Supporting device for breathing tubes

Perfect for fixing tubes, cables of monitors and electrosurgical devices

**215300**

## Anaesthetic System NarkoPet, Rebreathing Bags, Soda Lime

### ANAESTHETIC SYSTEM NARKOPET

Anaesthetic Tube, small, additional for Set  
214630  
- dimensions: D = 90x170mm  
**214632**



### REBREATHING BAG COMBIBAG

Necessary in every clinic  
- from 500ml (for cats and small dogs) up to  
1200ml breathing volume  
- critical care ventilation  
- with pressure control valve  
- autoclavable  
**215160**



### SODA LIME

Changes colour from white to violet as soda  
lime is exhausted

5.0 ltr. canister  
**215205**



## Pulsoxymeter



### PULSOXYMETER OXYVET EASY

- mobile, battery operated unit
- large LCD-screen
- Pulsrange from 25–254 bpm
- complete with tongue clip sensor
- optional PC transfer kit

#### **321600**

Data-Management-Kit for 321600 and 321650  
(software CD and connecting cable)

#### **321654**

Tongue clip sensor for 321600, 321650, 321810  
**321651**



### PULSOXYMETER OXYVET EASY PLUS

- high resolution colour LCD-screen
- large, easy to read LCD display with SPO<sub>2</sub>,  
Heartrate and Pulse strength
- user selectable alarm limits
- adjustable alarm volume
- battery operated (up to 36 hrs)
- including tongue clip sensor
- infrared PC-connection optional
- puls range 18–300 bpm

#### **321650**

Rechargeable battery for 321650

#### **321652**

Charger base for 321652

#### **321653**

**PULSOXYMETER OXYVET DIGITAL**

Mobile hand-held unit with rechargeable battery

- large LED display for both pulse rate and SpO<sub>2</sub>
- pulse range 20–350 bpm
- infinitely adjustable high and low alarms for pulse and SpO<sub>2</sub>
- digital processing to eliminate most interference e.g. tremors, shaking etc.
- with 2 sensors: lingual clip and rectal sensor
- controls and displays designed for simplicity and ease of use

**321408**




**321408**

**COMBINED PULS-OXYMETER AND ECG OXYVET-CARDIO**

Including respiration and temperature measurement

- large, easy to read LCD display with SPO<sub>2</sub>, Heartrate and Pulse strength, ECG, respiration rate and body temperature
- user selectable alarm limits
- state-of-the-art digital signal processing
- including tongue and tail wrap sensor
- Heartrate from 20 to 350 bpm
- 3 or 5 lead ECG
- Trends signalling for temperature and respiration rate
- battery or mains operated
- compact and lightweight
- printer optional (321802)

**321800**



**321800**

## Combined Monitors, Capnometer



### OXYVET TEMP

- Combined Monitor for Pulse-Oximetry, Temperature and Respiration Rate
- large and easy to read display showing all parameters
- plethysmographic wave form displayed
- infinite adjustable alarms, audible pulse sound, visual pulse strength bar
- highly compact and portable design
- protective rubber boot
- with lingual clip, rectal sensor, temperature probe and respiratory sensor
- pulse range 20–350 bpm
- mains- or battery powered (mains adaptor included)

**321500**



### COMBINED PULSXOYMETER AND ANAESTHETIC AGENT MONITOR CAPNOVET MULTIAGENT

- large, easy to read LCD display with CO<sub>2</sub>, anesthetic agent, exhaled agent and respiration rate
- plethysmographic display of exhaled CO<sub>2</sub>
- for Halthan, Isoflurane, Sevoflurane
- patented side stream technology
- user selectable alarm limits

**321400**

# State of the art continuing education centre in Tuttlingen, Germany



Since 1985 almost 10.000 veterinary professionals from all over the world have attended our courses.



Theory lectures, practical demonstrations and hands-on veterinary seminars in full operating theatre facilities provide the maximum learning in the minimum time.



321390

### CAPNOVET PRO

Combined Capnometer and Digital Pulse-Oximeter

- specifically developed software for veterinary applications
- easy-to-read back-lit LCD display shows heart rate, respiration rate, inspired CO<sub>2</sub>, ETCO<sub>2</sub> and SpO<sub>2</sub>
- infinitely adjustable visual and auditory alarms
- provides wave forms, numeric values and on-screen trending
- sidestream technology accommodates intubated and non-intubated patients
- incl. tongue clip sensor
- protective rubber boot
- battery operated
- lightweight, only 630g
- optional: spare battery (No. 32139001) and mains adaptor (No. 32139002)

#### 321390

Rechargeable battery for CAPNOVET PRO

#### 32139001

Charger base for 32139001

#### 32139003

Moisture-Trap for CAPNOVET PLUS, 5/box

#### E32170001

## Combined Monitors



### CAPNOVET PLUS

Combined Pulse Oximeter and Capnometer with high resolution vacuum fluorescent display and lingual clip and rectal sensor. The CAPNOVET PLUS offers crisp, clear waveforms with large numerics for maximum visibility. With the optional addition of pulse oximetry and  $\text{FiO}_2$ , the lightweight, portable CAPNOVET PLUS has the flexibility to meet the needs of today's demanding environments

- intelligent capnography
- simplified menu structure
- monitoring of both intubated and non-intubated patients of all sizes due to sidestream technology
- patented moisture removal system
- pulse rate: 20–350 bpm
- $\text{SpO}_2$  range: 0–100%

#### **321700**

Sample line, length = 1.2m, 10/box

#### **321377**

Sample line, length = 2.4m, 10/box

#### **321378**


Connector-Set for small animals with Luer

- for tracheotubes with ID = 2/2.5/3/3.5/4mm

#### **321382**

$\text{CO}_2$  Absorber for CAPNOVET-PLUS 2/box

#### **E32170002**



### HIGH END MULTI-PARAMETER-MONITOR VETVISOR

VetVisor light

**321840**

Combines ECG, invasive and non-invasive blood pressure, temperature, CO<sub>2</sub>, SpO<sub>2</sub>, heart and respiration rate

- End Tidal CO<sub>2</sub> with sidestream technology (also suitable for small animals)
- displays plethysmographic wave form of end tidal CO<sub>2</sub> values
- digital SpO<sub>2</sub> especially developed for veterinary use
- 3/5 lead ECG with display of the heart rate, dual temperature and respiration rate
- invasive and non-invasive blood pressure
- on-screen trending of all monitored parameters
- intuitive point and click user-interface
- data storage via flash-card possible
- 4-trace, 10.4" active matrix colour TFT display, built-in printer
- user selectable alarm limits all parameters
- mains or battery powered
- network compatible
- integrated handle enhances portability
- compact dimensions: 340x310x180mm, weight = 6.8kg

**321850**

Paper for printer 4/box

**321855**

## Sensors for Pulse Oximeters, Anaesthesia Monitoring



### SENSORS FOR PULSE OXIMETER

- especially designed for veterinary use
- fits all animals
- fits on 321408, 321800, 321500, 321400, 321390, 321700, 321850, 321860

Lingual Sensor

**321330**

Nasal C-Sensor, small, for foals

**321320**

Tail-Wrap-Sensor

**321340**



### VETVISOR EASY

- Multi-Parameter-Monitor with ECG, non-invasive blood pressure, pulse-oximetry, Temperature, Respiration Rate
- user selectable alarm limits
  - state-of-the-art digital signal processing
  - Pulse strength indicator
  - 3 channel ECG
  - Temperature
  - Non-invasive blood pressure measurements (3 cuff sizes included)
  - large 8.4" colour display
  - battery or mains operated

**321810**

- Multi-Parameter-Monitor with ECG, non-invasive Blood pressure, Pulsoxymetry, Temperature, Respiration Rate
- user selectable alarm limits
  - state-of-the-art digital signal processing
  - Pulse strength indicator
  - 3 channel ECG
  - Temperature
  - Non-invasive blood pressure measurement (3 cuff sizes included)
  - large 8.4" colour display
  - battery or mains operated

**321810V110**

### RESPIRATORY MONITOR RESPIVET

With new improved charging system,  
SWIVEL Connector and Sensor

- indicates reliable apnea
  - sensor is placed inside the anaesthetic circuit
  - sterile
  - alarmstop with photo eye (no contact)
  - compact
  - long lasting battery
  - displays when battery is low
- 217100**



### AUDIO PATIENT MONITOR

Audio patient monitor with oesophagus  
stethoscope to monitor heart- and respiration  
sounds

- easy and reliable monitoring
- includes 3 Oesophageal stethoscopes  
(D = 4/6/8mm)
- battery or mains operated

**217600**

Oesophageal Stethoscope D = 4mm, CH 12

**217604**

Oesophageal Stethoscope D = 6mm, CH 12

**217606**

Oesophageal Stethoscope D = 8mm, CH 24

**217608**



**217600**

## Ultrasonic Doppler, Blowtube Systems



### ULTRASONIC DOPPLER BLOOD FLOW DETECTOR

Reliable and precise non invasive blood pressure measuring for small animals  
- acoustical monitoring of blood flow during anaesthesia  
- place probe over peripheral artery

Ultrasonic Doppler 811B, with Probe and Charger

**217300**

Sphygmomanometer with two Cuffs (width = 5.0cm and 7.5cm) for small animals  
- in application with Doppler 217300

**217301**

Blood Pressure Cuff, width = 1.9cm, for small cats

*not illustrated*

**217307**

Blood Pressure Cuff, width = 3.3cm, for cats and small dogs

*not illustrated*

**217308**



### TELINJECT BLOWTUBES

- including 10 syringes, 3.0ml, with needle 1.1x38mm  
- with mouth piece

Blowtubes Set, length = 1m, distance = 5m

**218003**

Blowtubes Set, length = 2x1m, distance = 12m

**218103**



### SYRINGES AND NEEDLES FOR TELINJECT BLOW TUBE SYSTEM

Lightweight syringe, 2ml, w/o needle (yellow)  
**218121**

Lightweight syringe 3ml, w/o needle (orange)  
**218131**

Needle for blowtubes, 0.9x25mm  
**218140**

Needle for blowtubes, 1.1x30mm  
**218138**

Needle for blowtubes, 1.1x38mm  
**218141**

Needle for blowtubes, 1.2x38mm  
**218142**

## TELINJECT BLOWGUN VARIO

For large animals

- lightweight
- distance up to 25m
- easy targeting
- including pump

**218200**



## SYRINGES AND NEEDLES FOR TELINJECT BLOWGUN VARIO

Syringe 3ml, w/o needle (red)

**218204**

Needle, 1.5x30mm

**218205**

Needle, 1.5x38mm


**218206**

Needle, 1.5x38mm

**218207**

VARIO-Kit, incl. 10 syringes, needles and accessories

**218210**



## PROFESSIONAL-INHALATION SYSTEM FOR HORSES

Ultrasonic-Inhalator "Air-one"

- high nebulisation
- clear mask
- easy application of the mask
- compact and sturdy housing
- removable valves
- incl. wall mount

**219270**

## INHALATION MASK FOR HORSES

Heavy duty transparent plastic

small

**219251**

medium

*not illustrated*

**219254**

large

*not illustrated*

**219256**



## Collars, Rack for Collars, Plexiglas Collars



### BUSTER CLIC COLLAR

- fully transparent material allows all-round vision
- soft and flexible
- improved quick and simple closing system
- 10/box

5cm for rodents

**220105**

7.5cm

**220107**

10cm

**220110**

12.5cm

**220112**

15cm

**220115**

20cm

**220120**

25cm

**220125**

30cm


**220130**

40cm

**220140**

Combi pack with 20 pcs, includes: 2x7.5 / 3x10 / 3x12.5 / 3x15 / 3x20 / 3x25 / 3x30cm

**220190**



### STAINLESS STEEL RACK FOR COLLARS

For orderly storage of the collars according to size

**220100**



### PLEXIGLAS COLLARS FOR PARROTS

- sturdy plexiglas construction
- protect wounds
- easy to apply
- long lasting

For grey parrots, ID = 35mm, height = 4cm

**220400**

For parrots, ID = 25mm, height = 3cm

**220525**

For parrots, ID = 30mm, height = 3.5cm

**220530**

For macow parrots, ID = 45mm, height = 5cm

**220545**

## Bird Collars, Equine Neck Cradle, Battery Handles, Rechargeable Handle

### BIRD COLLARS

Prevents the bird from picking feathers and wounds

- easy to apply
- set of 15pcs, includes:  
5x8cm, 5x10cm, 3x14cm and 2x20cm

**220215**



### NECK CRADLE

For horses, wooden

- restrains and protects the horse
- easy to apply

**222000**



### HEINE RECHARGEABLE HANDLE SYSTEM BETA NT

HEINE NT 200 Charger for two Handles

- for all HEINE rechargeable handles
- constant automatic charging
- reduced charging time, increased battery life
- cannot be over-charged
- w/o handle

**302500**


HEINE BETA NT 3.5V Rechargeable Handle  
**302535**



### RECHARGEABLE HANDLE HEINE BETA R 3.5V

- ideal for outdoor practice
- can be charged on any wall outlet

**302635**



## Battery Handles, Slit Illumination Head, Speculas



### HEINE BATTERY HANDLE MODULES

Handle module for BETA handle system

**302400**

Extension for Beta handle module to convert in 3.5V handle

*not illustrated*

**302405**

Bottom insert for battery handle module (2.5V), *not illustrated*

**302425**

Bottom insert for battery handle module (3.5V)

**302435**

Battery for BETA NT 3.5V handle

**302436**

Long-lasting lithium ion rechargeable battery

for BETA NT 3.5V handle

- continuous use up to 120 minutes

**302437**

Bottom insert to charge directly on every 220V wall outlet

**302637**

**VET Eickemeyer®**

Visit our Online-Shop  
[www.eickemeyer.de](http://www.eickemeyer.de)



### HEINE SLIT ILLUMINATION HEAD

Ideal for catheterisation, foreign body removal, etc.

- solid metal construction

- 3.5V fiber optic illumination

- multi-coated, scratch-resistant swivel lens with 2x magnification

- double bayonet lock for specula

**300035**

Spare Swivel Lens with 2x magnification

**300080**



### VETERINARY SPECULA, SANALON

- light weight, very durable

- easy to clean with standard germicides

- long-lasting, positive fit to the otoscope

- fits to Slit Illumination Head No. 300035

D = 2.2 x40mm

**300122**

D = 2.8 x40mm

**300128**

D = 3.5 x40mm

**300135**

D = 4.5 x40mm

**300145**

D = 5.5 x40mm

**300155**

Set of 5 pieces

**300160**

## Speculas, Vaginal Specula, Spreadable Specula, Otoscope Set

### VETERINARY SPECULA, METAL

- satin finished metal
- sturdy, virtually unbreakable

D = 4x 57mm

**300357**

D = 6x 65mm

**300365**

D = 7x 90mm

**300390**

D = 10x 150mm


**300395**

D = 6x 65mm, slitted

**300460**

D = 7x 90mm, slitted

**300470**



### CANINE VAGINOSCOPE HANNOVER TYPE

- ideal for uterine culture swab
- with blunt trocar
- fits to Slit Illumination Head No. 300035

Set of 3 pieces (D = 8, 10 and 15mm)

**300403**

D = 8mm

**300408**

D = 10mm

**300410**

D = 15mm

**300415**



### SPREADABLE SPECULA

60mm, extra small specially designed to remove foreign bodies from ears

- fits to Slit Illumination Head No. 300035

**300501**

100mm, for general examination, also usable as a vaginoscope

- with ratchet and spring
- fits to Slit Illumination Head No. 300035

*not illustrated*

**300502**



### OTOSCOPE SET ECONOMY


For daily use, contains:

- handle with 2 batteries
- otoscope head
- 3 specula's with D = 0.4 / 0.5 / 0.6mm, length = 4.5cm
- best price performance

**300551**



## Otoscope Head, Veterinary Diagnostic Set, Vaginoscopes



### HEINE BETA 200 VET OTOSCOPE HEAD

- 3.5V fiber optic illumination
- large, scratch-resistant, swivelling glass viewing window with 3x magnification
- durable metal body, matte chrome-plated
- reusable Sanalon specula

#### 300635

Veterinary long speculum,  
D = 4 length: = 61mm

#### 300740

Veterinary long speculum, D = 6 length = 61mm

#### 300760

Veterinary long speculum, D = 9, length: 61mm

#### 300790

Set of 3 pieces (D = 4, 6, and 9mm)

#### 300703



### VETERINARY DIAGNOSTIC SET

G 150 complete with BETA R 3.5V handle,  
rechargeable in every 220V wall outlet

#### 301635

G 150 complete with BETA R 3.5V handle and  
battery charger base  
*not illustrated*

#### 301535




### VETERINARY DIAGNOSTIC SET

G 148 complete with BETA R 3.5V handle,  
rechargeable in every 220V wall outlet

#### 301835

G 148 complete with BETA R 3.5V handle and  
battery charger base  
*not illustrated*

#### 301735



### CANINE ENDOSCOPE

Ideal for vaginal and rectal examination, can  
also be used as a gastroscope

- brilliant halogen illumination for good visualisation
- with blunt trocar
- can be connected to fibre light cable

D = 11.4 length = 200mm

#### 300811

D = 16 length = 250mm

#### 300816

D = 20 length = 300mm

#### 300820

Adaptor for fibre optic instruments, to connect  
with HEINE 3.5V Battery Handles

#### 300935

### RIGID ENDOSCOPE FOR SMALL ANIMALS AND HORSES


- precision optic, brilliant colours
- rod lens system
- 30° viewing angle allows greater field of view
- application areas: rhinoscopy, arthroscopy
- soakable
- autoclavable endoscopes on request

D = 1.9mm, length = 10cm, 30° Optic  
**30421901**

D = 2.7mm, length = 11cm, 30° Optic  
**30432701**

D = 2.7mm, length = 18cm, 30° Optic  
**30422701**

Arthroscope for horses, D = 4.0mm, length:  
18cm, 30° Optic  
**304340**




### LAPAROSCOPES FOR MINIMAL INVASIVE SURGERY

- E.g. for laparoscopic surgery on bitches
- brilliant colours
  - rod lens system
  - precision optic
  - best visualisation

D = 10mm, length = 33cm, 30° Optic  
**305000**

D = 10mm, length = 66cm, 0° Optic,  
- specially for equine use  
**305010**




### OPERATING SHEATH WITH INSTRUMENT CHANNEL

- with 2 ball valves for suction and flush
- with one blunt trocar
- integrated working channel for flexible forceps up to D = 1.8mm
- ideal for rhinoscopy and otoscopy on cats and dogs

For endoscopes with D = 2.7mm and  
length = 11cm  
**30472802**



## Otoscope Sheath, Endoscope Sheaths, Arthroscopy Instruments




### OTOSCOPE SHEATH

- Perfect for examination, removing foreign bodies and taking biopsies
- Luer lock with closure for flushing the ear
- robust and durable
- rounded edges
- with high flow

D = 5mm (distal end), with working channel  
D = 2mm, length = 18cm, for rigid endoscope  
No. I30422701

**302060**



### ARTHROSCOPY SHEATHS

- high flow
- with stopcock
- Luer lock
- with one blunt and one sharp trocar

For endoscopes with D = 1.9mm, length = 10cm  
**30431901**

For endoscopes with D = 2.7mm, length = 11cm  
**30433001**

For endoscopes with D = 2.7mm, length = 18cm  
**30423001**

For endoscopes with D = 4.0mm, length = 18cm  
**304345**

Instrument-working-sheath, D = 5.5mm


- easy to use
  - for arthroscopic procedures
  - protects your endoscope
- not illustrated*

**304732**

**VET Eickemeyer®**

### Our service – Your benefit

Our skilled instrument makers can fully inspect your instruments and take the necessary steps to return them to an excellent working condition.



### ARTHROSCOPY INSTRUMENTS

Spoon Forceps, OD = 2.7mm, working length: 12.5cm

**304742**

Hook Scissors, OD = 5mm, straight, working length = 13cm

**304743**

Universal Grasping Forceps, OD = 2.7mm, working length = 12cm

**304745**

Biopsy Forceps, D = 3.4mm, working length = 13cm, handle with ratchet

**304515**

## ARTHROSCOPY INSTRUMENTS

Fits through instrument working channel

Hook, 2mm

**304755**

Curette with round hole, delicate

**304759**

Curette, delicate

**304758**

Circular knife, straight, 3.5mm

**304536**

Knife for endoscopy, extremely sharp

**304756**

Knife, double-edged, very sharp

**304757**

Elevator, 2.8mm

**304761**

Meniscus knife

**304760**

Hook knife


**304762**

Knife, retrograde, very sharp

**304738**

Hand milling cutter

**304744**



## SUCTION- AND IRRIGATION PUMP MIC

Pump for silicone tube, with foot switch, demonstration model

**305150**



## ARTHROSCOPY INSTRUMENTS FOR HORSES

Extra strong sheaths guarantees the long life for your instruments.

- Length = 23 cm

Hook and retractor, 3.5mm

**304535**

Chisel, straight, 4mm

**304564**

Chisel, 6mm


**304563**

Special knife, heavy model

**304561**

Elevator, curved, 6mm

**304562**



## Arthroscopy Instruments, Pressure Infusor, Rigid Endoscopes



### ARTHROSCOPY CURETTES FOR HORSES

Extra strong sheaths guarantees the long life for your instruments.

Length = 23.5 cm

Suction curette, straight, oval spoon  
6.5x3.8mm, with suction hole (Luer lock)

**304565**

Suction curette, straight, oval spoon,  
5.0x2.8mm, with suction hole (Luer lock)

**304566**

Spoon, oval, 3.0x2.0mm


**304567**

Spoon, oval, 5.0x3.0mm

**304568**

Spoon, oval, 7.0x5.0mm

**304569**



### ARTHROSCOPY RONGEURS FOR HORSES

Extra strong

Hook scissors 4x10mm, length = 150mm, very sturdy

**304574**

Rongeur, 3x10mm, length = 180mm, very sturdy

**304570**

Rongeur, 5x10mm, length = 140mm, very sturdy

**304571**

WAGNER modified, heavy model, shaft-length = 9cm, mouth 5x7mm

**184705**

Rongeur "Chip-Remover", 5x15mm, length = 12cm, with teeth

**304572**



### PRESSURE INFUSION CUFFS

For Veterinary Arthroscopy

- with pressure gauge
- for collapsible IV bags
- IV bag fits inside mesh and nylon bag

For infusion bag 500–1000ml, with hand pump


**402040**

For infusion bag 3000ml, with hand pump

**402043**

For infusion bag 3000ml, with foot pump

**402045**



### RIGID ENDOSCOPE

Especially designed for artificial inseminating bitches

D = 4mm, length = 36cm, 30° optic


**304360**

## SHEATH WITH ALBARRAN STEERING ARM

For Endoscope No. 304360

- with working channel
- with two cocks
- with one blunt and one sharp trocar

**304365**



## CO<sub>2</sub> / PRESSURE INFUSOR

Ideal for the CO<sub>2</sub> and/or supply of liquid during endoscopic and arthroscopic surgery for better illustration e.g. large joints with synoviti

- up to 300mm Hg pressure
- automatic pressure control
- easy to operate
- reliable

**304573**



## INFLOW CANNULA WITH SHARP TROCAR

- with stopcock
- for irrigation of joints

D = 3.2mm, length = 7cm

**304532**

D = 4.5mm, length = 7cm

**304545**

Silicon tube, length = 2m

*not illustrated*

**304645**



## AUTOMATIC-TROCAR SHEATHS WITH STOPCOCK

- automatic closure after removing the trocar
- trocar pin with pyramidal tip

ID = 5mm, with stopcock and pin

- for laparoscopes and instruments up to D = 5mm

**305021**

ID = 10mm, with stopcock and pin

- for laparoscopes and instruments up to D = 10mm

**305020**

Reduction piece, plastic, from 10 to 5mm, for No. 305020

**305019**



## Sheaths and Trocars, Laparoscopy Instruments, CO<sub>2</sub>-Insufflator



### SAFETY ENDOSCOPE SHEATHS

Automatic protection of the sharp tip after foramination of the abdominal wall

- with valve
- Luer lock connection
- with one blunt and one sharp trocar

ID = 5mm, with stopcock and pin

**305023**

ID = 10mm, with stopcock and pin

**305022**

Reduction piece for safety trocar, from 10 to 5mm

- for No. 305022

**305024**



### LAPAROSCOPIC INSTRUMENTS

Tissue forceps, ratchet, D = 5.0mm, length = 33cm

**305015**

Tissue forceps for threads (MARYLAND-Dissector), ratchet, D = 5.0mm, length = 33cm

**305025**

METZENBAUM scissor with ratchet, D = 5.0mm, length = 33cm

**305035**

Hook scissors, D = 5.0mm, length = 33cm, w/o ratchet

**305030**

METZENBAUM scissor with ratchet, curved, D = 5.0mm, length = 33cm, handle insulated

**305036**

Biopsy forceps with ratchet, D = 5.0cm, length = 33cm

**305039**

Knot Guide

**305040**



### CO<sub>2</sub>-INSUFFLATOR

Incl. pressure-tube and insuflation-tube

- automatic gas flow adjustment
- constant intra-abdominal pressure
- pressure pre-selection 4–25mm Hg

**305250**

Cylinder Attachment fits for 0.75 l CO<sub>2</sub>-Cylinder  
*not illustrated*

**305202**

CO<sub>2</sub>-Cylinder 0.75l  
*not illustrated*

**305207**

VERESS pneumoperitoneum needle  
D = 2.0mm, length = 100mm, Luer lock  
*not illustrated*

**305002**

### UNIVERSAL FIBRE OPTIC CABLE

- fits on any light source or endoscope with optional adapters
- autoclavable and soakable

3.5×1800mm, grey

**306518**

3.5×2300mm, grey

**306523**

4.9×1800mm, grey

Large fibre optic cable offers bright light

**306520**

3.5×1800mm, grey

Especially for Xenon light source

**306525**



### FIBRE OPTIC CABLE ADAPTORS

Lightsource Channel ,EICKEMEYER‘

**306500**

Instrument Channel ,EICKEMEYER‘

**306800**



### LIGHT SOURCES VETLUX

VETLUX – 150 Watt bright halogen

- compact halogen light source with variable output
- quiet running
- optional adapters for other manufacturers available
- great value

**302950**


VETLUX PLUS 150 W bright halogen with air insufflator

- ideal for rigid endoscopes
- automatic air
- optional adapters for other manufacturers available
- great value

**302960**



## Multifunction Videosystem, Light Source, CCD-Cameras



306197

### XENON MULTIFUNCTIONAL VIDEOSYSTEM

Multifunction Videosystem with xenon lightsource, 24 Watts

- high resolution CCD color camera
- easy to operate
- large 10.4 " color LCD monitor
- incl. Insufflation pump for flexible endoscopes
- Images can be stored on an USB stick and easily transferred to the PC
- with standard endoscopic coupler
- please indicate Endoscope brand when ordering

#### 306197

Multifunction Videosystem (Motion), see 306197, with video capture capability *not illustrated*

#### 306198



302987

### LIGHT SOURCE XENOVET PLUS

180 Watt XENON, with air insufflator for flexible endoscopes

- improved high intensity white light for pure colour reproduction
- automatic air for insufflation
- long-life lamp, easy to change
- for brighter illumination around the peripheral area
- optional adapters for other manufactures available

#### 302987



306180

### VET-CCD CAMERA

A high resolution CCD-chip guarantees brilliant, sharp and high clarity pictures

- PAL/NTSC system
- waterproof camera head
- easy handling
- with adaptor for endoscopes with standard optic

#### 306180

### VET-CCD PRO CAMERA

incl. endoscope-adaptor

For flexible endoscopes with length of more than 1.50m, incl. endoscope and TV-adaptor

- high resolution CCD-Chip guarantees best pictures
- PAL system
- easy handling with OnScreen-Display
- electric Anti-Moiree-Filter

**306182**



### ENDOSCOPE ADAPTER

C-Mount water resistant

- fits on almost every endoscope

**306206**



**VET Eickemeyer®**

Your reliable source for  
innovative products

## Image Capture System, Lightsource with CCD-Camera



**306195**

### USB BASED IMAGE CAPTURE SYSTEM

- Image digitalisation for Endoscopy, Sonography, Microscopy etc.
- simply connects between camera and monitor
  - foot operated switch takes a full image
  - automatic conversion to a jpeg
  - automatic storing on USB Stick
  - quick and easy transfer to your computer

**306195**

Type "motion".

Saves analog still- and motion videos  
*not illustrated*

**306201**

Footswitch for 306201

**30620101**



**306185**

### CAMLIGHT 150

Powerful light source in combination with a high resolution CCD-Camera

- bright light source (150 W)
- brilliant colours
- compact all in one
- incl. TV-Adaptor
- best value

**306185**

### HIGH RESOLUTION SONY LCD MONITOR

- provides high resolution images
- up to 16.7 Mio colors
- PAL/SECAM/NTSC
- operation settings by using the on-screen menu
- 35cm diagonal diameter

**30621003**



### VIDEO OTOSCOPE

With integrated working channel, endoscope

- ocular and standard adapter for light source
- to connect to standard CCD-Cameras
- brilliant focusing with variozoom
- can be connected to standard fibre optic cable
- instrument channel for foreign body forceps, irrigation and suction
- working length = 55mm, D = 5mm

**302050**

Flexible foreign body forceps for video-otoscope, D = 1.8mm, length = 250mm, *not illustrated*


**302055**

Cleaning brush for video-otoscope  
*not illustrated*

**302056**



## Videoendoscope



### VIDEOENDOSCOPE WITH MULTIFUNCTION-VIDEOSYSTEM

- with Xenon lightsource, 24 Watt
- high resolution ccd colour camera
- large 10.4 " color LCD monitor
- incl. Insufflation pump for flexible endoscopes
- Images can be stored on an USB stick and easily transferred to the PC

OD = 9.5mm, working channel D = 2.8mm, length = 150cm for small animals with multifunction system "still"  
**306141**

OD = 9.5mm, working channel D = 2.8mm, length = 150cm for small animals with multifunction system "motion"  
**306142**

OD = 13mm, working channel D = 3.2mm, length = 300cm for horses with multifunction system "still"  
**306143**

OD = 13mm, working channel D = 3.2mm, length = 300cm for horses with multifunction system "motion"  
**306144**

### FLEXIBLE ENDOSCOPE VFS 2A / VFS B

Specially designed for small animals

- shaft length = 100cm
- operating channel: 2.0mm
- including accessories

VFS-2A

- two way end tip deflection, 120° up/down
- shaft diameter: D = 6.4mm
- field of view: 70°

**306102**

VFS-2B

- end tip deflections 180° up, 120° down/left/right
- shaft diameter: D = 6.6mm
- field of view: 95°

**306103**

### FLEXIBLE ENDOSCOPE VFS-8

For cytoscopy, rhinoscopy and urology

- shaft length = 86cm
- shaft diameter: D = 3.0mm
- field of view 95°
- operating channel: 1.3mm
- with fibre light cable

**306108**

### FLEXIBLE ENDOSCOPES FOR HORSES

Ergonomically designed handle with automatic air, water and suction valves are ergonomically placed for comfortable single handed operation For Bronchoscopy and Gastroscopy

Flexible Endoscope VFS-300

Technical Details:

- shaft length = 300cm
- shaft diameter: D = 9.9mm
- field of view: 100°
- end tip deflection: 180° up/down, 160° right/left
- operating channel: D = 2.8mm

**306130**



## Foreign Body Forceps, Biopsy Forceps, Stone Removal Forceps, Cytology Brush

	Videoendoscope 306147	Videoendoscope 306148	VF 2A/2B 306102/103	VFS-8 306108	VF 300 306130
 Biopsy Forceps	D = 2.4 mm, L = 230 cm <b>306316</b>	D = 2.4 mm, L = 350 cm <b>306330</b>	D = 1.8 mm, L = 160 cm <b>306315</b>	D = 1.0 mm, L = 120 cm <b>306311</b>	D = 2.4 mm, L = 350 cm <b>306330</b>
 Biopsy Forceps with trocar	D = 2.4 mm, L = 230 cm <b>306427</b>	D = 2.4 mm, L = 350 cm <b>306428</b>	D = 1.8 mm, L = 160 cm <b>306425</b>		
 Alligator Forceps	D = 2.4 mm, L = 230 cm <b>306216</b>	D = 2.4 mm, L = 350 cm <b>306230</b>	D = 1.8 mm, L = 160 cm <b>306215</b>	D = 1.0 mm, L = 120 cm <b>306211</b>	D = 2.4 mm, L = 350 cm <b>306230</b>
 Clamp Alligator Forceps, with 1x2 teeth	D = 2.4 mm, L = 230 cm <b>306432</b>	D = 2.4 mm, L = 350 cm <b>306433</b>	D = 1.8 mm, L = 160 cm <b>306430</b>		
 Gripper with 3 clamps	D = 2.4 mm, L = 230 cm <b>306343</b>	D = 2.4 mm, L = 350 cm <b>306344</b>	D = 1.8 mm, L = 160 cm <b>306341</b>	D = 1.0 mm, L = 120 cm <b>306340</b>	
 Stone Catcher, 50mm cage, 6 monofilament	D = 2.45 mm, L = 230 cm <b>306338</b>	D = 2.45 mm, L = 350 cm <b>306339</b>	D = 1.8 mm, L = 160 cm <b>306337</b>	D = 1.0 mm, L = 120 cm <b>306336</b>	D = 2.45 mm, L = 350 cm <b>306339</b>
 Cytology Brush	D = 2.45 mm, L = 230 cm <b>306418</b>	D = 2.45 mm, L = 350 cm <b>306419</b>	D = 1.8 mm, L = 160 cm <b>306416</b>	D = 1.0 mm, L = 120 cm <b>306415</b>	
 Polypectomic Mesh	D = 2.45 mm, L = 230 cm <b>306423</b>	D = 2.45 mm, L = 350 cm <b>306424</b>	D = 1.8 mm, L = 160 cm <b>306421</b>	D = 1.0 mm, L = 230 cm <b>306420</b>	
 Cleaning Brush	D = 1.8 mm, L = 230 cm <b>306442</b>	D = 1.9 mm, L = 350 cm <b>306443</b>	D = 1.8 mm, L = 160 cm <b>306440</b>	D = 1.2 mm, L = 120 cm <b>306444</b>	D = 1.9 mm, L = 350 cm <b>306443</b>

## SMALL SUCTION PUMP FOR ENDOSCOPY

- 8 l/Min.  
- compact  
- reliable  
- best price performance  
**306055**




## STERILE COVER FOR CAMERA

- Pack with 15 pcs  
**306100**



## CLOTH COVER FOR CAMERA

- Length = 150cm, autoclavable  
**306101**



## SAMPLE RETRIEVAL TUBE

- with luer tip, 3.5m  
- special tube with D = 2mm  
- transparent  
- fits to major endoscopes with appropriate diameter  
**306352**



## Endoscope Cart



### ENDOSCOPE CART

- Powder coated steel
- large sized shelves (4 shelves and 1 drawer)
- easy to clean and resistant against disinfectant damage
- height = 143cm
- integrated power supply (in both columns)
- modern design
- 4 swivelling castors
- easy to move
- extremely durable

**306150**



### ENDOSCOPE CART EICKEMEYER

- 3 variable shelves, 54x50cm
- 1 attached shelf
- one additional small shelf for EICKEMEYER TFT-Monitor
- footprint = 70x60cm
- height = 170cm

**306155**

Handle Set for 306155

**306156**

Fibre Light Cable / Camera Mount for 306155

**306157**

### STAINLESS STEEL ENDOCART

With height adjustable shelves

- unique design
- mobile with high quality lockable castors
- large sized shelves
- easy height adjustment
- easy to clean
- very durable
- footprint: 60x60cm

**306160**



### ENDOSCOPE CLEANING TUBE

Side mounted on endoscope cart

- pivoted disinfection tube
- with drain cock
- for endoscopes up to 160cm in length
- space for additional 2 foreign body forceps

**303980**

Wall mounted plexiglas Tube

- for all endoscopes
  - space for additional 2 foreign body forceps
- not illustrated*

**303985**



### ENDOSCOPE CLEANING

Instrument Cleaning Container with Cover and Sieve Tray

**307360**

Disinfectant GIGA SEPT FF, 2 litre

**307315**



## Ultrasound Machines



303800

### ULTRASOUND MACHINE EICKEMEYER MAGIC 1100

Portable Ultrasound Unit for the Equine Practice, including transducer 5.0 MHz and charger.

- picture mode: B, B/B, B/M, M
- grayscales: 256
- screen with over 14cm screen diagonal
- flicker-free SVGA screen for sharp pictures
- Cine Memory for 64 pictures
- 8 pictures can be permanently memorised
- multi-frequency probe connection
- weight = 4.5kg
- Dimensions: L = 275 x B = 304x H = 160mm

**303800**



### ULTRASOUND MACHINE EICKEMEYER MAGIC 1000 PLUS

- Scanning Method: Electronic linear
- Display Modes: B, B+B, B+M, M;
- Display: 10" non-interlaced monitor
- Gray Scale: 256
- Linear rectal probe
- Transducer Connector: 1
- Dynamic Imaging Technology:  
Digital-Beam foaming (DBF)
- Cine Loop: 128-frame cine loop memory
- Storage Media: Internal flash and USB stick
- Built-in Image Archive: Permanent Storage  
up to 90 images
- Dimensions:  
270 mm (H) x 320 mm (L) x 360 mm (W)
- Weight: 9.5 kg;

**303810**



303700

**ULTRASOUND MACHINE EICKEMEYER MAGIC 5000 DIGITAL**

Digital and compact!

- portable unit with exceptional image quality
- fully digital beam-former technology
- ideal for use in the clinic and for outdoor examinations
- image mode: B, B/B, B/M, M
- grey scale: 256 levels
- 10-inch SVGA high resolution monitor
- cine memory of 128 frames
- permanent storage on built-in memory, and USB disk
- Measurements: distance, circumference, area, volume, ratio, angle, histogram, profile
- patient information management
- software package: canine, feline, equine, bovine and ovine
- dimension: H = 680x W = 390xT = 530mm
- weight = 11kg

**303700**

Trolley for MAGIC 5000 Digital

**303705**

Carrying bag for MAGIC 5000 Digital

*not illustrated*

**303706**

## Transducers



### TRANSDUCER

Multifrequency probe 5.0 MHz micro convex for  
MAGIC 5000 Digital

- frequency change-over from 5.0/6.5/8.0 MHz  
**303710**



### TRANSDUCER

Multifrequency probe 7.5 MHz linear t-shape for  
MAGIC 5000 Digital

- frequency change-over from 5.0/7.5/10.0 MHz  
**303711**



### TRANSDUCER

Multifrequency probe 5.0 MHz linear rectal for  
MAGIC 5000 Digital

- frequency change over from 4.0/5.0/6.5 MHz  
**303712**



**COLOUR DOPPLER MAGIC 8000**

- Colour doppler technology at b/w prices
- including multifrequency transducer micro-convex (5.0/6.0/8.0 MHz)
- including multifrequency transducer T-shaped (5.0/7.5/10.0 MHz)
- Display Modes: B, B/B, B/M, M, Color mode, PW
- Greyscales: 256
- TGC Control: 8 Steps
- extensive measurement capabilities
- large 14" monitor
- Cine Memory for up to 1024 images
- internal memory, CD RW
- Comprehensive Patient Data Management
- 2 USB Ports, Ethernet port
- Dimensions H = 1250 x W = 630 x T = 1440 mm
- Weight = 135kg

**304450**

ECG Modul for MAGIC 8000

**304451**

DICOM Software 3.0 for MAGIC 8000

**304452**

Cardio package for MAGIC 8000, CW doppler, ECG modul with software and patient cable  
*not illustrated*

**304453**

Phased Array Cardiology transducer 2.0 / 2.5 / 3.0 / 3.5 / 4.0 MHz

**304454**

## Ultrasound Machines, Transducers




### ULTRASOUND MACHINE ALOKA SSD-500

The ALOKA SSD 500 offers high quality resolution for precise diagnosis. An unmatched combination of performance and portability makes the SSD 500 the versatile ultrasound unit for both large and

- image modus: B, B/B, B/M, M
- grey scale: 256
- focus: 4-point-focusing
- probes: linear, micro-convex and convex
- clear flicker free 7" monitor
- dimensions: D = 290 x W = 250 x H = 320mm
- weight = 10kg
- Monitor: 18cm diagonal

**303901500**



### TRANSDUCER 5.0 MHZ LINEAR

For ALOKA SSD 500

- slim rectal probe
- for rectal examination of mares and large animals

**303906**



### TRANSDUCER 5.0 MHZ CONVEX

For ALOKA SSD 500

- for complete abdominal sonography on small animals


**303908**

**ASPIRATION SYSTEM**

For bovine follicle puncture under ultrasound diagnostics

- easy to use
- for reproductive medicine
- attachable to probe 5.0 MHz No. 303908

**303922**



**HAND SWITCH FOR ALOKA SSD 500**

Easy freezing or printing of image

- to clip on jacket
- ideal for rectal exams
- just press desired button

**303957**

112.5



**VET Eickemeyer®**

Visit us on our website  
[www.eickemeyer.de](http://www.eickemeyer.de)

**OFFSET FOR PROBES**

To show tendons with 5.0Mhz linear probe

- excellent coupling
- robust aluminium case
- ergonomic design

For ALOKA and EICKEMEYER Magic probes

**303927**



EICKEMEYER

# Magic 9000

*Brilliant color imaging capability and excellent 2D performance, with impressive THI (tissue harmonic imaging) for better contrast and spatial resolutions*



## Ultrasound Made Portable

**Scan Method** Electronic linear, convex, micro convex, phased array • **Gray Scales** 256 • **Display Modes** B, B+B, B+M, M, Color mode, Power mode, PW Mode, CW • **Broadband & Multifrequency probes** 5,0 / 6,5 / 8,0 MHz (mikro-konvex) 5,0 / 7,5 / 10 MHz (linear T-shaped) 2.0/2.5/3.0 MHz/H 3.5/H4.0MHz (phased array) • **TGC control** 8 Stufen • **Measurements** Distance, area, volume, circumference, angle, EDD, kardiologische Messung • **Screen** 15" Monitor • **Patient Information** Comprehensive Patient Data Management • **Cine Memory** 1024 Frames • **PC-Connectivity** USB-Port (2), VGA, Serial Port, Audio Port, Mic Port • **Power Supply** Netz-und Akkubetrieb möglich • **Video Output** Composite video / VGA / S-VIDEO / RGB • **Transducer Connectors** 3 • **Dimensions** H = 361 x B = 357 x T = 75 mm • **Gewicht** 6 kg

Scan Depth: up to 30cm deep.

Complete imaging modes:

2D, M, PW, HPRF, CW, Free Xros™ (anatomical M mode ), Color, Power and DirPower.

iScape™ View (panoramic imaging) and trapezoidal imaging expands to a wider field of vision

iBeam™ function, which is a spatial compounding imaging technology, increases spatial resolution without any compromise in frame rate, thus collecting more useful information to generate higher quality images.

Quickly optimize the image quality with one button iTouch™ (intelligent image optimization) for better whole field grayscale and uniformity

- I- P (image processing) for balanced parameter groups
- Soft keys for direct menu function on the interface
- Small size – easy to transport
- Weight: 6kg



4806968

micro convex,  
5.0 MHz/6.5 MHz/8.0 MHz

303710



linear T-shaped,  
5.0 MHz/7.5 MHz/10.0 MHz

303711



phased array  
2.0/2.5/3.0 MHz/H 3.5/H4.0MHz

304454



# **VET Eickemeyer**<sup>®</sup>

Medizintechnik für Tierärzte

## State of the art continuing education centre in Tuttlingen, Germany



Since 1985 almost 10.000 veterinary professionals from all over the world have attended our courses.

Theory lectures, practical demonstrations and hands-on veterinary seminars in full operating theatre facilities provide the maximum learning in the minimum time.

## PUNCTURE ADAPTERS

Puncture Adapter for ALOKA probes  
No. 304130 and No. 304140  
- for taking biopsies during ultrasound  
examinations

**303923**

Puncture Adapter for EICKEMEYER MAGIC  
Transducer

- for taking biopsies during ultrasound  
examinations

**303921**



**303921**

## ULTRASOUND GEL

0.25 litre bottle

**303930**

1 litre bottle

**303931**

Ultrasound Gel SONOGEL

- mucosa compatible  
- can be used for ophthalmic exams  
- 10 litre canister

**303933**

Filling set for 10 litre canister

**303934**



**303930**

**303931**

**303933**

**303934**

## VIDEO PRINTER SONY UP 895

For Ultrasound Machines, 256 grey scales

- brilliant resolution images  
- possibility of 3 different image sizes  
- easy to operate

**303959**



**303959**

## Paper for Video Printer, Cart for Ultrasound Machine



### PAPER FOR VIDEO PRINTER

Best quality for diagnostic and documentation

For MITSUBISHI P 66 E, roll, single  
**303714**

For SONY UP 860/890/895, 10 rolls/box  
**303952**

For SONY UP 860/890, roll, single  
**303956**

For Printer UP895, 5 rolls/box  
**303958**

For SONY up 860/890, 5 rolls/box  
**303953**



### CART FOR ULTRASOUND MACHINE

- dimensions: 50x40x82cm, colour: white
- ultrasound machines storage cart
- easy to move
- easy to clean

**303970**

Cable arm

- practical storage for one transducer

**303972**

**VET Eickemeyer®**

Visit our Online-Shop  
[www.eickemeyer.de](http://www.eickemeyer.de)

## ULTRASOUND TABLE

- Made of plastic: PE 500
- for cardiology ultrasound examinations
  - with ergonomic cut out
  - with 5 foldable feet
  - fits on all major treatment tables
  - dimensions: 140x60x18cm

**303978**

Cushioned overlay with cut out for  
Ultrasound-Table 303978

- double sided
- with Velcro strips

*not illustrated*

**303979**

Reduction-Insert for cats

**303977**

## ULTRASOUND POSITIONER

- for easy positioning of the patient during examination
- perfect positioning for better ultrasound pictures
- durable and easy to clean
- colour: red

Size 1, 80x25x10cm for cats


**303991**

Size 2, 100x35x14cm for medium dogs

**303992**

Size 3, 130x50x20cm for large dogs

**303993**



## Stethoscopes



### 3M LITTMANN STETHOSCOPES

Known worldwide for superior acoustics

LITTMANN CLASSIC II S.E., 71cm

- dual head chestpiece with "Dual-Frequency" membrane
- single tube
- internal spring
- diaphragm diameter = 47mm
- bell diameter = 36mm

**310035**

LITTMANN CLASSIC II, 71cm for small animals

- dual head chestpiece with "Dual-Frequency" membrane
- single tube
- internal spring
- diaphragm diameter = 23mm
- bell diameter = 30mm

**31004002**

Ear-tips for stethoscope LITTMANN, pair

**310037**



### EICKEMEYER STETHOSCOPES

Tube length = 40cm

- very good diagnostic quality
- chestpiece with 2 changeable diaphragms
- accessories included
- good price performance

**310044**

With long tubes, 60cm

**310046**



### LITTMANN MASTER FOR CARDIOLOGY

- 69cm
- unique patented chestpiece with 'Dual-frequency' membrane (D = 50mm)
- suspended diaphragm
- two\*tubes\*in\*one\*design
- internal spring

**31004003**

## Stethoscopes, Thermometers, Reflex Hammers, Pleximeters

### 3M LITTMANN STETHOSCOPE FOR CARDIOLOGY DIAGNOSTICS

LITTMANN Master for cardiology, 69cm  
- unique patented chestpiece with Dual-  
frequency membrane (D = 50mm)  
- suspended diaphragm  
- two-tubes-in-one-design  
- internal spring  
**31004003**



### CLINICAL THERMOMETER

Veterinary, extra solid tip, with strong plastic  
case  
- with fixation knob  
**310130**

Digital, water resistant, with beeper, switches  
off automatically  
**310140**

Probe covers for digital thermometer, 1000/pkg.  
- soft foil  
- one size fits all  
*not illustrated*  
**310145**

Thermometer jar, stainless steel 30x90mm  
- convenient storage and for disinfecting glass  
thermometres  
**310170**



### REFLEX HAMMERS

TRAUBE, 17cm, 100g, metal handle  
**310217**

TRAUBE, 19cm, 190g, wooden handle  
**310219**

TAYLOR, 20cm, rubber, wedge shaped  
- ideal for neurological examination of small  
animals  
**310220**



### PLEXIMETERS

HANNOVER pattern, S-shaped, 16cm  
**310402**

Spatula-shaped, for horses  
**310403**



## PC-Based Electrocardiogram



### PC-BASED ELECTROCARDIOGRAM

Standard with serial port

- 6 lead ECG
- with long ECG recording time (up to 1 hour)
- automatic measurements and storage
- integrated database for patient data
- easy to connect and install
- ECG can be send as an E-Mail
- including 5-lead patient cable and alligator clamps
- easy USB connection

#### **321018**

3-lead patient cable with breathing sensor for Monitoring and ECG

#### **321022**

Software Installation for the PC-ECG

#### **321025**

ECG-Analysing-Service. Our experienced cardiologists analyse your ECG via E-Mail.

- saves time and money

#### **S321020000**

Long-term ECG software update (recording up to 1 hr)

#### **321019**

**ECG RECORDER CARDIETTE**

- with 5 lead patient cable
- 60mm paper width
- compact and lightweight (1000g)
- with filter for muscle/net interferences
- optional pc software available

**321150**



**ECG ACCESSORIES**

Alligator Clips for ECG recorders, 5/pkg.

**321605**

Alligator Clips for horses

**321606**

Needle electrode with Luer

**321607**

ECG extension cable for horses,  
length = 1000mm, 5/box

*not illustrated*

**321160**

ECG gel, 250g

**321625**



**ECG-PAPER**

- thermoreactive

ECG Paper for CARDIOLINE 60mmx15 m

**321151**



## CO<sub>2</sub> Laser



### SURGICAL CO<sub>2</sub> LASER

The ‚Workhorse‘ of Human Laser Surgery now available to the Veterinary Clinic. The laser is an intense beam of light that replaces a scalpel in a number of procedures. It is a multipurpose tool because it cuts, cauterises, vaporizes or sterilises the tissue. The way a laser beam reacts with tissue is what makes such an exceptional instrument. A laser seals nerve endings and blood vessels as it cuts. As a result, the patient feels less pain and there is nearly no bleeding. The energy of the CO<sub>2</sub> beam is emitted in the upper tissue which leads to less infraction of the lower tissue.

Evident Advantages:

- high precision
- reduced blood loss
- clear and dry operation field
- highly sterile surgery
- decreased pre and post-operative pain
- decreased swelling and inflammation
- reduced post-operative irritation
- quicker recovery
- increased survival rate
- powerful: 15 Watt
- small dimensions: L = 61 x W = 36 x H = 21cm
- weight = 12kg

**325000**

Smoke Evacuation Unit for Laser Surgery

**325010**

Replacement Filter for 325010

**325015**



### RADIOSURGERY UNIT SURGITRON

- The SURGITRON features a continuously linear intensity setting for precise,
- predictable control to minimise tissue destruction and charring. This promotes faster healing with minimal scarring and serves to eliminate unfavourable post operative conditions such as trauma, pain, swelling and infection.
  - the unique feature is that the entire shaft of the electrodes can be bent or contoured for easy accessibility in all areas
  - the antenna plate does not require direct skin contact.
  - ideal in dermatology, gynaecology, facial (dental/eyes)

140W / 3.8MHz, complete set with Foot Switch, Hand Piece, Antenna Plate and one Set of Electrodes  
**323000**

## Electrodes, Depilatory Needles, Radiosurgery Accessories



323002

### ELECTRODES FOR BLACK HAND PIECE

- shaft diameter 1/16"
- bendable
- easy to clean

Set of Electrodes (1 each)  
A8/F1/A3/C7/B1/D8/B3

**323002**

Round loop, small, (TB7), 2/pkg

**322999**

Triangular, straight, (C7), 2/pkg

**323010**

Rhombic form, small, (C3), 2/pkg

**323037**

Fine wire, round loop, small (B1)

**323028**

Fine wire, round loop, large (B3), 2/pkg

**323029**

Regular wire, large, (B6), 2/pkg

**323011**

Regular wire, small, (B4), 2/pkg

**323012**

Needle form, (A3), 2/pkg

**323013**

Ball, D = 2mm, (D3), 2/pkg

**323014**

Ball, D = 2.3mm, (D8), 2/pkg

**323034**

Ball, D = 4.3mm, (D5), 2/pkg

**323040**

VARI Tip, 1/16" shaft, angular, with adjustable and extendable wire, (A8), 2/pkg

**323016**



323017

### DEPILATORY NEEDLES

Very delicate, set of 3 pcs, (D7)

**323017**



323036

323018

### OPTIONAL EQUIPMENT FOR SURGITRON

Electrode sterilisation protector stand

**323036**

Rack, Plexiglas for 18 electrodes

**323018**

Sand Paper to clean electrodes, 4/box

**323019**

Steri Caps, 6/box, autoclavable

- to change settings during surgery

**323035**

## Radiosurgery Accessories, Bipolar Forceps

### HANDPIECES FOR SURGITRON

Handpiece with Finger Switch, Adaptor and one set of Electrodes No. 323002

**323020**

Handpiece, black for both sizes of electrodes

**323004**

Handpiece, black for scalpel blades and 1/16" electrodes

**323025**



### BIPOLAR ACCESSORIES

Bipolar Converter for simultaneous monopolar and bipolar operation

**323095**

Bipolar Cord, for Bipolar Forceps, autoclavable


**323030**

Bipolar Forceps, 15cm, straight, autoclavable


**323006**

Bipolar Forceps, 11.5cm, straight, autoclavable

**323031**



**Eickemeyer Online**  
– [www.eickemeyer.de](http://www.eickemeyer.de)



Our website is dedicated to giving your clinic the services it demands:

Product information, stock availability, special offers and online ordering are just some of them.

**You can access our online ordering service 24/7**  
– to log in all you need is your customer number and your postcode.

## Radiosurgery Unit



323100

### RADIOSURGERY UNIT EICKEMEYER 120VET

- for simultaneous monopolar and bipolar operation
- radiosurgery techniques for all kind of patients
- for cutting, coagulation and microcoagulation
- precise operation with flexible electrodes
- lightweight, only 3.5kg
- small and compact dimensions: 260x250x80mm
- best price performance

120W / 460kHz, complete set with Foot Switch, Hand Piece, Antenna Plate and one Set of Electrodes  
**323100**

## Accessories for Radiosurgery, Radiology Scissors, Electric Cautery

### ACCESSORIES FOR RADIOSURGERY UNIT EICKEMEYER

Bipolar Forceps, 15cm

**323105**

Bipolar Cord, for Bipolar Forceps, autoclavable

**323106**

Electrode-Handpiece with cord  
*not illustrated*

**323120**

Handpiece for Depilatory Needles

**323125**

Depilatory Needle 0.1mm  
(to use with 323125 handpiece)

**323126**

Electrode, small loop, black

**323108**

Electrode, large loop, brown

**323107**

Electrode, wide loop, green

**323109**

Electrode, needle type, blue

**323110**



### MONOPOLAR SCISSORS

Monopolar Scissors METZENBAUM straight  
18cm

**326700**

Monopolar Scissors METZENBAUM, curved,  
18cm


*not illustrated*

**326701**

Cord for connecting Monopolar Scissors

*not illustrated*

**326703**



### ELECTRIC CAUTERY UNIT

ENGEL CAUTER 100S

- small portable cautery unit

- with illuminator

- 80W

- lightweight: only 980g

- very durable

- best price performance

**324000**




## Electric Cautery



### ELECTRIC CAUTERY UNIT

- 100 N with ergonomic pistol grip
  - with illuminator
  - 100W
  - lightweight: only 600g
  - colour: blue
- 324050**



### CAUTERY TIPS

- heat-resistant special steel
- non-oxidising
- easy to clean and to disinfect

Flat, round

**324001**

Flat, sharp

**324002**

Hatchet

**324003**

Pointed

**324004**

Loop, sharp

**324005**

Sharp

**324006**

Round

**324007**

Adapter for Cautery Tips, fits on ENGEL

CAUTER No. 324000

*not illustrated*

**324012**



### BATTERY CAUTERY SET

- With charging station
  - small portable unit
  - high intensity illuminator
  - powerful 10 Watt
  - with 2 cautery tips (loops)
  - with one cautery tip (fine)
- 324040**

## VAGINAL SPECULA KILLIAN

- 14cm, with long jaws
  - also conveniently doubles as a mouth gag for rodents
- 340014**



## VAGINAL SPECULUM POLANSKI

- length = 25cm
- with wing screw

ECONOMY model

**340025**

Original HAUPTNER model

**340026**



## UTERINE BIOPSY FORCEPS FOR HORSES

- length = 65cm
  - with fenestrated basket
  - razor sharp
- Fast and easy sampling
- 343165**



## INFUSION KIT FOR HORSES

Infusions Kit for horses

- ceiling mounted
- easy to adjust
- easy to handle

**402130**

Infusions Set IV 1000 for horses

- large volume tubes for easy handling
- not illustrated*

**402132**



## Infusion Pump



402065

### INFUSOVET INFUSION PUMP

Small and programmable Infusion Pump

- easy handling
- flow speed 0.1–999ml/h
- battery operated up to 16 hours and mains operated
- large and easy-to-read display
- compact and portable
- lightweight: only 1100g
- accurate dosing
- reliable

#### 402065

Infusion set for INFUSOVET with injection port, length = 2.1m, 100 pack

*not illustrated*

#### 402067

## SYRINGE INFUSION PUMP

- easy handling
- microprocessor-controlled precise dose
- large and easy readable display
- battery/mains operated
- uses standard disposable 10/20/30/50ml syringes

**402080**



## SYRINGE INFUSION PUMP EICKEMEYER

- easy handling
- microprocessor-controlled precise dose
- uses standard disposable 2–50ml syringes
- dosage 0.1–100ml/h or 100–1000ml/h
- lightweight

**402085**



## IV STAND

- 5 ball bearing swivel casters
- stainless steel
- adjustable from 120cm to 210cm
- with 4 prong hooks
- 5 swivelling castors
- 2 lockable castors

**573105**

With single handed height adjustment  
*not illustrated*

**573200**



## FEEDING AND DOSING NEEDLES FOR BIRDS

Luer lock, stainless steel, 2/box

6.4x152mm, straight

**405810**

6.4x102mm, straight

**405812**

4.0x76mm, straight

**405814**

3.0x76mm, straight


**405816**

2.4x51mm, straight


**405818**

1.4x38mm, straight

**405820**



## Syringe Holder, Biopsy Needles



### SYRINGE HOLDER FOR ASPIRATION BIOPSY

Single handled aspiration biopsy for cytology examinations

- safe aspiration of small areas
- one hand free to fix the tumour and for sonographic control
- small, compact and easy to handle
- for 10ml syringes
- autoclavable

**402810**



### BIOPSY NEEDLES

MENGHINI, 1.2x100mm, Luer lock

**440113**

BIER, for lumbar puncture, 0.8x100mm, Luer lock

**440208**

BIER, for lumbar puncture, 1.1x70mm, Luer lock


**440211**

BIER, for lumbar puncture, 2.0x100mm, Luer lock

**440220**

ILLINOIS sternal biopsy / bone marrow needle, 1.6x50mm

**440216**



### BIOPSY NEEDLE FOR HORSES

DÖNECKE, 3.0mmx30cm, Luer lock, with mandrin

**440213**

# Biopsy Needles, Spinal Needles, Myelography Needles, Lacrimal Needles

## BIOPSY NEEDLES

KLIMA ROSEGGER sternal biopsy needle,  
1.8x35mm, for bone marrow biopsy

**440218**

Biopsy needle 1.6x150mm, 16G,  
for liver and kidney biopsy during ultrasound

**440316**

Biopsy needle 2.1x150mm, 14G,  
for liver and kidney biopsy during ultrasound

**440321**

BIO-CUT, soft tissue biopsy needle,  
2.1mmx15.2cm, disposable

**440315**



## SPINAL NEEDLES

- for myelography
- sterile
- 20/box

Black, 0.7x70mm

**440407**

Yellow, 0.9x70mm


**440409**

Yellow, 0.9x38mm

**440414**

Pink, 1.2x70mm

**440412**



## MYELOGRAPHY NEEDLES, STAINLESS

- with short bevel tip and mandarin
- Luer lock

0.7x50mm


**440485**

0.7x60mm

**440486**

0.8x80mm

**440488**



## LACRIMAL NEEDLES

- to rinse the nasolacrimal duct
- with Luer lock

ANEL, straight, 0.6x15mm

**440605**

ANEL, curved, 0.6x15mm

**440705**

Olive tip, straight, 0.6x30mm


**440805**

Olive tip, curved, 0.6x33mm

**440905**

Curved, 25mm, beveled shaft

**441007**



## Irrigating Cannula, Anal Sac Cannulas, Tourniquets



### IRRIGATING CANNULA

- for lens extraction
- with Luer lock

BONN, strong model

**441100**

BONN, light model

**441101**

KNOLLE-PEARCE, irrigation loop  
*not illustrated*

**441120**



### ANAL SAC CANNULAS

- stainless steel
- blunt probe tip
- with luer hub

0.8mm, curved

**441308**

1.0mm, curved

**441310**

1.2mm, curved

**441312**

1.5mm, curved

**441315**

1.5mm, straight

**441316**



### TOURNIQUETS FOR SMALL ANIMALS

STRIPP-QUICK, quick release tourniquet


**441900**

Spare rubber band for STRIPP-QUICK

**441901**

Rubber tourniquet, D = 4.0mm, length = 1m

**442002**



### SMALL ANIMAL TOURNIQUET

- easy to tighten
- tight fit
- quick release with one hand

**441800**

### TOURNIQUET CLAMP FOR CATS

Japanese model

- easy to apply
- tight fit

**441405**



### EQUINE TOURNIQUET ESMARCH

Small, 6x500cm


**442006**

Medium, 8x500cm

**442008**

Large, 10x500cm

**442010**



### URINARY CATHETERS

- cylindrical, rounded tip
- with Luer lock
- 2 lateral eyes

EICKEMEYER, 1.0x110mm, pink, for tomcats,  
with metal stylet

**450010**

EICKEMEYER, 1.3x110mm, white, for tomcats,  
with metal stylet

**450013**

BUSTER, 1.0x130mm, with ligament plate w/o  
metal stylet

**450014**

BUSTER, 1.3x130mm, with ligament plate w/o  
metal stylet

**450015**



## Cat Catheters, Catheters, Dog Catheters



### CAT CATHETERS


- with Luer lock

PORTEX, 1.0x305mm, pink

**450510**

PORTEX, 1.3x305mm, white

**450513**



### DOG CATHETERS

- extra long and soft

- with Luer lock

2.1x500mm, yellow

**451020**

2.6x500mm, red

**451026**

3.3x600mm, white

**451033**

BUSTER, 2.0x500mm


**451050**

BUSTER, 2.6x500mm

**451056**

BUSTER, 3.3x500mm

**451063**



### URINARY CATHETERS, PLASTIC

- cylindrical, rounded tip

- with cap

- 2 lateral eyes

- can also be used as a feeding tube

- with Luer hub

1.5x500mm

**451215**

2.1x500mm

**451221**

2.5x500mm

**451225**

3.0x500mm

**451230**



### DOG CATHETERS, METAL

- stainless steel

- soft gliding closed tip

- 2 lateral eyes

- Luer hub

2.0x180mm

**451520**

2.5x250mm

**451525**

3.0x300mm

**451530**

# Equine Catheters, Uterine Flushing Catheters, PEZZER Catheters, Uterine Culture Swabs

## EQUINE CATHETERS

Mare Catheter, 8.0x700mm


- PVC
- sterile
- Luer hub

**453380**

Stallion Catheter, 6.5x1350mm

- transparent PVC
- sterile
- Luer hub

**453065**



## UTERINE FLUSHING CATHETERS

Model BRESLAU, veterinary hub, ID = 8.0mm, length = 400mm

- can also be used as urinary catheter for pigs

**454480**

D = 5.0mm, length = 800mm, for horses

- silicone
- very flexible
- with cuff and balloon
- lateral eyes on open ended tip

**454880**

D = 8.0mm, length = 650mm, for horses

**454665**

D = 8.0mm, length = 800mm, for horses

**454680**

D = 8.0mm, length = 1500mm, for horses

**454750**



## PEZZER CATHETER

- with 'mushroom' tip
- red rubber
- feeding tube for cats and dogs
- applied with the ELD instrument for percutaneous gastrostomy insertion

CH 10, D = 3.3mm

**455210**

CH 14, D = 4.7mm

**455214**

CH 18, D = 6.0mm


**455218**

CH 20, D = 6.7mm

**455220**

CH 22, D = 7.3mm

**455222**




## DISPOSABLE UTERINE CULTURE SWAB

Length = 75cm

- unique system for collecting cultures
- ready to be shipped
- individually wrapped and sterile packaged

**455375**




## Uterine Culture Swabs, Disposable Culture Swabs, Drainage System, REDON-DRAINS



### CULTURE SWAB HOLDING INSTRUMENT MERKT

For mares, 65cm, metal  
**455465**



### DISPOSABLE CULTURE SWABS, STERILE

TRANS-WISP, 25/box  
**340020**

TRANS-WAB with AMES transportation box,  
25/box  
**340021**



### DRAINAGE SYSTEM MINI-REDOVAC

Consists of 20ml suction bellow, delicate tubing  
and needle  
CH 6, D = 2mm  
**456006**



### REDON-DRAINS

- wound drainage
- individual sterile packed
- smooth lateral eyes and open end
- length = 520mm

D = 2.0mm, CH 6  
**456106**

D = 2.7mm, CH 8  
**456108**

D = 4.0mm, CH 12  
**456112**

## PENROSE-DRAIN

- pure yellow latex
- wall thickness: appx. 0.13mm


D = 6.3mm, width = 10mm, length = 100cm  
**457006**

D = 8mm, width = 13mm, length = 100cm  
**457008**

D = 10mm, width = 16mm, length = 100cm  
**457010**

D = 13mm, width = 20mm, length 100cm  
**457013**

D = 16mm, width = 25mm, length = 100cm  
**457016**



## THORACIC DRAINS

- ideal for small animals
- individual sterile packed

Mini-bellow with connection for LEO-Valve  
**457570**

Disposable LEO-Valve for thoracic drainage of cats and dogs

- for drainage of pleural cavity

**457580**

Thoracic Trocar Catheter for cats and small dogs, D = 3.3, length = 150mm

- easy to adapt to the LEO-Valve
- good skin incision is necessary for accurate placement

**457585**

Thoracic Trocar Catheter for large dogs, D = 3.3, length = 250mm

- easy to adapt to the LEO-Valve
- good skin incision is necessary for accurate placement

**457586**



**VET Eickemeyer®**

Continuing Veterinary Education

Please ask for more details

## HEIMLICH CHEST DRAINAGE VALVE


Disposable, sterile valve for drainage of the pleural cavity

- for dogs weighing more than 15kg
- postoperative suction drainage
- works in any position
- no need to disconnect

**457550**

3-way stop cock, plastic, luer hub, for 2 infusions / transfusions etc, individual sterile packed

**457560**



## FOLEY Catheters, Stomach Tubes



### FOLEY CATHETER

- with Luer hub for balloon inflation
- cylindrical, non-traumatic tip
- two eyes

D = 2.7mm, length = 300mm, CH 8

**457508**

D = 3.3mm, length = 300mm, CH 10

**457510**

D = 4.7mm, length = 400mm, CH 14

**457514**

D = 5.3mm, length = 400mm, CH 16


**457516**

D = 6.7mm, length = 400mm, CH 20

**457520**

D = 10.0mm, length = 400mm, CH 30

**457530**



### STOMACH TUBES FOR DOGS

These enteral feeding tubes have been designed for mid-long term enteral feeding

- durable, long lasting
- closed tip
- 2 lateral eyes
- can also be used as urinary catheter for cattle

D = 6mm, length = 750mm, soft rubber

**460006**

D = 8mm, length = 750mm, soft rubber

**460008**

D = 12mm, length = 1500mm, soft rubber

**460012**

D = 8mm, length = 800mm, plastic

**460109**

D = 11mm, length = 800mm, plastic

**460111**



### RED RUBBER STOMACH TUBES NEUMANN-KLEINPAUL

- for calves and foals
- open tip
- soft rubber
- 1 lateral eye

D = 15mm, length = 250cm

**460515**

D = 16mm, length = 300cm

**460516**

D = 19mm, length = 350cm

**460519**



### EQUINE STOMACH TUBE PORTEX

- flexible silicon tubing
- heat and cold resistant
- transparent
- funnel shaped end piece for quick attachment to a drench pump
- atraumatic rounded tip

D = 9.5mm, length = 210cm, for foals

**460609**

D = 13mm, length = 270cm, for horses

**460613**

D = 16mm, length = 270cm, for horses

**460616**

D = 19mm, length = 300cm, for large horses

**460619**

## Equine Stomach Tubes, Oesophagus Flushing Catheter

### EQUINE STOMACH TUBE ECONOMY

For foals

**46060001**

Small, ID = 9mm, OD = 13mm, for small horses

**46060002**

Medium, ID = 9mm, OD = 16mm, for horses

**46060003**

Large, ID = 11mm, OD = 19mm, for large horses

**46060004**



### OESOPHAGUS FLUSHING CATHETER PICK

For pressure flushing of the congested oesophagus of horses

- D = 19mm, length = 200cm

- with standard connection water hose

**460819**



**VET Eickemeyer**®  
Medizintechnik für Tierärzte



## Autoclaves



50002302

### MELATRONIC 23

- fully automatic sterilising cycle
- all characteristics for a safe sterilisation like ventilation or increase of pressure is done automatically
- more safety: The electronics check automatically if all necessary parameters for a successful sterilisation have been fulfilled
- error-recognition system displays reports of any deviations from complete successful sterilisation process
- long service life through high equipment quality
- insert rack
- includes 1 tray
- internal dimensions: D = 230mm, depth 420mm
- volume: 19 litres
- holds 5 trays (42x19x2cm)
- external dimensions: W = 51cm, H = 38, D = 55cm
- weight: 30kg

### 50002301

### MELATRONIC 23 EN

With fractionated gravity system

- sterilisation programs "Class N" and "Class S"
- high grade electronic microprocessor control
- pressure and temperature sensors for recording and monitoring
- display to show all important informations
- built-in water storage tank
- water quality and dosing is verified fully automatically
- documentation with printer, flashcard or software
- external dimensions: W = 44cm, H = 33cm, D = 50cm
- internal dimensions: D = 23, depth = 45cm
- chamber volume: 19 litres
- incl. 1 tray: W = 19cm, D = 42cm, H = 2cm
- weight = 30kg
- 230 Volt / 50 Hz / 1.600 Watt

### 50002302

**MELAG EUROKLAV 23VS+**

- complies european norm "Class S" EN 13060
- microprocessor controlled fully automatic processing
- effective drying
- chamber depth = 45 cm
- PC connectable
- inkl. 1 tray (42 x 19 x 2 cm)
- chamber dimensions: D = 230 mm, depth = 450 mm, Volume = 23 litres
- Outside dimensions:  
W = 42.5 x H = 48.5 x D = 66cm
- up to 4kg instruments, 700g textiles
- weight = 35kg

**500032**



**MELAG VACUKLAV 23B+/24B+**

- VAKUKLAV 24 B+ for Tap water connection
- works according to the fractionated pre-vacuum method
  - easy, fully automatic operation
  - 4 programs (universal, gentle, quick, prion); 2 test programs (Bowie & Dick, vakuum)
  - the deep post-vacuum ensures optimal drying of wrapped materials and large quantities of textiles
  - automatic water evaluation system
  - inkl. 1 tray (42 x 19 x 2 cm)
  - quick program (only 11 min)
  - Chamber dimensions: D = 230 mm, depth = 450 mm; Volume = 23 litres
  - Outside dimensions:  
W = 42.5 x H = 48.5 x D = 66 cm
  - up to 7kg instruments, 2.5kg textiles
  - weight 48Kg

**500060**

VAKUCULAV 23B+ "stand alone", no tap water connection

**500065**



## Vakuum Autoclave, Trays for Autoclaves, Water-Treatment Systems



**500050**

### VACUCLAV 44B

Class B autoclaves work according to the fractionated pre-vacuum method. For maximum safety and speed.

- simple, fully automatic operation
- 5 programs (universal, gentle, quick, prion); 2 test programs (Bowie & Dick, vakuum)
- the deep post-vacuum ensures optimal drying of wrapped materials and large quantities of textiles
- automatic water evaluation system
- Speed program (11 min only)
- Chamber dimensions: D = 250 mm, Depth = 450 mm; Volume = 22 Litre
- Outer dimensions:  
W = 46 x H = 50 x D = 68 cm
- up to 7kg instruments, 2.5kg textiles

With tap water connection

**500050**

Stand alone, no tap water connection

**500055**



**500123**

### AUTOCLAVE TRAYS

For MELAG, Type 23 and 24 (Type 23 takes 5 trays, Type 24 takes 6 trays)

**500123**

Tray handle for autoclaves MELAG

**E50002402**



**506510**

### MELADEM 40 WATER-TREATMENT SYSTEM

To connect to EUROKLAV 23-S and VAKUKLAV 24-B

- the cost-effective ion exchanger
- the MELAdem40 can be directly connected to the MELAG autoclaves
- permissible water pressure 10 bar
- considerable saving of time and money
- the MELAG autoclaves VACUKLAV and EUROKLAV use built-in conductivity meters to automatically check the quality of the water produced
- protect and extend the service life of your autoclave
- optional MELAJet Spray Pistol to clean your instruments

**506510**

### MELADEM 47 WATER-TREATMENT SYSTEM

- To connect to your autoclave
- extraordinarily, environmentally-friendly cleaning which follows the reversal of the physical principle of osmosis
  - the produced demineralised water assures uniformly high levels of water quality
  - considerable saving of time and money
  - automatic control of water quality
  - enduring fresh water guarantees the longevity of instruments

**506530**

### WATER DISTILLATOR

- easy water container transport
- inexpensive production of Aqua Dest
- highest quality water
- long life warranty for your instruments

**506500**



## Autoclaves, Containers for Sterilisation




### MELAG CLINIKLAV 25

The big one from MELAG!

- internal dimensions:  
W = 32cm, H = 65cm, D = 65cm
- chamber volume: 67 litres
- safety door contact switch
- redundant process monitoring which is independent of the control system
- PT 1000 temperature sensor for exact closed-loop control, loop control and monitoring
- cost-effective water-ring vacuum pump
- high-quality vacuum pumps, innovative steam generator and top-quality stainless steel
- integrated printer for documentation
- outer dimensions:  
W = 62cm, H = 80cm, D = 84cm
- lower cabinet option available

**500026**



### STERILISING CONTAINER FOR MELAG AUTOCLAVES

- for a secure storage of instruments during and after sterilisation
- stainless steel
- sizes designed to fit into MELAG autoclaves
- replaceable anti-germs cloth filter

For MELAG 17, L = 19cm, W = 14cm, H = 4cm  
**500319**

For MELAG 17, L = 40cm, W = 14cm, H = 4cm  
**500340**

For MELAG 17, L = 40cm, W = 14cm, H = 9cm  
**500341**

For MELAG 17, H = 9.5cm, D = 13.8cm, round  
**500350**

MELAG 23, 23S and 24, L = 20cm, W = 16cm, H = 6cm  
**500420**

MELAG 23, 23S and 24, L = 41cm, W = 16cm, H = 6cm  
**500441**

MELAG 23, 23S and 24, L = 41cm, W = 16cm, H = 12cm  
**500442**

MELAG 23, 23S and 24, H = 14cm, D = 16.5cm, round  
**500450**

### STERILISING CONTAINER

Small set container, with perforated bottom,  
L = 295mm, W = 138mm, H = 66mm

**500800**

Micro instrument tray with silicone pegged mat,  
L 23xW 13xH 2.5cm

**500823**

Container with filter bottom, perforated,  
L = 245mm, W = 135mm, H = 35mm  
(use only with vacuum-autoclaves)

**500535**

Container with filter bottom, perforated,  
L = 245mm, W = 135mm, H = 50mm  
(use only with vacuum-autoclaves)

**500550**

Container with filter bottom, perforated,  
L = 245mm, W = 135mm, H = 60mm  
(use only with vacuum-autoclaves)

**500560**

Silicon pegged mat, 54x24cm,  
for safe storage of your delicate instruments  
- cut to fit

**500810**

Cloth filter, 100x120cm  
- cut to fit

**500500**



**500800**

### INSTRUMENT BOXES SMALL

With perforated top and bottom,  
292x137x60mm

- to autoclave and store instruments
- with filter cloth
- different coloured covers available
- L = 292mm x W = 137mm x H = 60mm

With red top

**185100**

With green top

**185101**

With blue top

**185103**

Drapery, 400x600mm

**185180**



**185100**

### POLCLAVE CONTAINER

- transparent plastic
- autoclavable up to 134°C
- lightweight
- dimensions:  
L = 180mm, W = 80mm, H = 30mm

Beige

**500860**

Green

**500861**

Blue

**500862**



**500860**

## Sterilisation Containers, Heat Sealing Unit, Sterilization Pouches



500920

### TRANSPARENT PLASTIC STERILISING CONTAINER

- lightweight
- easy to close
- autoclavable up to 134°C
- filter material: PTFE-filter, reusable (approx. 250 times)
- sideways closure

L = 207mm, W = 105mm, H = 36mm

**500920**

L = 184mm, W = 144mm, H = 59mm

**500924**

L = 290mm, W = 183mm, H = 74mm

**500929**



501000

### HEAT SEALING UNIT MELASEAL 100

- wide sealing seam (10mm) for increased safety
- no warming up time because of impulse technique
- seals can be done w/o waiting time
- easy handling, no manual pressure required
- with cutter

Sealing device with carrier for sterilisation packing rolls

**501000**



502007

### STERILISATION POUCH TUBING

- tearproof
- resistant against germs
- one transparent side
- with indicator
- length: 200m

Width = 5cm

**502005**

Width = 7.5cm

**502007**

Width = 10cm

**502010**

Width = 15cm


**502015**

Width = 20cm

**502020**

Width: 25cm

**502025**



502209

### SELF SEALING STERILISATION POUCHES

- self-adhesive tape
- see-through
- with indicator
- 200/box

Width = 90mm x length = 230mm

**502209**

Width = 133mm x length = 254mm

**502213**

## INDICATOR TAPE FOR STEAM STERILISATION

Width = 19mm, length = 55m  
**502500**




## INSTRUMENT MARKING TAPE

- for colour coding of all types of instruments
- easy to wrap around
- width = 6mm, length = 6.2m

Red  
**502601**  
Yellow  
**502602**  
Blue  
**502604**  
White  
**502605**

Set with 8 tapes (yellow, red, black, white, green, brown, blue, orange), width = 6mm, length = 2.5m  
*not illustrated*  
**502600**



## DRY HEAT STERILISER WTB BINDER

- large stainless steel interior (28l)
- precise temperature adjustment
- for 2 trays
- outer dim.: W = 580, H = 400, D = 425mm
- inner dim.: W = 400, H = 280, D = 250mm
- including 2 trays
- timer 0-2 hours
- best price performance

Dry heat steriliser Typ E 28  
**515028**

Typ E 28 with temperature limitation  
**515030**

Tray for steriliser E 28, chrome plated  
**515128**



## Dry Heat Steriliser, Sterilising Film, Indicator Tape



### DRY HEAT STERILISER WTB BINDER ED 53

- stainless steel interior
- microprocessor control system with LED-display
- excellent drying because of the optimal air guidance w/o ventilation
- fast and precise warming up to 300 degrees Celsius
- included timer 0–99h
- volume 53 l
- internal dimensions: W = 400, H = 400, D = 330mm
- external dimensions: W = 634, H = 617, D = 575mm
- including 2 chrome-plated trays

**520000**

Chrome-plated tray for steriliser Type ED53  
**520005**



### STERILISING FILM FOR DRY HEAT STERILISERS

Roll, length = 100 meter

Width = 50mm

**515160**

Width = 75mm

**515161**

Width = 100mm

**515162**

Width = 150mm

**515163**

Width = 200mm

**515164**

Width = 250mm

**515165**



### DRY HEAT INDICATOR TAPE

Width = 19mm, length = 55m

**515150**

# Instrument Containers, Gas Steriliser, Gas Ampoules, Exposure Indicator Tape Strips

## INSTRUMENT CONTAINERS

- ideal for safe storage of your instruments during sterilisation
- stainless steel
- with lid

Small, 200mm×100mm×50mm

**517021**

Medium, 220mm×150mm×50mm

**517022**

Large, 305mm×205mm×50mm

**517031**



## GAS-STERILISATOR ANPROLENE AN74I

- for save and gentle gas sterilisation
- automatic sterilisation process
- with 100% ethylenoxyd
- easy to install and operate

**530181**



## ACCESSORIES FOR ANPROLENE GAS-STERILISATION

ANPROLENE refill kit, 60 pcs. (5cc)

**530160**

ANPROLENE refill kit, 20 pcs. (20cc)

**530185**

Chemical indicator AN 87

- Dosimeters change colour in proportion to the dose of sterilant they contact.
- Dosimeter integrators present visual assurance that all these parameters have been fulfilled.
- Pack with 25 pcs.

**530170**

Hazardous goods surcharge

**S10000016**



## EXPOSURE INDICATOR TAPE STRIPS

Exposure indicator strips

**530175**



## STERISOL UV Light, Ultrasonic Cleaner



### STERISOL UV LIGHT

- For 20m<sup>2</sup> rooms
  - reliable bactericidal for your surgery
  - moisture resistant e.g. for large animal surgery rooms
- 502014**



### BANDELIN SONOREX ULTRASONIC CLEANER

- removes blood and debris from instruments smoothly w/o hand scrubbing
- stainless steel tank
- quiet operation with 0–30 minute on/off timer
- heating unit (30–80° C)

Ultrasonic cleaner RK 100 H, with heating, internal dimensions:

L = 240 x W = 140 x H = 100mm

**560010**

Ultrasonic cleaner RK 100 w/o heating, internal dimensions: L = 240 x W = 140 x H = 150mm

**561000**

Ultrasonic cleaner RK 255 H, with heating, internal dimensions:

L = 300 x W = 150 x H = 150mm

**560025**

Ultrasonic cleaner RK 156 BH, with heating, internal dimensions:

L = 500 x W = 140 x H = 150mm

**560015**

Ultrasonic cleaner RK 156, w/o heating, internal dimensions: L = 500 x W = 140 x H = 100mm

**562000**

Cover for RK 100 / RK 100 H

**561001**

Cover for RK 255 H

**561003**

Cover for RK 156 / RK 156 BH

**562001**

Tray for RK 100 / RK 100 H

**561002**

Tray for RK 255 H

**561004**

Tray for RK 156 / RK 156 BH

**562002**

## ULTRASONIC CLEANER

High performance cleaner incl. tray, cover and 2 litre STAMMOPUR DR 8 cleaning agent

- easy to read, bright LED Display
- easy 4-step operation "plug and clean"
- "SweepTec" for constant, solid and gentle cleaning
- internal dimensions: 300x150x150mm

**563000**



**563000**

## INSTRUMENT CLEANING AGENT PREP LUBE

For the best possible care of your instruments.

- prolongs the life of your instruments
- 5l

**564505**



**564505**

## AESCLAP STERILIT OIL SPRAY

For maintenance of instruments prior to sterilisation, an absolute necessity for lubricating and protecting your valuable instruments

300ml  
**563706**  
500ml  
*not illustrated*  
**563707**



**563706**

## Instrument Brush, Instrument Washer, MELISEPTOL



### INSTRUMENT BRUSH

For the careful cleaning of the instruments,  
plastic bristles  
**563708**



### INSTRUMENT WASHER MELACLEAN

- for cleaning, disinfecting, washing and drying instruments
- gentle cleaning
- protects the instruments
- saves time in preparation

Instrument cleaning and chemical disinfection system MELAclean incl. basket

**562010**

Special disinfection agent 6/box

**562011**

Rinse agent 6/box

**562012**

Instrument basket, small

**562013**

Instrument basket, large

**562014**

Small part container

**562015**



### FAST-ACTING ALCOHOLIC SURFACE DISINFECTANT

Active against bacteria, mycobacteria, fungi and viruses (HBV / HIV / HCV, rota, adeno and vaccinia)

1 l bottle, spray heads to be ordered separately

**563810**

Spray head for MELISEPTOL

**570310**

## Scrub Brushes, Alcohol- and Cotton Dispenser, Examination Tables

### HAND/ELBOW DISINFECTANT DISPENSER

For 500ml STERILIUM bottles

**570005**

For 1l STERILIUM bottles

**570010**

Disinfectant wall dispenser TLS 22

**570110**



### BRUSH DISPENSER FOR SCRUB BRUSHES

For 10 nailbrushes, autoclavable, stainless steel, wall mount

**572010**

Nailbrushes, 10/box, autoclavable (more than 400 times)

**572110**



### ALCOHOL AND COTTON DISPENSER

Alcohol Dispenser, 250ml, handy pump

- easy alcohol dispensing

- sturdy brown jar

- with safety cover

**574025**

Cotton Dispenser, D = 100mm,

height = 100mm

- glass with metal cover

**574210**



### EXAMINATION- AND TRANSPORTATION TABLE

- stainless steel top

- powder coated base

- L = 120 x W = 60 x H = 83cm

- easy to clean and disinfect

- top price performance

With 4 table-legs for a steady stand

**600361**

With 4 large lockable castors

**600360**



## Examination Tables



### EXAMINATION TABLE "EXTRA STRONG"

L = 130 x W = 60 x H = 90cm

This multi-use table is a solid stainless steel construction with 4 adjustable feet for perfect stability. A polished flat top with anti-drip edges and drain hole prevents mess and is easy to clean and disinfect. Table top with wooden plate underneath for a low-noise operation

**600160**

As 600160, with 4 large lockable castors

**600165**

**VET Eickemeyer®**

Large variety of surgery-  
and examination tables



604160



604161



604165

### EICKEMEYER SCISSOR-SHAPED EXAMINATION TABLE

The minimal operating height of 28cm allows large dogs to walk on the table.  
The maximum operating height of 105cm allows you to exam small patients without bending forward.

- electric operating table
- height adjustable from 28cm to 105cm with a high lifting capacity
- all metal parts are of high grade German stainless steel
- table remains very stable in any position
- smooth polished flat top (60cmx130cm) with anti-drip edges and drain hole

#### 604160

4 lockable castors (D = 7.5cm), retrofit  
*not illustrated*

#### 604161

604160 with built-in scale  
*not illustrated*

#### 604180

604160 battery powered  
- 4 lockable castors, D = 7.5cm  
- specifications see 604160  
*not illustrated*

#### 604165

## Surgery Table with "X-base"



### SURGERY TABLE WITH X-BASE

- X-form base, high quality stainless steel
- surgery stool fits under the table
- easy on your back

As 601550, table top 50x130cm, electric operated  
**602012**

As 601560, table top 60x130cm, electric operated  
**602010**

As 601960, table top 60x130cm, hydraulic pump  
**602020**

As 601950, table top 50x130cm, hydraulic pump  
**602022**

## V-Top Surgery Tables, Hydraulic Surgery Tables, Surgery Table Tops

### SURGERY TABLE WITH V-TOP AND X-BASE

With stainless steel V-Top, 140x50cm and 2 side rails

- gas spring supported V adjustment from 0 to 90°
- one hand adjustment
- with tilt mechanism one direction approx. 75° degrees
- removable drain channel
- X-form base, high quality stainless steel
- self-contained, maintenance free height elevation with full 3-year warranty
- height adjustable from 72 to 112cm
- provides easy and safe positioning of the patient
- safe stand
- protection for your back during operations while seated

With electric height elevation

**602060**

With hydraulic pump height elevation

**602070**



### HYDRAULIC SURGERY TABLE BASIC

With stainless steel table top 60x130cm

- height adjustable 63–115cm
- tilt mechanism/one direction appr. 80°
- rubber plate 124x64cm
- powder-coated base
- convenient for examinations
- easy to clean and disinfect
- safe stand

**602355**



### SURGERY TABLE TOPS

- stainless steel table top
- anti-drip edges and drain hole
- silicon sealed
- table top with wooden plate underneath for low-noise operation
- easy to clean and disinfect

Stainless steel table top 50x130cm

**602650**

Stainless steel table top 60x130cm


**602660**

Stainless steel table top, flat 60x130cm without illustration

**60419502**

White polyethylene table top, 60x130cm

**602760**



## Rail Systems, Tie Down Attachments, Tray and IV Stand



### TIE DOWN ATTACHMENTS

- Safe restraint of the animals, set of 10 clamps
  - on each side of the table – 3 sideways and 2 crosswise
  - provides easy patient positioning
  - stainless steel
- 602005**



### RAIL SYSTEM

- to hold quick release tie down attachments
- for fast, secure and variable restraint of animals on the table
- to apply further accessories

Sidewise, length = 120cm  
**605025**

Crosswise, length = 50cm  
**605060**



### QUICK RELEASE TIE DOWN ATTACHMENTS

- Quick release tie down cleat for ropes
- fits on all rail systems

**603800**

- Quick release tie down cleat for ropes and IV stands, etc.

- D = 12mm
- fits on all rail systems

**603802**

Nylon ropes, D = 4mm, length = 100cm, 10/box  
**603841**



### TRAY AND IV STAND

- To apply to a surgery table with rail system

Tray, 35x35cm, with attachment  
**605135**

IV Stand, 120cm, with attachment  
*not illustrated*  
**605200**

# Operating Table Frame, Stainless Steel Box, Rubber Mat, Buckets

## OPERATING TABLE FRAME

- For table top with width = 50cm
- with two quick release cleats
- for secure tie down of extremities
- fits to rail system

**605202**




## STAINLESS STEEL TRAY WITH REMOVABLE GRATE

For mounting on surgery tables with rail system

- height adjustable
- can also be used as an instrument tray

**605100**



## RUBBER MATS FOR SURGERY TABLES

- protects the table top
- non-slip
- comfortable for the patient
- round corners

Rubber mat, grey, 125x45.5cm for table tops 50x130cm

**602150**

Rubber mat, grey, 125x55.5cm for table tops 60x130cm

**602160**

Plastic mat, transparent, 125x45.5cm, for table tops 50x130cm

**602250**

Plastic mat, transparent, 125x55.5cm, for table tops 60x130cm

**602260**

## STAINLESS STEEL BUCKET

- With free swinging handle
- easy to clean and disinfect

6 litre

**602505**

10 litre

**602510**



## Hydraulic Surgery Table SHOR-LINE, Surgery Tables HEDO



### HYDRAULIC SURGERY TABLE SHOR-LINE

Stainless steel flat table top with hydraulic elevation

- height adjustable from 78 to 104cm
- table top is formed from one piece of heavy-gauge stainless steel with rounded corners
- drain outlet on the end with hook for attachment of an optional collecting pail
- 360° rotation
- complete stainless steel
- attachment rail system runs continuously along the sides and ends of the table
- for sliding, quick release, tie-down attachments are provided and can be tightened in any position along this rail

152x56cm  
603452



### SURGERY TABLES HEDO

Surgery Table HEDO

Electric height adjustment on both ends: 72.5 to 92.5cm

- detachable, radiolucent table top, 134x39cm
- 4 fixation rails
- 4 lockable castors
- lifts up to 150kg
- 1 animal positioner
- 1IV Stand
- 4 quick release tie-down attachments
- 10 ropes, length = 1m
- option: electric tilt mechanism

603618

Surgery Table HEDO ,MIC'

Electric tilt, 30° both sides, electric height adjustment from 72.5 to 92.5cm

- specially designed for laparoscopic surgery
- detachable, radiolucent table top, 134x39cm
- 4 fixation rails
- 4 lockable castors
- lifts up to 150kg
- 1 animal positioner
- 1IV Stand
- 4 quick release tie-down attachments
- 10 ropes, length = 1m

603619

### FOLDING WALL MOUNT SURGERY TABLE

Wall mounted and constructed completely in stainless steel

- easy to clean and disinfect
- The table measures 50cm long and 23cm wide
- perfect size for small animal procedures
- small and compact
- allows the surgeon easy access to the patient multiple adjustment of both height and operating angle
- 9 different height positions
- 8 different operation angles
- provides a comfortable operating position for the surgeon
- saving space

BREUER pattern  
**606020**



### CAT SURGERY TABLE ZIPS

Proven for decades!

- fits on every table
- non-slip stand
- fast and secure restraint with 4 elastic strips
- for cats and tomcats
- stainless steel

**606000**

Set of 4 rubber fixation strips

**606004**




## Practitioner Chairs, Practitioner Stools



### PRACTITIONER CHAIRS

- Practitioner Chair COBURG, round seat with backrest, black
  - foot controlled gas elevation from 60 to 83cm
  - anti-fatigue cushioning
  - large seat, D = 38cm
  - backrest adjustable in height and depth
- 610456**



### PRACTITIONER STOOL HEDO

- heavy baseplate, 27kg
  - extremely durable
  - foot controlled hydraulic elevation from 53 to 77cm
  - chrome-plated
  - mobile
  - coating material: velour or sleek leather, green or gray
- 603901**



### PRACTITIONER STOOLS

- round seat, black
- comfortable seat
- easy height adjustment
- with 5-point mobile castor chrome base

Height adjustable from 45 to 55cm

**610145**

Height adjustable from 54 to 73cm

*not illustrated*

**610173**

Height adjustable from 46 to 62cm with foot ring

*not illustrated*

**610154**

### PRACTITIONER CHAIRS

- adjustable backrest, black
- height adjustment from 46 to 62cm
- foot ring
- comfortable seating
- double castors for hard floors

**610054**



### PRACTITIONER STOOL JOLLY

- height adjustable by gas elevation from 59 to 85cm
- easy to clean artificial leather cover
- smooth-running double castors

**610150**



### PRACTITIONER STOOL JUMPER

- height adjustable by gas elevation from 59 to 85cm
- easy to clean artificial leather cover
- smooth-running double castors
- ergonomic construction provides comfortable seating

**610155**



### PRACTITIONER CHAIR BARRAGE

- height adjustable by gas elevation from 52 to 72cm
- easy to clean artificial leather cover
- smooth-running double castors
- seat and backrest black
- armrest optional

Practitioner Chair

**610160**

Arm rest for Practitioner chair Barrage

**610161**



## Practitioner Standing Aid, Practitioner Chairs, GAYMAR T/Pump



### PRACTITIONER STANDING AID STEADY S

- height adjustable by gas elevation from 59 to 85cm
- seat adjustable (angle)
- easy to clean and to disinfect
- space saving storage due to fold-away base
- with foot rest

**610165**



### PRACTITIONER CHAIRS MEDICAL

- height adjustable by gas elevation from 49 to 69cm
- comfortable seating
- easy to clean artificial leather cover
- smooth-running double castors
- seat and backrest black



### GAYMAR T/PUMP HEATING SYSTEM

For keeping your patient's temperature normal during surgery

- more safety during anaesthesia
- temperature can be adjusted from 25° to 41°C
- easy fill adapter

GAYMAR T/PUMP including water pad, 53x38cm

**648060**

Water pad, 53x38cm

**648061**

### HEATING PAD

- more safety during anaesthesia
- temperature can be adjusted from 25° to 42°C
- constant heat distribution
- sturdy pad


Control unit for heating pad

**648070**

Heating Pad 440x680mm for control unit

648070

**648071**



### VACUUM SUPPORT

V-form, ideal for positioning during eye surgery

- reinforced nylon for high tear resistance
- smooth edges

**605911**



### HEATING PAD

- more safety during anaesthesia
- temperature can be adjusted from 28°/32°/36°/41°C
- autoclavable
- 180x70 cm

**648050**

Cover for 648050

**648051**



### VACUUM SUPPORT

Holds patients in position for surgery and helps prevent heat loss. With safe and durable nylon cover

30x60cm


**605935**

50x100cm

**605945**

Carrying cover for vacuum support 50x100cm (605945)

**605950**



## Vacuum Supports, Vacuum Support Pump, Animal Stretcher



### VACUUM SUPPORT

Holds patients in position for surgery and helps prevent heat loss

- safe and durable nylon
- 4 handles to carry the animal
- 3 Velcro straps for additional restraint of the patient
- 80x100cm

**605980**



### VACUUM SUPPORT PUMP

Fits on every EICKEMEYER vacuum support

- robust and durable PVC
- for easy extraction of air by suction

**605990**



### ANIMAL STRETCHER WITH FRAME

For small animals, 120x52.5cm

- ideal for emergencies, after surgery transport and injury
- dirt-resistant, durable reinforced nylon cover
- Velcro restraint straps
- collapsible lightweight frame

**605995**



### ANIMAL STRETCHER WITH MOBILE PLATFORM

L = 120 x W = 52.5 x H = 80cm, with

- 4 swivelling castors (two lockable castors)
- large wheels, easy to manoeuvre
- removable top

**605998**



### EQUINE SURGERY TABLE EICKEMEYER

- Equine surgery at it's best. Height adjustable from 32cm to 112cm
- designed by surgeons for surgeons
  - easy access to patient due to slim centre port
  - seamless padding for easy cleaning
  - extra thick padding
  - stepless height adjustable and tilt up to 25° – ideal for laparoscopy
  - battery powered (with charger)
  - easy to move
  - 4 lockable castors
  - 4 leg poles
  - dimension: length = 290cm, width = 105cm
  - lifting capacity = 1.300kg
  - weight = 420kg
- 608750**

## Transport Slings, Inflatable Support, Equine Head Protection



### TRANSPORT SLING FOR EQUINE SURGERY TABLE

Small, pair

**608660**

Large, pair

**608670**



### INFLATABLE SUPPORT FOR EQUINE SURGERY TABLE

- durable, black rubber
- prevents neural paralysis during operation

Custom design –

PLEASE ASK FOR MORE DETAILS

**608650**

Inflator, 220V

*not illustrated*

**608502**



### EQUINE HEAD PROTECTION

Complete leather, handmade, modified by GROSSE-LEMBECK

- protects the head during surgery, recovery etc.
- fits all horses
- heavy duty leather
- durable and long lasting

**211400**

## EXAMINATION LIGHT HEINE HL 5000

- bright, white light
- 140.000 Lux at 30cm
- solid construction with high-specification 120cm radius
- gooseneck design provides easy handling and precise positioning
- economical halogen bulb which lasts at least 4000 hours
- increased safety during examination due to a UV-filter

Wall mounted model

**611100**

Rail mounted model

**611110**

Mobile stand model, heavy

**611120**



## EXAMINATION LIGHT MACH 120 / 120F

Lamp for practice and hospital with superior colour rendering

- high quality, easy-to-use universal examination lamp
- housing diameter: D = 150mm
- MACH 120: 26.000 Lux at 80cm
- illumination field: D = 14cm at 100cm
- light system: R86
- MACH 120F: 30.000 Lux at 80cm
- focusable illumination field: D = 10 to 23cm at 100cm
- light system: R96

MACH 120, stand model, short arm

**611250**

MACH 120F, stand model, short arm

**611251**

MACH 120, wall mounted model

**611253**

MACH 120F, wall mounted model

**611254**

MACH 120, ceiling mounted model, up to 3m ceiling height

**611255**

MACH 120F, ceiling mounted model, up to 3m ceiling height

**611252**

MACH 120, stand model "Swing"

**611256**

MACH 120F, stand model "Swing"

**611257**



## Surgery Light



### SURGERY LIGHT TRIAFLEX / TRIAFLEX R96

Operating lamp for minor and middle surgery with superior colour rendering

- 3 halogen bulbs, 40 Watt each, for high illumination
- brightness adjustable with a 2-step-switch
- housing diameter: D = 40cm
- economical long-lasting halogen bulbs
- working distance: 70 to 140cm
- also available as duo-light
- TRIAFLEX: 50.000 Lux at 100cm
- illumination field: D = 20cm at 100cm
- light quality: R86
- TRIAFLEX R96: 60.000 Lux at 100cm
- focusable illumination field: 15 to 23cm at 100cm
- light quality: R96

TRIAFLEX, stand model with swivel arm, range = 80cm

**612020**

TRIAFLEX, wall mounted model with swivel arm, range = 175cm

**612120**

TRIAFLEX, ceiling mounted model, up to 2.5m ceiling height, range = 165cm

**612220**

TRIAFLEX, ceiling mounted model, up to 3m ceiling height, range = 165cm

**612221**

TRIAFLEX, ceiling mounted model, up to 3.5m ceiling height, range = 165cm

**612222**

TRIAFLEX, ceiling mounted model, up to 4m ceiling height, range = 165cm

**612223**

TRIAFLEX R96, stand model with swivel arm, range = 80cm

**612021**

TRIAFLEX R96, wall mounted model with swivel arm, range = 175cm

**612121**

TRIAFLEX R96, ceiling mounted model, up to 2.5m ceiling height, range = 165cm

**612228**

TRIAFLEX R96, ceiling mounted model, up to 3m ceiling height, range = 165cm

**612227**

Replacement handle for TRIAFLEX / TRIAFLEX R96 as from 1999 model, sterilisable

**612229**

**SURGERY LIGHT MACH M2 / M2F**

Examination and small surgery light with superior colour rendering, similar to daylight

- maintenance free
- smooth running
- state of the art
- working distance: 70 to 140cm
- MACH M2: 60.000 Lux at 100cm
- illumination field: D = 18cm at 100cm
- light system: R96
- MACH M2F: 90.000 Lux at 100cm
- focusable illumination field: 14 to 24cm at 100cm
- light system: R96

MACH M2, ceiling mounted model, up to 3m ceiling height

**612300**

MACH M2F, ceiling mounted model, up to 3m ceiling height

**612305**

MACH M2, wall mounted model

**612301**

MACH M2F, wall mounted model

**612306**

**SURGERY LIGHT TRIGENFLEX / TRIGENFLEX R96**

Operating lamp for major surgery with superior colour rendering

- 3 halogen bulbs, 50 Watt each, for high illumination
- minimal heat accumulation in head area
- minimal temperature increase on the surgical area
- economical long-lasting halogen bulbs
- working distance: 70 to 140cm
- also available as duo-light
- focusable illumination field: 15 to 26cm at 100cm
- TRIGENFLEX: 100.000 Lux at 100cm
- light system: R86
- TRIGENFLEX R96: 125.000 Lux at 100cm
- light system: R96

TRIGENFLEX, ceiling mounted model, up to 2.7m ceiling height, range = 165cm

**612626**

TRIGENFLEX, ceiling mounted model, up to 3m ceiling height, range = 165cm

**612625**

TRIGENFLEX R96, wall mounted model, with swivel arm, range = 175cm

**612526**

TRIGENFLEX R96, ceiling mounted model, up to 2.7m ceiling height, range = 165cm

**612628**

TRIGENFLEX R96, ceiling mounted model, up to 3m ceiling height, range = 165cm

**612627**



## Surgery Light



### SURGERY LIGHT MACH M3 F / M3 DF

Operating lamp for minor and middle surgery with superior colour rendering

- illuminate specific points in the deepest wound channels with high-intensity light from 3 halogen bulbs, 50 Watt each
- precise adjustment of the illumination field
- single handed adjustment of the merging of luminous fields and focusing as well as the activation of the Auto-Focus function (only M3 DF) with sterilisable handle
- light system: R96
- integrated video system option available
- MACH M3 F: 100.000 Lux at 100cm
- focusable illumination field: 17 to 28cm at 100cm
- working distance: 70 to 140cm MACH M3 DF: 130.000 Lux at 100cm
- focusable illumination field: 12 to 30cm at 100cm
- working distance: 60 to 150cm

MACH M3 F, ceiling mounted model, for 2.71m up to 3m ceiling height

**612801**

MACH M3 DF, ceiling mounted model, from 2.71m up to 3m ceiling height

**612802**

**612805**

On/Off switch, integrated arm mount, for MACH 380/400/500 and M3

**612808**



### SURGERY LIGHT WITH LED-TECHNOLOGY

MACH M3 LED

- Light intensity (lux): 130.000
- Colour rendering index R(a) general: 95
- Colour rendering index R(9) red:  $\geq 90$
- Focusable light-field size (mm): 170-280
- Colour temperature (Kelvin): 3750, 4000, 4250, 4500, 4750
- Electronic light intensity control at lamp head: standard
- Temperature increase in head area: 0,5°C
- Number of LEDs: 112
- Power consumption: 120 VA
- Working distance (mm): 700-1400
- Height adjustment (mm): 1180

**612900**

### SURGERY LIGHT WITH LED-TECHNOLOGY

#### MACH M5 LED

- Light intensity (lux): 160.000
- Colour rendering index R(a) general: 95
- Colour rendering index R(9) red:  $\geq 90$
- Focusable light-field size (mm): 200-320
- Colour temperature (Kelvin): 3750, 4000, 4250, 4500, 4750
- Electronic light intensity control at lamp head: standard
- Temperature increase in head area: 0,5°C
- Number of LEDs: 160
- Power consumption: 160 VA
- Working distance (mm): 700-1400, 600-1500
- Height adjustment (mm): 1180

**612950**



**612950**

### CEILING MOUNT RING


- necessary for all ceiling mount lights
- for secure mounting of lights on the ceiling
- easy installation

D = 300mm, for single lights

**612730**

D = 400mm, for dual lights

**612731**



**612730**

### MEDICAL CABINET WITH NARCOTIC SAFE

White powder coated steel

Dimensions: H: 56cm × W: 46cm × D: 18cm

- complete with double door protection for narcotics
- individual key for each door
- economical price

**620510**



**620510**

## Instrument Cabinet, Syringe and Cannula Dispenser, Instrument Tables



### INSTRUMENT CABINET

With two folding doors

Dimensions:

H = 175cm × W = 100cm × D = 45cm

- metal cabinet with two glass doors

- 3 adjustable glass trays

- surface easy to clean and to disinfect

**621200**



### SYRINGE AND CANNULA DISPENSER

- for storage of syringes and needles

- stackable

- swivelling containers

- white

Syringe and cannula dispenser, one each

**62400001**

Canula dispenser, 5 boxes

W = 60×D = 10×H = 16cm

**62400101**

Syringe dispenser, 3 boxes

W = 60×D = 16×H = 24cm

**62400201**



### INSTRUMENT TABLE

Stainless steel

- height: 80cm

- 4 swivelling castors

- easy to clean and disinfect

- safe stand

- Dimensions = 65×45 cm

**625050**

### VARIOCAR ALL-PURPOSE SIDE TABLE

With one drawer, white, H 83×W 60×D 45cm

- options of up to 4 drawers available

**625083**

Side Table ECONOMY with one drawer

**625084**



### MEDICAR – FOR MORE SPACE AND ORGANISATION

- with 2 pivoting drawers

- dimensions: H = 74 × W = 43 × D = 41cm

- 5 swivelling castors

**625095**



### MAJO INSTRUMENT TABLE

Stainless steel

- top: 40×60cm

- height adjustable from 90 to 132cm

- with 4 lockable castors

- easy to clean and disinfect

**625160**






634800

## Built to last a lifetime

SHOR-LINE kennels are fabricated in an exclusive 2-piece unitized construction process, minimizing the number of welded seams. Less seams mean stronger kennels that are built to last. Only finest stainless steel material being used to provide you with a lifetime of service.





**Kennel Sizes**

Art.No.		Width in mm	Height in mm	Depth in mm	
631545 631645		457 457	457 610	718 718	
631761 631861		610 610	457 610	718 718	
631961 632076		610 762	762 610	718 718	
632176 632276		762 762	762 914	718 718	
632491 632591		914 914	762 914	718 718	
632612 632712		1219 double 1219 door	762 762	718 718	
632812 632912		1219 double 1219 door	914 914	718 718	
633015 633118		1224 double 1224 door	914 914	718 718	

**(A) Trim Hardware**

All trim plates and trim strips are solid stainless steel with rounded corners-no sharp edges or points. Patents pending.

**(B) Patented Latch**

Our latch is designed to be durable, secure and quiet. Acetal bushings provide smooth operation and sound dampening qualities. Concave latch bar allows cage door to be opened with your forearm when handling a sedated or fractious pet with both hands. Shor-Line has been granted U.S. Patent #5,097,796 for this unique latch design.

**(C) Sound Dampening**

New sound and vibration absorbing technology. Standard equipment on all Shor-Line cages.

**(D) World's Mightiest Cage Door**

The one piece frame and wrap around hinge/latch bars are formed from 3/8" diameter solid stainless steel rods. All additional horizontal rods are 1/4" in diameter and all vertical rods are 3/16" in diameter. Every intersection of horizontal and vertical rods are welded, providing incredible strength. Electro polishing is the final process resulting in a smooth and bright finish that looks great and is easy to clean...and practical too! Loops on the door prevent paper, pads or towels from sliding out the front of the cage.

**(E) Fully Rounded Corners and Fluid Retaining Lip**

No 90° corners to trap germs and debris. A smooth rounded cove transitions the back and all internal sides of the cage. A slightly raised, fluid retaining lip prevents drainage out the front of the cage.

**(F) Stainless Steel Frame**

All frame members are heavy duty stainless steel channel to provide you many years of solid structural support for your cage assemblies. All edges and corners on our frames have been radiused and de-burred.

**(G) New, Patent Pending Hinge Design**

The hinge is constructed of 14 gauge austenitic stainless steel that is encapsulated by an injection molded, fiberglass reinforced 6/6 thermoplastic polymer. The snap together bushing on the door frame is also molded from 6/6 thermoplastic polymer with permanent, self-lubricating properties resulting in a silky smooth and silent swing...truly "cutting edge" technology.

## SHOR-LINE Kennel Accessories



### SHOR-LINE STATIONARY PLATFORMS

Designed as a part of the modular system, these stainless steel stationary platforms are equipped with adjustable feet in each leg, to easily facilitate levelling. For planning purposes, allow for a 23.5 height increase when adjustable feet are fully extended

To fit 457mm wide Kennels

**634204**

To fit 610mm wide Kennels

**634206**

To fit 762mm wide Kennels

**634207**

To fit 914mm wide Kennels

**634209**

To fit 1219mm wide Kennels

**634212**

To fit 1524mm wide Kennels

**634215**

To fit 1829mm wide Kennels

**634218**



### MOBILE PLATFORMS

If you want to move your Kennel banks for cleaning or rearranging, these stainless steel mobile platforms with 4 heavy duty 360° swivelling castors (2 lockable castors) will make it easy

To fit 457mm wide Kennels

**634004**

To fit 610mm wide Kennels

**634006**

To fit 762mm wide Kennels

**634007**

To fit 914mm wide Kennels

**634009**

To fit 1219mm wide Kennels

**634012**

To fit 1524mm wide Kennels

**634015**

To fit 1829mm wide Kennels

**634018**



### REMOVABLE KENNEL DIVIDERS


Converts your double door kennels into two smaller units. The solid stainless steel divider connects to a bracket at the back of each kennel for secure separation between compartments

To fit 762mm high Kennels

**635776**

To fit 914mm high Kennels

**635891**



### GRILL FLOOR

PVC coated

- ensures that the patient is kept dry and off the kennel floor
- clean the kennel floor w/o disturbing or removing the patient
- coated with non-porous, autoclavable PVC
- approved for food and animal use
- floors for double-door kennels are 2-piece

To fit 457mm wide Kennels

**635145**

To fit 610mm wide Kennels

**635261**

To fit 762mm wide Kennels

**635376**

To fit 914mm wide Kennels

**635491**

To fit 1219mm wide double door Kennels

**635612**

### HEATING LAMP WITH MOUNTING

Fits on SHOR-LINE Kennel doors and keeps the animal warm e.g. after surgery

Infrared Heating Lamp

**645000**

Mounting for Infrared Heating Lamp

**645002**

Spare Bulb for Infrared Heating Lamp

**645001**



### CARD HOLDERS

Simply attach to the bar of any SHOR-LINE Kennel door

Small, 76×127mm

**636507**

Large, 127×203mm

**636512**



### RECORD HOLDERS


Keep records ready at a glance. These Record Holders with clip keep patient records securely attached to any SHOR-LINE kennel door

Small, 140×190mm

**636519**

Large, 229×305mm

**636530**



### DRUG BOX

- to put on a kennel
- drugs are ready to hand

Small, 140×266mm

**639226**

Large, 228×380mm

**639238**



## SHOR-LINE Kennel Accessories



### IV HOLDER

Easily attached to kennel door and holds standard infusion bags. A special spring loaded locking device allows convenient, single handed height adjustment

Small, length = 483mm

**637000**

Large, length = 889mm

**637005**



### DELUXE WATER & FEED BOWLS

These heavy-duty polished stainless steel bowls are easy to clean. They are designed with a slight taper to be nested for maximum storing convenience.

Including mounting brackets for SHOR-LINE Kennel doors.

**636018**



### CAT PERCHING SHELF

Adjustable to fit 457mm, 610mm & 762mm Kennels, depth = 178mm

**636645**



### OXYGEN THERAPY DOORS

Can easily be hung on the existing door  
- for intensive care and oxygen therapy  
- with humidity and temperature display  
- to connect to oxygen cylinders or oxygen concentrators

610×760mm, for SHOR-LINE Kennels 632712 and 631961 (2×)

**636695**

610×610mm, for SHOR-LINE Kennel 631861

**636696**

### VETARIO INTENSIVE CARE UNITS

The VETARIO Intensive Care Unit provides the ideal environment to give your patients the best possible chance of a successful recovery

- infinite variable temperature adjustment from 20 to 45°C
- heating is held constant by an advanced proportional band controller
- temperature is digitally displayed
- air is gently fan circulated through a dust filter to ensure sufficient filtered fresh air and even temperature
- observation of patients is aided by a low power internal light
- easy to clean, durable and quick to set up
- lightweight, assures high flexibility

VETARIO S10, Floor = 370mm dia,  
minimum height = 345mm

**219020**

VETARIO S20, Floor = 680×430mm,  
minimum height = 450mm

**219025**



**219020**

### DISINFECTING AND CLEANING AGENT

For stainless steel kennels, 5 litre bottle

**637500**



**637500**

## SHOR-LINE Polykennel, Tub/Tables



### SHOR-LINE "QUICK CLEAN" PLASTIC KENNELS

Precisely engineered to meet your requests for an alternative approach to animal cages. Using technically advanced materials for durability and sanitation, the corrosion-resistant Shor-Line plastic cages are the perfect alternative for your animal holding areas. These cages are ideal for animal holding after bathing or grooming, or to add to your existing holding cage system

- good value alternative
- rounded edges
- sturdy plastic
- zinc plated doors
- one-hand lock Including:
- 2 kennels 616×717mm
- 1 kennel 1232×875mm with double door
- 1 divider
- 1 mobile platform

**634803**



### TUB/TABLE SHOR-LINE

Many procedures in your practice require extensive clean-up like dentistry, surgery prep, minor surgery, necropsy, hydro-therapy and grooming, just to name a few.

All of these procedures become easier, cleaner and more efficient when performed on a SHOR-LINE Multi-purpose Tub/Table.

- special "knee-space design" improves comfort during procedures
- stainless steel tub, depth = 152mm
- wooden corpus
- lower cabinet provides you with roomy storage
- optional table top No. 639060

**639053**



### TUB/TABLE SHOR-LINE


- special "knee-space design" improves comfort during procedures
- all components made of stainless steel
- lower cabinet provides you with roomy storage (3 drawers, 1 cupboard)
- removable grid allows use as a bath tub for dogs
- easy to clean and disinfect
- shapely design
- w/o lavatory taps

**639054**

## KENNEL RUNS – THE SOLUTION FOR YOUR KENNEL PROBLEMS

You can select from our broad range of standard sized gates, side panels, back panels and accessories. And, we've got designs to fit your every need. Raised floor systems and block wall systems are available, or order 'A la Carte' modular components.

Whatever your situation, you can be assured we'll work with you to provide the most effective set-up for your facility. And, all our run components are guaranteed to provide you the highest quality product available in the industry.



## FOLD FLAT CAGES

With tray, zinc plated for a long life

L = 64 × W = 48 × H = 55cm

**641053**

L = 79 × W = 56 × H = 63cm

**641276**

L = 94 × W = 64 × H = 71cm

**641290**



## PET CARRIER

Excellent carrier for cats, small dogs, puppies, hamsters, rodents etc.

- white plastic coated wire for extra durability

- with handle for easy carriage.

- easy to clean L = 45 × W = 30 × H = 30cm

- w/o plastic tray

**642000**

Cat Restraint


- helps to restrain cats in the pet carrier

- ideal for immunisation of uncooperative patients

**404385**



## Trays for Pet Carrier, Mobile Stand for Pet Carriers, Pet Carriers, Cats Cradle



### TRAYS FOR PET CARRIER

Fits perfectly into the pet carrier and collects litter

High Plastic insert with perforated, removable bottom  
**642120**



### MOBILE STAND FOR PET CARRIERS

For 4 Pet Carriers

- stainless steel
- 4 lockable castors
- easy removal of each kennel

**643050**



### PET CARRIERS

Ideal for the transport by car, aeroplane, bus or train

- lock mechanism
- 2 removable spacious storage possibilities
- the door can be opened from both sides
- colour: beige
- accepted by nearly all airlines

Size 4, for dogs up to 25kg, 71×50×51cm  
**642564**

Size 5, for dogs up to 40kg, 82×57×60cm  
**642565**

Size 6, for dogs up to 50kg, 93×65×68cm,  
**642566**

Size 7, for dogs more than 50kg, 105×75×79cm  
**642567**



### CATS CRADLE

To hang on the radiator

- soft padding
- easy to clean
- cats love it!

**644560**

**HEATING PAD**

- For small animals, 40×35cm
- maintains animal temperature
  - max. temperature equals the skin temperature of the animal
  - water resistant
  - long term usage
- 648040**



**VET BED**

- Ideal padding for your patients in kennels
- machine washable
  - absorbs fluids
  - keeps your patients dry
  - white

60×70cm

**648201**

70×100cm

**648202**

Sold by the meter, width = 140cm

**648203**



**VET Eickemeyer**®  
Medizintechnik für Tierärzte





### HIGH FREQUENCY X-RAY UNIT HIRAY PLUS

One of the smallest and most powerful portable High Frequency X-Ray Units in the world!

- high output: max 100kV, max 30mA, 2kW inverter system
- compact and lightweight: 28×16.3×16cm / only 7.8kg
- easy and quick kV and mAs selection with rotary switches
- kV settings from 40–100kV (2kV steps) with illuminated LCD-Display
- 32 mAs settings, 0.3–20mAs, with illuminated LCD-Display
- anatomical programming of 8kV/mAs combinations
- focus = 1.2×1.2mm
- extra bright collimator light (100 lux at 1m) with automatic timer
- integrated laserpointer for distance measuring
- with 2-step manual control switch with curled cable, length = max 2.5m
- CE-Certificated
- supplied in a sturdy aluminium case

**701115**

Foot switch for HiRay Plus

*not illustrated*

**701121**



701100

### HIGH FREQUENCY X-RAY UNIT HIRAY HIPOWER

Portable high power for brilliant X-Rays

- high output: max 100kV, max 32mA, 3.5kW inverter system
- easy and quick kV and mAs selection with rotary switches
- large display to adjust kV and mAs
- kV settings from 40–100kV (1kV steps) automatic mAs control
- 24 anatomical programmes, easy to control with one button each
- focus: 2×2mm
- two integrated laserpointer for precise distance measuring
- extra bright collimator halogen light with automatic timer
- compact and lightweight: L = 35 × W = 22 × H = 22cm / 18kg
- CE-Certificated
- supplied in a sturdy aluminium case

701100



### HIGH FREQUENCY X-RAY UNIT HIRAY LIGHT

Ultra compact and lightweight portable X-Ray Unit – ideal for equine practitioners

- output: 16mAs / 40–60kV, 15mAs / 40–80kV
- ultra compact and lightweight: 27×14×15cm / only 5kg
- easy and quick kV and mAs selection with slide switches
- display to adjust kV and mAs
- mAs settings, 0.32–30 mAs
- anatomical programming of 8kV/mAs combinations
- focus: 1mm
- bright collimator light with automatic timer
- integrated laserpointer for distance measuring
- with 2-step manual control switch with curled cable
- CE-Certificated
- supplied in a sturdy aluminium case

**701110**

### X-RAY STAND FOR PORTABLE X-RAY MACHINES

- height adjustable
- safe stand
- 4 locking castors
- complete stainless steel

X-ray Stand, large

**701118**

Short rod for X-Ray Stand, 120cm, for horses

**701411**



### X-RAY STAND WITH LIFTING SUPPORT

- for portable X-Ray machines
- lifts up your X-Ray machine easily
- with long and short rod
- will dismantle for easy transportation
- stainless steel
- 4 lockable castors
- easy to clean
- lightweight

X-Ray Stand, 195cm

**701400**



## X-Ray Stands, X-Ray Tables



### X-RAY STAND

- X-Ray Stand with short rod, 120cm, for horses
- for portable X-Ray machines
- height adjustable
- will dismantle for easy transportation
- stainless steel
- 4 lockable castors

#### 701410

Long rod for X-Ray Stand, 180cm,  
for small animals

#### 701412



### WALL MOUNTED X-RAY STAND WITH X-RAY TABLE

- Wall Mounted Stand
- for portable X-Ray machines
- height adjustable
- self centred cassette tray for perfect alignment

#### 701450

X-Ray Table for 701450

- radiolucent table top
- stainless steel frame
- 4 lockable castors
- L = 120 × W = 60 × H = 86cm
- colour: white

#### 701455



### X-RAY TABLE WITH STAND

For all major portable X-Ray machines

- radiolucent table top, 160×76cm, height: 67cm
- stainless steel frame
- self-centering cassette tray
- stand and cassette tray on runners cover more than 80% of the length of the table

#### 701470



### STATIONARY HIGH FREQUENCY X-RAY UNIT EICKEMEYER

- High-capacity stationary X-Ray Unit with touch-screen control
- very powerful 32kW, 100kHz, 425 mAs
- kV selection 40–99kV (1kV steps)
- mAs selection 0.2–100 mAs
- standard Pre-Sets for different animals (automatic anatomical programming)
- standard power supply 220V / 16 A, condensor backed
- includes grid 8:1, aluminium
- large focus: (1.3×1.3mm) 40–80kV / 400 mA 81–100kV / 320 mA
- small focus: (0.6×0.6mm) 40–50kV / 200 mA 51–60kV / 160 mA
- 4 way floating table top, 75×150cm

**701030**

## X-Ray Film



701918

### EICKEMEYER X-RAY FILM, GREEN

- increased speed results in lower mA settings and reduces radiation exposure
- unparalleled detail
- best quality
- 100/box

13×18cm

**701913**

18×24cm

**701918**

20×40cm

**701920**

24×30cm

**701924**

30×40cm

**701930**



702318

### EUROMED X-RAY FILM, GREEN

- highest quality
- unparalleled detail and information
- 100/box
- best price performance

13×18cm

**702313**

18×24cm

**702318**

20×40cm

**702320**

24×30cm

**702324**

30×40cm

**702330**



701818

### KODAK MXG X-RAY FILM

- highest quality
- unparalleled detail
- 100/box

18×24cm

**701818**

24×30cm

**701824**

30×40cm

**701830**



702018

### FERRANIA XDA PLUS X-RAY FILM

- highest quality
- unparalleled detail
- 100/box

18×24cm

**702018**

24×30cm

**702024**

30×40cm

**702030**

## Intensifying Screens, Screen Cleaner, X-Ray Cassette

### EICKEMEYER INTENSIFYING SCREENS, GREEN

- high diagnostic clarity
- high contrast
- excellent image quality

EICKEMEYER 200, 13×18cm

**703413**

EICKEMEYER 200, 18×24cm

**703418**

EICKEMEYER 200, 20×40cm

**703420**

EICKEMEYER 200, 24×30cm

**703424**

EICKEMEYER 200, 30×40cm

**703430**

EICKEMEYER 400, 13×18cm

**703113**

EICKEMEYER 400, 18×24cm

**703118**

EICKEMEYER 400, 20×40cm

**703120**

EICKEMEYER 400, 24×30cm

**703124**

EICKEMEYER 400, 30×40cm

**703130**

### SCREEN CLEANER

250ml, fluid

- extend the life of your intensifying screens
- antistatic

**703110**

### EICKEMEYER X-RAY CASSETTE

- light weight
- easy to open and close
- protective back coating
- highest quality

13×18cm

**702413**

18×24cm

**702418**

20×40cm

**702420**

24×30cm


**702424**

30×40cm


**702430**

35×43cm

**702435**



## Grid, Lead Divider, X-Ray Positioners



### GRID

- reduces scattered radiation
- 40 lines/cm, parallel
- focus ratio 8:1
- protective back coating
- aluminium lamellae
- film-focus distance: 80 to 100cm

18×24cm

**703018**

24×30cm

**703024**

30×40cm

**703030**

43.5×47.5cm

**703043**



### LEAD DIVIDER


To cover 50% of the cassette

For 24×30cm cassettes

**703224**

For 30×40cm cassettes

**703230**



### AVIAN X-RAY POSITIONER

Convenient for all bird sizes

- made of durable Plexiglas
- also a safe restraint for surgery

**703505**



### WOODEN X-RAY POSITIONER

- ideal for positioning
- adjustable to all sizes required

**703510**

## X-Ray Positioners, Navicular Stand, Equine Cassette Holder

### PLEXIGLAS X-RAY POSITIONER

#### MODEL BERLIN

- ideal for positioning
- V-shaped
- durable, transparent Plexiglas
- also as thoracic positioner for surgery

Set of all 5 sizes

**703550**

Size 1, W = 160mm, D = 90mm

**703551**

Size 2, W = 210mm, D = 150mm

**703552**

Size 3, W = 260mm, D = 160mm

**703553**

Size 4, W = 320mm, D = 200mm

**703554**

Size 5, W = 340mm, D = 230mm

**703555**

Wall mounting storage, stainless steel

**703556**




### NAVICULAR STAND

Plastic, with Plexiglas foot rest

- outstanding evaluation of navicular bone is possible through a 60° oblique view
- with bracket for cassettes / plexiboxes

**703540**



### EQUINE X-RAY CASSETTE HOLDER

- adjustable for all cassette sizes
- stainless steel
- very durable

**703800**



## Plexiglass Cassette Tunnel, X-Ray Accessories



### PLEXIGLASS CASSETTE TUNNEL

With "L" + "R" -letter for X-Ray cassettes and grids 18×24cm, transparent  
**713118**



### EQUINE X-RAY HOOF TALLOW

To take shadow-free x-rays of the hoof  
- 750g  
**703850**



### X-RAY MARKERS

- fast, convenient X-Ray marking

X-Ray Marker, L and R

**704002**

X-Ray Marker Clip, L and R

Slips on over the cassette frame, plastic

**704022**



### X-RAY MEASURING CALLIPER

Aluminium calliper calibrated incm

- smoothly moving sliding portion

- for proper mA settings

**704200**


### X-RAY HD-RULER

For measurement of the NORBERG angle

**704300**

New generation of calliper for fast and easy measurement of the NORBERG angle, SASSNAU pattern

**704500**



### SAND BAGS

Proper immobilisation of the animal during X-Ray and surgery

- red, durable vinyl cover
- moulds easily
- easy to clean and to disinfect

Small, 15×25cm, 1.2kg

**704515**

Medium, 18×27cm, 2.0kg

**704518**

Large, 24×30cm, 3.5kg

**704524**




### SAND BAG

Tube form, L = 75cm, D = 15cm, weight = 5kg

**704550**



## X-Ray Positioning Aids, X-Ray Accessories



### X-RAY POSITIONING AIDS

Proper positioning of the animal during X-Ray and surgery

- soft foamed plastic

Flat wedge, L = 26 × W = 20 × H = 7cm

**605901**

Small wedge, L = 11.5 × W = 20 × H = 6cm

**605902**

Large wedge, L = 25 × W = 20 × H = 11cm

**605903**

Rectangular pad, L = 25 × W = 20 × H = 7cm

**605904**

Circular pad with hole, OD = 20cm, ID = 7.5cm

**605905**

Roll, D = 11cm, H = 25cm

**605906**

Circular pad, D = 20cm, H = 5cm

**605907**



### X-RAY PROTECTIVE APRON

- 0.5mm lead thickness

- lightweight

- water repellent and stain resistant nylon exterior, blue

- easy and quick on and off with Velcro strap closure

- protects perfectly

- comfortable and modern design

Length = 110cm, shoulder/hip-size = 41/60cm, height = 170–180cm, weight = 5.5kg

**704935**

Length = 120cm, shoulder/hip-size: 43/60cm, height = more than 180cm, weight = 6kg

**704945**

**THYROID PROTECTION SHIELD**

- 0.5mm lead protection
  - with Velcro closures
  - one size fits all
- 705001**



**X-RAY HAND SHIELDS**

- total touch control of small animals
- 0.5mm lead protection
- with Velcro closures

Small, width = 14cm, length = 20cm, pair  
**705501**

Large, width 18cm, length 30cm, pair  
**705502**

- X-Ray protective lead gloves, pair
  - with finger slits for complete finger/hand movement
  - ideal to restrain very small animals
  - one size fits all
- 705750**




**X-RAY PROTECTIVE LEAD GLOVES**

- flexible
  - comfortable to wear
  - 0.5mm lead protection
  - one size fits all
  - pair
- 705553**




**X-RAY GAWN HANGER**

- For two Aprons and one pair of Lead Gloves
  - rugged construction
  - rounded corner and edges protects aprons
- 705703**



## Dosimeter



### DOSIMETER

Dosimeter, energy range 40keV–3 MeV

0–2 mSv

- shows the personal radiation
- capable for gamma- and x-ray environment
- with a fixing clip
- with an ocular- and anti dust cover

#### 705800

Gauging for dosimeter

(requested only in Germany)

#### 705801

Charge and reset unit for dosimeter

#### 705802

Digital dosimeter

Person-Dosimeter RAD 60 SE, energy range 60keV–3 MeV

#### 705803



➔ **Eickemeyer Online**  
– **www.eickemeyer.de**

Our website is dedicated to giving your clinic the services it demands:  
Product information, stock availability, special offers and online ordering are just some of them.

You can access our online ordering service 24/7 – to log in all you need is your customer number and your postcode.



### EICKEMEYER X-RAY PROCESSOR

All parameters of the EICKEMEYER x-ray film processor influencing image quality are factory set to optimal values. This makes the operation easier and reduces operator error

Just plug in the new processor and fill it with chemicals and the ECOMAX is ready for operation.

- perfect processing machine for the veterinary practice
- pre-sets assure easy handling and operation
- guarantees optimal image quality
- permanent chemicals recirculation
- regeneration adjusts automatically on the flow rate
- economical
- low maintenance level
- dimensions: L = 88 × W = 66 × H = 42cm

#### **706100**

Table for x-ray developing machine ECOMAX

#### **706110**

Transport system cleaner

#### **706084**

## X-Ray Chemicals, Developing Hanger



### DEVELOPING AND FIXING CHEMICALS

For X-Ray Processors

Developing Fluid, 2x 10 litre

**706081**

Fixing Fluid, 2x 10 litre

**706082**



### CHEMICAL MIXING STICK

- Especially for mixing the "bath" for the X-ray developing unit
- X-ray chemicals work only with the perfect mixture

Red (fixing)

**707500**

Grey (developer)

**707501**



### DEVELOPING AND FIXING CHEMICALS

For X-Ray Processors


- high quality concentrate
- easy to mix with water

Developing fluid, 5 litre concentrate, 25 litre outcome

**707705**

Fixing fluid, 5 litre concentrate, 25 litre outcome

**707805**



### DEVELOPING HANGER

- fixes the X-Ray film w/o damage
- 4 special interlocking clips
- stainless steel

13x18cm

**707913**

18x24cm

**707918**

24x30cm

**707924**

30x40cm

**707930**

## DEVELOPING HANGER PRO

- easy film developing
- just slide film into hanger

18×24cm


**707818**

24×30cm

**707824**

30×40cm

**707830**



## WALL MOUNT DEVELOPING HANGER


For 6 Developing Hangers, plastic

**708006**

With hook, 10mm

no illustration

**708110**



## EICKEMEYER DARK ROOM LIGHT

For green and blue x-ray films

- large illumination field (16×21 cm)

- wall mount

**708501**



## X-Ray Marking, Filmscribor



### X-RITE X-RAY TAPE

- simple and fast inscribe with type writer or ball pen
- all important informations become a permanent image on X-ray film
- cost effective

X-ray identification tape, length = 7.6m  
**708825**

Holder Blocker, pair, 1 green / 1 white  
- 2 lines (24 figures per line)  
- imprint your address on each radiograph  
*not illustrated*  
**708900**

X-Ray marking tape X-Rite with 2 Holder Blockers  
*not illustrated*  
**708902**

### FILMSCRIBOR X-RAY FILM ID PRINTER

- X-ray film marking machine Filmscribor
- automatically controlled exposure line
  - easy marking of your radiographs
  - with exposure window 16.5×0.95cm

**709000**

SCRIBOR-Stripes with text, not rubberised,  
2000pcs/pkg.

- max. 3 lines with 30 figures per line

**709008**


Software to create your individual SCRIBOR-Stripes

- simple installation and easy handling

**709015**

Lead Tape for cassetts

**709030**




**VET Eickemeyer**®  
Medizintechnik für Tierärzte





708070



### DIGITAL X-RAY SYSTEM PROSCAN

X-Ray developing – a thing for the past. PROSCAN is a modern, high resolution scanner for imaging plates (IP). It transfers X-ray information saved on the IP into a digital signal

Simple application:

- exposure of the IP (with existing unit and familiar settings)
- removal of the IP from the cassette
- placement of the IP on the PROSCAN, scanning starts automatically
- image data is automatically erased, IP can be used again right away
- data transferred to PC/Notebook for immediate diagnosis and image editing The image editing and managing software operates the CR-Scanner and routes the images automatically to a PACS-Software

Cleaning solution kit for imaging plates

**708081**

## Direct Digital X-Ray DIGIVET



708200



### DIRECT DIGITAL X-RAY DIGIVET

The DIGIVET combines excellent spacial resolution with an unmatched dynamic range, making it the perfect choice for all your critical radiographic imaging applications

- saves money: no developing, no chemicals
- saves time: after only 4 seconds you can see the X-Ray on the monitor
- improved diagnostic possibilities due to image editing (brightness, contrast, size, zoom, measuring etc.)
- comfortable: automatic archiving with image managing software
- modern: X-Ray can be discussed directly with the pet owner
- telemedicine: transmit your images via email
- compatible: fit all well-established X-Ray units

Standard delivery includes:

- powerful high end PC
- large diagnostic X-Ray monitor
- picture editing, managing and archiving software (PACS), DICOM 3.0 compliant

**708200**



708080

## X-RAY FILM SCANNER RDC

The Radiograph Digital Converter (RDC) is an exciting innovation for veterinary radiology! This state of the art system allows you to capture high quality digital images of your X-Rays

- digitise X-Rays in less than 5 seconds
- capture high quality images of your X-Rays
- state of the art image editing software (brightness, contrast, size, zoom, measuring etc.)
- save your digitised X-Rays directly to your client file or send them by e-mail
- supports DICOM format
- easy USB connection
- for digital picture editing of X-Ray films up to 35×42cm

708080

## Digital X-Ray



176600

### DIGITAL DENTAL X-RAY SYSTEM EVA-VET

EV-Vet is a film-less, digital dental imaging radiology system that produces highest resolution, diagnostic quality images. Utilising patented "Active Column" CMOS technology, EVA produces high efficiency, low noise images which are digitalised and transmitted to your computer via a standard USB port and is compatible with laptop or desktop systems

EVA-VET with sensor No. 2 (3x4cm), USB connection and Software

- high resolution, diagnostic quality images
- easy to connect via USB
- convenient to use, state of the art software package (included)
- easy installation and operation
- supports DICOM format

**176600**

AFP X-Ray Book

*no illustration*

**250001**



176500

### DIGITAL DENTAL X-RAX SYSTEM

precise dental photographs

- high capacity: 70kV, 8 mA
- small focal spot: 0.7mm
- TOSHIBA quality tube
- infinite adjustable exposition time from 0.08–3.2 seconds
- mobile stand model
- wall model on request

Wall mounted with 80cm overhang

**176500**

## X-RAY FILM VIEWER PLANILUX

- High quality X-Ray film viewers for film reading
- 4 individually movable shutters for glare-free film reading
  - flicker-free, energy-saving high-frequency light (3 lamps)
  - variable electronic brightness control, control range approx. 90%

Viewing area: 400×430mm  
 Housing: W = 600×H = 625×D = 105mm  
**709441**

Viewing area: 800×430mm  
 Housing: W = 1000 × H = 625 × D = 105mm  
**709481**



## X-RAY FILM VIEWER SLIMLINE

- TFT-LCD Backlight Technology distributes the light evenly
- the uniformity of light distribution is more than 90% which guaranties an accurate film reading
- blue type light (CCFL-Technology) which is suitable for reading x-ray films
- economical, efficient and convenient
- long lamp lifetime

498 x 482 x 28 mm, viewing area:  
 356 X 423 mm  
**709840**

854 x 482 x 28 mm, viewing area:  
 711 x 443 mm  
**709880**



## X-RAY FILM VIEWER EICKEMEYER

- film grip retainer
- table or wall mount
- bright light
- best price performance

Viewing area: 350×450mm  
 Housing: W = 400 × H = 510 × D = 110mm  
**709571**

Two viewing areas: 350×450mm each  
 Housing: W = 800 × H = 510 × D = 110mm  
**709570**



## IRIS LAMP 100

- with flange and swivel arm, to fix to the wall or on the X-Ray Film Viewer
- indispensable accessory for the safe detection of small contrasts in the higher density ranges ( $D > 2.2$ ) for a better evaluation of overexposed X-Rays
- extremely high luminous density of max. 70.000 cd/m<sup>2</sup>.
- luminous density can be stepped down continuously to near extinction
- precision-type iris lamps smoothly adjust from 5–70mm and 5–100 diameter
- collimation of very small image areas with neatly contoured edges

**709310**



## Microscopes



710060

### MICROSCOPE EICKEMEYER

- binocular tubus
- wide field oculars WF 10x (18mm)
- Achromat objective 4x/0.1, 10x/0.25, 40x/0.65, 100x/1.25 oil
- Köhler illumination, halogen 6V/20W
- blue filter
- Abbe condensator 1.25 N.A.

**710060**



710002

### MICROSCOPE MOTIC B1 VET

High quality combined with attractive pricing!

Microscope MOTIC B1 VET

Features:

- binocular head with wide field WF10x (18mm) eyepiece
- full range of achromatic (and semi-plan) objectives, PL4x/0.1, A10x/0.25, A40x/0.65, A100x/1.25, oil spring
- movable ABBE condensor N.A. 1.25, iris diaphragm for resolution and contrast control
- built-in ball bearing mechanical stage provides a travel range of 76mm x 50mm in the X and Y direction respectively with graduations read up to 0.1mm for accurate positioning of specimen
- standard halogen illumination (12V/20W)
- trinocular head available

**710002**

Heating table (warm stage) for MOTIC-Microscope

- 30 to 60°C, with digital display
- fixed with a knurled screw

*not illustrated*

**710004**

Phase Objective (plan) 40x/PH

*not illustrated*

**710006**

Phase Ring 40x

*not illustrated*

**710007**

Darkfield Lens for MOTIC Microscope

*not illustrated*

**710008**

**MICROSCOPE MOTIC B3 VET**

Top quality for a top price!

- Siedentopf binocular tube 30° inclined
- special 5-holes turret type condenser
- widefield eyepiece AWF10x (FN 20)
- plan objective: PL4x/0.10, PL10x/0.25, PL100x/1.25, oil spring
- phase contrast plan objective PL40xPH/0.65
- darkfield lens
- 1.25 ABBE condenser with rack and pinion focusing
- KOEHLER illumination, 12V/20W halogen
- standard blue, green, yellow and frosted filter for brightfield and phase application

**710000**


**DIGITAL MICROSCOPE MOTIC DMBA 200,**

with integrated, high resolution CCD camera, software, USB- and TV- connection

- simultaneous connection to PC or monitor possible
- possibility to send pictures via internet
- easy handling due to the "plug and play"
- software with extensive application
- binocular tubus, selectively 30° and 45° angle of view adjustable
- wide field oculars 10x (18)
- Plan Achromat objective 4x/0.1, 10x/0.25, 40x/0.65.100x/1
- cross table
- Abbe condenser with iris diaphragm
- halogen illumination 12V/20W, stageless adjustable

**710005**





### MICROSCOPE ZEISS "PRIMO STAR"

- High end CARL ZEISS quality
  - 4x objective nosepiece
  - halogen illumination 6V/30W
  - cross table 75x30 cm
  - binocular tubus 30°/20
  - Plan-Achromat objectives A4x, A10x, A40x and A100x1.25 oil
  - height adjustable and possibility to center the condenser 0.9 / 1.25
  - Oculars 10x/19
  - easy handling
  - absolutely reliable
- 712060**



### ACCESSORIES FOR MICROSCOPES

Cleaning Set for microscopes  
*not illustrated*  
**710011**

Immersion oil, 10ml, free of PCB  
*not illustrated*  
**710010**

Microscope slides, 26×75mm, 50/box  
**712026**

Slide dispenser, for 50 microscope slides  
**712150**

Cover slides 18×18mm, 1000/box  
**712518**



### STAINING RACK

Glass, 15×22cm  
**712715**

**SHAKER FOR BLOOD PIPETTES**

Simultaneous and proportionate pipette mixing  
**713420**



**COUNTING PIECE**


THOMA, separation in 400 squares with 0.05mm  
- fast and easy counting of leukocytes and erythrocytes

**713510**

NEUBAUER, separated in 9 large squares  
**713520**

TUERK  
**713540**

Cover glasses for counting piece 0.4mm,  
20×26mm, 10/box  
*not illustrated*  
**713620**



**TEST TUBES / RACK**

- with round bottom

Test Tubes with round bottom, 16mm×16cm,  
100/box  
**714016**

Test Tube Rack for 12 Tubes,  
white epoxy-coated wire  
**714112**



## Centrifuges



718200

### EICKEMEYER STANDARD CENTRIFUGE

For 6 × 15ml

- true running steel angle rotor
- infinite variable speed from 0–4500 rpm
- built-in timer, running time up to 60 minutes
- safe and easy to operate
- safety latch stops motor when lid is open
- best price performance

**718200**

Reduction Piece to 2ml

*not illustrated*

**718322**



718320

### HETTICH EBA 20 TABLE-TOP CENTRIFUGE

Practical and handy, the EBA 20 is the ideal centrifuge for small sample volume.

- complete with an 8-place angle rotor
- microprocessor-controlled
- input of rotation speed in increments of 100, max. 6000 rpm
- ergonomically designed display elements
- built-in timer, running up to 99 min
- impulse key for very short centrifugal operations
- during centrifuging the actual values of the parameters are displayed
- variable: it accommodates various tubes as well as glass tubes w/o adapters

**718320**

**HETTICH EBA 21 TABLE-TOP CENTRIFUGE**

Maximum performance in microlitre centrifugation coupled with reliability in daily laboratory routine

- powerful, versatile and reliable
- maintenance free, stepless adjustable motor
- RCF of 23.907 at a speed of 18.000 rpm
- metal case, rotor-detection, cover-locking assures a high level of safety
- with timer
- multi-programming (3×)
- the rotor-detection limits the rotor to its maximum rotation speed
- precise and easy parameter entry via water resistant keypad
- w/o rotor

**718321**

Angel Rotor 45°, 12-part with cover

**718326**

Haematocrit Rotor with cover and evaluation disc

For 24 haematocrit-capillaries

**718327**

Angel Rotor 35°, 6-part with cover

**718328**



**718321**

**HETTICH HAEMATOCRIT 210 CENTRIFUGE**

HAEMATOCRIT 210 w/o rotor

- easy parameter entry via foil keypad
- during centrifuging the actual values of the parameters are displayed
- impulse key for very short centrifugal operations
- input of the rotation speed in increments of 100
- built-in-timer, running up to 99 min
- easy to read digital display
- fitted to latest safety requirements

**718430**

Haematocrit Rotor with cover and evaluation disc

24 haematocrit-capillars

**718431**



**718430**

**MOBILE MINI HAEMATOCRIT CENTRIDUGE**

EICKEMEYER Mini Haematocrit centrifuge


- for mobile use
- including rotor for 6 capillars
- fully automatic operation
- self-sealing mechanism
- silent
- small dimensions (L×W×H = 13×13×8cm)

**718400**



**718400**

## Accessories for Centrifuges, Ampoules Rack



### CAPILLARY TUBES


- capillary to take up blood and sealing material to close

Haematocrit Capillary Tubes 1.4×75mm,  
1000/box

**718375**

Capillary Tube Sealant for Microhaematocrit  
Tubes

**714907**



### CENTRIFUGE TUBES

Glas Tube with circular bottom, 15ml  
For plasma and serum


**718515**

Glas Tube with conical bottom, 15ml  
For urine sediment

**718615**

Disposable Centrifuge Tubes, 15ml,  
16×100mm, 100/box

**719015**



### AMPOULE RACK

For 6 open ampoules

**402850**

**CLINICAL REFRACTOMETER EICKEMEYER**

For quick serum total protein concentration and accurate urinary specific gravity measurements

- a single drop is sufficient
- direct reading
- focusing eyepiece with eyecup
- simple calibration with distilled water

**726000**



**KIDNEY BOWLS**

Small, stainless steel, length = 17cm  
**728815**

Large, stainless steel, length = 25cm  
**728825**

Large, plastic, white, length = 25cm  
**728925**



**ELECTRONIC TIMER**

Up to 60min, with signal  
**729510**



## Spray Bottle, Incubator



### SPRAY BOTTLE

- transparent plastic
- flexible tip
- virtually unbreakable

250ml, plastic  
**729825**

500ml, plastic  
**729850**



### FLOTATION EVALUATION IN FECAL SAMPLES

- to evaluate fecal samples
- to detect worm eggs
- pack with 50 pcs

**50175**

Flotation kit

**050175**

Flotation detection of worm eggs in fecal samples

*not illustrated*

**50176**

Flotation solution, 2 litres

**050176**



### MELAG INCUBAT 80 INCUBATOR

- designed for all veterinary labs which require reliable and inexpensive methods of incubating cultures
- large capacity
- temperature range: 10°–60°C
- excellent temperature stability
- large glass door
- internal dimensions: W = 15cm, H = 30cm, D = 12cm
- external dimension: W = 27cm, H = 42cm, D = 14cm
- wall mounting

INCUBAT 80

**732580**

**INCUBAT 80 ACCESSORIES**

- Insert tray  
**732581**
- Urine diagnosis rack for 9 micro slides  
**732582**
- Rack for 30 test tubes  
**732583**
- Rack for 6 Petri Dishes  
**732584**



**THERMOCULT INCUBATOR**

- Approved and inexpensive Incubator
- temperature stability: 35 +/- 2°C (adjustable up to approx. 42°C)
- easy-to-read thermometer column
- 2 control lamps, mains and heating
- lightweight and handy
- OD: 30×17×17cm
- ID: 21×14.5×11 cm

- Thermocult Incubator  
**732590**
- Insert tray  
**732591**



**BLOOD GAS ANALYSER I-STAT**

The i-STAT is portable, easy to use, and performs a complete panel of tests from a single platform enabling you to quickly and effectively monitor and manage your patients

- fast and accurate
- precise and reliable with the most recent technology
- stores 50 test results
- no daily maintenance procedures
- only 65–100 microlitres of fresh whole blood sample
- automatic calibration
- equivalent to lab based systems
- optional printer available

- 733000**
- HP-printer  
**733010**
- Printer paper for HP-printer I-STAT, pack of 3 rolls  
**733012**
- Attachment for printer I-STAT  
**733011**
- Software Update, 24hr replacement
- free software updates
- replacement in case of problems
- for 12 month  
**733017**



## Tests for Blood Gas Analyser, Forceps, Emasculators



### TESTS FOR BLOOD GAS ANALYSER I-STAT

Self-contained i-STAT cartridges allow you to perform a number of critical care assays

- 25 test/box
- store between 6–8°C
- max. 3 months shelf life

Test G3+

For ph, PCO<sub>2</sub>, PO<sub>2</sub>, Bicarbonate, Total Carbon Dioxide, BE, O<sub>2</sub>-Saturation

**733003**

### WHELPING FORCEPS FOR DOGS

DANISH MODEL, 20cm

**811720**

NIEMAND, 28cm

**811728**



### EMASCULATORS FOR HORSES

HAUSMANN, 30cm

**850330**



## EMASCULATORS FOR HORSES

SERRA modified Emasculator, 35cm,  
w/o ratchet  
- for single hand use on a standing horse  
*not illustrated*

**851136**

SAND, 31cm  
- crushing only

**850831**




## SPAY INSTRUMENTS FOR CATS

Spay Clip MORY  
- clever spaying  
- no assistance needed

**851300**

Spay Hook, D = 3mm, length = 16cm

**851317**




## NEUTER INSTRUMENTS FOR TOM CATS

Nuter Clamp BOLBECHER, 16cm  
- keeps hair away

**851416**

Nuter Sheet SENN, 10×10cm

**851510**



## Hoof Knives, Hoof Instruments



### HOOF KNIVES WITH WOODEN HANDLE

- high quality steel
- top price

Right hand, wide blade with small curl

**860020**

Left hand, wide blade with small curl

**860120**

Double edge, with small curl

**860220**



### HOOF KNIVES WITH EBONY HANDLE

- top quality
- extremely durable steel
- excellent cutting edge that remains sharp even during prolonged periods of use

Right hand, narrow blade with small curl

**860619**

Left hand, narrow blade with small curl

**860719**

Hoof knife sharpening stone

- to sharpen hoof knives also inside the curl

**861700**



### HOOF TESTERS

Light model, 30cm, stainless steel

**862030**

Heavy-duty model, 34cm, stainless steel

**862034**

VIENNA model, 36cm, stainless steel

**862036**

BOENING-HERTSCH, 44.5cm, stainless steel

- variable adjustable with strong grip for more even diagnostic pressure

- one hand control

- asymmetric mouth

**862040**

### APPENDIX TROCAR FOR HORSES

Equine trocar, 15.5cm, D = 2.8mm,  
**871203**



### VISITS CASE

Blue, W = 47 × H = 35 × D = 18cm, with 8 trays

- easy drug storage
- one-hand opening
- lightweight
- durable plastic
- also available in grey

**910910**




### VISITS CASE VET-CASE

W = 360 × H = 240 × D = 215mm

- rugged, sturdy case, weight = 3.8kg
- compact storage of instruments and medicine
- ready for immediate use
- easy to clean

**910950**



### FOREIGN BODY FORCEPS

HARTMANN, 8cm

**872008**

HARTMANN, 14cm


**872014**

HARTMANN, 16cm

**872016**



## Forceps, Electric Tattoo Kit, Tattoo Forceps



### FOREIGN BODY FORCEPS

- specially designed for grasping large foreign bodies in dogs

Rigid, long model, 85cm  
**872185**



### ELECTRIC TATTOO KIT

The whispering tattoo needle

- gentle
- easy to clean
- silent operation
- for accurate tattooing on small animals

Electronic Tattooing Kit

**900000**

Spare needle

**900005**



### TATTOO FORCEPS

- heavy-duty construction
- marker jaws holds 7 letters or digits
- easy and professional tattooing
- letter/digit-height = 5mm

Tattoo Forceps

**900050**

Set of letters A-Z in wooden case

**900055**

Single spare Letters

**900060**

2 sets of digits 0–9, wooden case, with Forceps and 6 spacing plates

**900065**

Single Spare Digits

**900070**

Set of digits 0–9, w/o spacing plates

**900075**

### TATTOO INK

- easy handling
- excellent for permanent tattoos

Black, fluid, 100ml

**900020**

Green, fluid, 100ml

**900025**

Black, tube with 60g

**902014**

Green, tube with 60g

**902015**



### AESCLAP FAVORITA II CLIPPER

German engineering at it's best!


The FAVORITA offers smooth, silent operation with precise cutting. The clipper that meets all your clinical needs

- powerful
- light weight
- large range of clipper blades
- easy maintenance
- reliable
- push button blade release
- quiet operation
- very durable

**902102**



## Clipper Blades, Blade Sharpening



### CLIPPER BLADES FOR FAVORITA II

- fast cutting
- specially hardened steel
- easily detachable
- long life

1/20mm (surgical shave)

**902120**

1/10mm (surgical shave, cats)

**902210**

1/2mm (all-round blade)

**902312**

1mm, fine

**902404**

1mm, coarse

**902401**

3mm (for matted hair, Angora)

**902503**

2mm

**902402**

2mm, long teeth

**902420**

3mm

**902403**

3mm, coarse

**902504**

5mm

**902505**

7mm

**902507**

9mm

**902409**

12mm

**902412**

16mm

**902416**

Especially for paws

**902508**

**VET Eickemeyer®**

### Our service – Your benefit

We sharpen your clipper blades.  
Within 5–7 days our skilled craftsmen  
will service and sharpen your clipper  
blades

**ACCESSORIES FOR FAVORITA II**

Cable roller, wall and ceiling mountable, 3m

- cable always ready at hand

**902509**

Wall Mount for clipper

- safe and practical storage

**902510**

Rack for clipper blades

- for optimal storage of clipper blades

**902511**

Vacuum device

- for a clean working field

- fits on almost every vacuum cleaner

**902512**

Special oil for clipper blades

- lubrication after cleaning

**902514**



**CLIPPER SPRAY**

400ml

- cleans blade while clipping

- lubricates

- disinfects

- cools

- extends the working life of your blades

**902513**



**CLIPPER PANASONIC**

Ideal for small areas

- battery powered

- including clipper head

- variable cutting length

- small and silent

- modern design


**903068**

Clipper blade for 903068

**903069**



## Clipper Blades, Clippers




### OSTER GOLDEN A5 CLIPPER

- reliable
- quiet
- easily detachable clipper blades
- attractive price

OSTER A5 Clipper 1-Speed w/o blade  
**903006**

OSTER A5 Clipper 2-Speed w/o blade  
- normal speed for precise clipping  
- high-speed (30% more speed) for faster body clipping  
**903007**



### OSTER BLADES

Size 40, 1/10mm

**903040**

Size 10 / 1.6mm

**903010**

Size 7/8, especially for paws, width = 10mm

**903041**

Size 15 / 0.5mm

**903015**

Size 8.5 / 2mm

**903016**

Size 7 / 3mm

**903017**

Size 5 / 6mm

**903018**

Clipper blade No. 5 (7mm)

**903019**

Size 4 / 9mm

**903020**

Size 5/8, especially for Paws

**903022**

Clipper blade 7/8" (7mm)

**903023**

Size 50 / 1/20mm

**903025**



### THRIVE 8000 AD CLIPPER

With two clipper blades (1mm and 1/10mm)

- high capacity rechargeable battery
- long working time
- fast recharging
- powerful
- quiet

**903050**

### TICK REMOVING FORCEPS

- fast and safe removal of ticks
- easy to sell in your practice
- lightweight and robust

FARK pattern, 12cm

- easy to use
- complete removal of the intact tick
- autoclavable


**907212**

Aluminium, 16cm

**907216**

Plastic, 7cm

**907320**



### NAIL CLIPPERS

CATCLAW Clipper, 12cm

**908007**

MILLER, 13cm, with spacer

- spacer protects from injury

**908113**

GUILLOTINE CLIPPER, 12cm, for cats and small dogs

**908212**

Nail Clipper with spring, 13cm, for dogs

**908213**



### NAIL CLIPPERS

Heavy duty Nail Clipper, 16cm, stainless steel blades, plastic handles

**908216**



### CANINE SKELETON

Natural bones

- informative
- decorative in your practice
- mounted on a black wooden base
- perfect client education tool
- ideal to study anatomy before or during orthopaedic surgery

**909000**



## Canine Skeleton, Feline Skeleton, Horse Foot



### FELINE SKELETON

- Natural bones
- informative
  - decorative in your practice
  - mounted on a black wooden base
  - perfect client education tool
  - ideal to study anatomy before or during orthopaedic surgery

**909005**



### ARTIFICIAL DOG SKELETON

Detailed copy, made of plastic,  
L = 60cm, H = 30cm

**909008**



### ARTIFICIAL CAT SKELETON

Detailed Copy, made of plastic, L = 60cm,  
H = 30cm

**909009**



### HORSE FOOT

- Natural bones
- informative
  - decorative
  - mounted on a wooden base

**909010**

### LONG SAGITTAL SEC. (FRONTLIMB)

Exceptional value and quality represented in this instructional specimen. Meticulously prepared and preserved. The internal structures of the hoof, limb and knee are undistorted and easily identifiable. Whether teaching or talking to clients in the field, the veterinarian will appreciate the detail of this sagittal section.  
**178385**



### ULTRA LIMB

An invaluable tool for teaching or a handy reference for ultra-sound study. Equine lower limb is cross-sectioned from the Coronary Band to the proximal end of the Cannon Bone. The hoof is divided sagittally and hinged. Everything is connected with a tough flexible strap.  
**178380**



### CANINE STIFLE

Shows  
- patella  
- meniscus  
- cross bars  
**909033**



### SPINAL COLUMN

- Shows intervertebral discs and normal vertebrae  
**909035**



## Osteo Models, Ear Model (Dog), Small Animal Scales



### ELBOW

- avulsed anconeal process (painted red)
  - fractured coronoid process (painted red)
  - osteochondritis dissecans (painted red)
  - articulated with elastic cord
  - demonstrates: flexion, extension and rotation
- 909036**



### HIP-MODEL

- right cox of femoral joint – normal
  - left cox of femoral joint – arthritis/hip dysplasia
  - lumbar sacral (L/S) joint – ventral spondylosis
  - intervertebral disc (L6/L7) – normal
  - intervertebral disc (L/S joint) – dorso-laterally herniated
  - yellow flexible spinal cord and nerves
  - all joints fully articulated with elastic cord
  - demonstrates: full range of motion for hip joints, lumbar sacral joint and vertebra
- 909034**



### EAR MODEL (DOG)

- cutaway shows canine ear canal, tympanic membrane
  - ear canal shows wax, inflammation, infection, tox tail and polyp
- 173935**




### SMALL ANIMAL SCALES

- Up to 20kg
- large, easy-to-read LCD-Display
  - easy to handle with one key
  - push button zero/tare-function
  - battery operated and auto-off automatic
- 909050**

## WALK-ON PLATFORM SCALE SLIM-LINE

- flat walk-on scale, extremely space-saving
- large easy-to-read LCD-display with wall mounting
- HOLD button (precise weight even if the animal shakes)
- 0–150kg scale (100g steps)
- dimensions: 90×55×4.5cm
- stainless steel cover
- battery or mains operated
- including anti-slip mat, grey
- best price performance

**909100**



## MOBILITY CARTS FOR DOGS

- ideal help for paralysed dogs
- easy to apply
- easy to handle – no special training required

1.5–5kg, Badger-dog

**909500**

1.5–2.5kg, Poodles

**909502**

2.7–5.5kg, Poodles

**909503**

5–11.5kg, Badger-dogs & Cocker

**909501**

5.5–9kg, Poodles and Cats

**909504**

9–12kg, Beagles and mixtures

**909505**

12–18kg, Beagles and mixtures

**909506**

18–27kg, Shepherds and mixtures

**909507**

27–34kg, Shepherds

**909508**

45kg and more, Shepherds and Rottweiler

**909509**



## DISPOSABLE PLASTIC SURGERY DRAPE

- ideal to cover the complete surgery table
- wall mounting bracket

Length: 200m, width = 120cm, double folded, strength = 0.025mm


**920060**

Wall mounting bracket for plastic surgery drape

**920061**



## Surgery Drapes, Adhesive Spray



### ADHESIVE DRAPES

- self adhesive
- sterile wound cover

86×91cm, single  
**920136**



### DISPOSABLE SURGERY DRAPES, BLUE

- soft and strong PVC, individually packed (sterile)
- adhesive spray for application, 25/box

30×45cm  
**920145**  
60×90cm  
**920190**  
90×120cm  
**920212**  
120×120cm  
**921212**  
120×180cm  
**921218**  
120×250cm  
**921225**



### DISPOSABLE SURGERY DRAPES WITH ABSORBANT COATING

- PE-coated drape
- individually packed, steril
- 25 pcs per pack

35 x50 cm  
**921500**  
50 x50 cm  
**921501**  
50 x75 cm  
**921502**  
75 x90 cm  
**921503**  
150 x200 cm  
**921504**



### ADHESIVE SPRAY

240ml, spray bottle  
For rapid fixation of disposable drapes  
**952600**

**CLOTH SURGICAL DRAPE**

- green, high absorbent and durable cotton (surgical-grade)
- washable
- autoclavable

40×60cm

**921260**

70×70cm

**921270**


90×90cm

**921290**

Surgical drape, width 160cm,

- green, high absorbent and durable cotton
- sold by the meter

**921400**



**CLOTH SURGERY DRAPE**

- fenestrated

40×60cm, opening length = 15cm

**921360**

70×70cm, opening length = 20cm

**921370**

90×90cm, opening length = 35cm

**921390**



**CLOTH SURGERY DRAPE FOR NUTERING**

- 51×40cm, fenestrated
- cut length = 24cm
- 100% cotton
- washable

**851520**



**SURGERY GLOVES SEMPERMED**

Sterile surgical glove, lightly powdered

- surgical glove with a high resistance to tearing and a reliable impermeability
- Natural rubber latex, hypoallergenic
- micro-rough surface – excellent sensitivity
- each pair packed sterile, 50 pairs/box

Size 6

**930760**

Size 6 1/2

**930765**

Size 7

**930770**

Size 7 1/2

**930775**

Size 8

**930780**

Size 8 1/2

**930785**



## Disposable Aprons, Disposable Gowns, Surgeons Clothing



### DISPOSABLE APRONS

- Disposable aprons, 150/box
  - white durable plastic
  - in dispenser box
- 940320**



### DISPOSABLE OPERATING GOWNS

- Isolation gown, universal size
  - knit fabric wrist cuffs
- 940740**
  - Isolation gown, light model, universal size, white
  - with buttons

**940752**
  - Disposable gown, sterile, plastic, universal size

**940275**



### SURGEONS CLOTHING ,KASACK'

- 100% cotton
- comfortable to wear
- green

Size 1, small

**940601**

Size 2, medium

**940602**

Size 3, large

**940603**

Size 4, x-large

**940604**

### OPERATING GOWNS

- HANNOVER model, 100% cotton
- green
- centre tie back belt
- extra wide raglan sleeves

Size 0, x-small

**940700**

Size 1, small

**940701**

Size 2, medium

**940702**

Size 3, large

**940703**

Size 4, x-large

**940704**




### SURGEONS CAPS

Universal size, 100% cotton, green with rear ties

**940760**



## Abdominal Bandage



950006

### ABDOMINAL BANDAGE LAUSCHNER

Especially designed for the comfort of your patients. The abdominal bandage covers and protects wounds in the abdominal area and offers an excellent healing environment

- comfortable to wear
- 100% cotton
- washable up to 95°C
- adjustable Velcro closures for a perfect fit
- 7 different sizes available

Size 1, Cats, length: 32cm

**950001**

Size 2, Poodles, length: 38cm

**950002**

Size 3, Cockers, Setters, length: 47cm

**950003**

Size 4, small German Shepherds, length: 51cm

**950004**

Size 5, St. Bernard's, big German Shepherds, length: 60cm

**950005**

Size 6, Great Dane, length: 67cm

**950006**

Size 7, big St. Bernhard, Great Danes, length: 67cm

**950007**

## Nylon Muzzles, Padded Plastic Splints, Hoof Bandage, Pet Pill Gun

### EICKEMEYER NYLON MUZZLE

- highest quality nylon
- easy to wear, with quick release snap
- washable

Size 0  
**951200**  
Size 1  
**951201**  
Size 2  
**951202**  
Size 3  
**951203**  
Size 4  
**951204**  
Size 5  
**951205**

### PADDED PLASTIC SPLINTS

Providing excellent support for distal limb injuries.

- easy to cut
- strong, lightweight plastic
- with non-irritating foam padding
- fully radiolucent

20×3cm  
**951720**  
30×4cm  
**951730**  
40×5cm  
**951740**


### HOOF BANDAGE, RIEGER PATTERN

- minimum one week bandage application
- safe, time-easy application with Velcro closure
- saves money, can be used for about 6 weeks

Size 3, for Arabian horses  
**951703**  
Size 4, medium for warmblood horses  
**951704**  
Size 5, large for warmblood horses  
**951705**

### PET PILL GUN

- For cats and dogs
- easy way of administering tablets
  - water is added to facilitate swallowing
  - 10/box
- 951802**



## Post Mortem Bags



### POST MORTEM BAGS

110×75×100cm, 20/box  
- heavy-duty black plastic  
**951825**

	Page		Page
<b>A</b>			
Abdominal Bandage .....	312	Cats Cradle.....	258
Accessories for Centrifuges.....	290	Cat Surgery Table.....	235
Accessories for Clippers.....	301	Cat Trap.....	124
Accessories for ELAN-VET-LINE and MINILAN.....	120	CCD-Cameras .....	168-169
Accessories for HEINE OMEGA 500.....	28	CCL Staple Instrument .....	86
Accessories for Radiosurgery.....	199	Ceiling Mount Ring .....	247
Accessories for Tracheal Tubes .....	142	Cellulose Spears .....	42
Acetabular Plates .....	100	Central Gas Supplying System.....	130
Adaptors .....	54, 167	Centrifuge .....	288-289
Adhesive Spray .....	308	Cerclage Wire Forceps.....	84
Alcohol- and Cotton Dispenser.....	227	Cerclage Wire Passer.....	85
Ampoules Rack .....	290	Cheek Dilators .....	55
Anaesthesia Machine .....	126-128, 133	Chucks.....	80-81
Anaesthesia Masks .....	142-143	Clamps .....	15, 73, 79
Anaesthesia Monitoring.....	152	Cleaning and Maintenance.....	47
Anaesthetic Accessories.....	135, 144	Clipper .....	299, 301-302
Anaesthetic Machines for Large Animals .....	131-133	Clipper Blades .....	300, 302
Anaesthetic Machines for Small Animals.....	125, 128	Clips.....	12
Anaesthetic Set .....	144	CO <sub>2</sub> -Insufflator .....	166
Anaesthetic System NarkoPet.....	145	CO <sub>2</sub> Laser.....	194
Anal Sac Cannulas.....	206	Collars .....	156
Anatomical Models .....	305	Combined Monitors .....	148-150
Animal Stretcher .....	240	Compression Plates .....	95-98
Apple Core Tooth Rasp .....	67	Compressor.....	44
Aprons .....	272	Connectors .....	138, 140
Artery Clips.....	12	Containers for Sterilisation .....	81-82, 219-220
Arthroscopy Instruments.....	162-164	Counting Piece .....	287
Aspheric Lenses.....	28	Covers for Camera .....	175
Aspiration Biopsy.....	204	Cranial Crucial Ligament System .....	87
Aspiration System.....	183	Cryo Surgery .....	42
Autoclaves.....	214-215, 218	Curettes.....	25-26
<b>B</b>			
Bandage Scissors.....	9	Curved Bulb Holder.....	141
Battery Handles.....	157-158	Cuttable Plates .....	99
BAYHA Scalpel Handle.....	3	Cutting Disc.....	46
Binocular Loupes.....	34	<b>D</b>	
Biopsy Needles.....	204-205	Dental Care Unit.....	43
Bipolar Forceps .....	197	Dental Elevators .....	49
Bird Collars.....	157	Dental Forceps .....	50
Bird Ring Cutter.....	10	Dental Halter.....	65
Blades.....	121	Dental Hand Instruments.....	50-51
Blood Gas Analyser.....	293	Dental Instruments for Horses.....	61-62
Blowtube Systems.....	154-155	Dental Micromotor .....	45
Bone Biopsy .....	93	Dental Models.....	49
Bone Cement.....	116	Dental Root Set .....	48
Bone Holding Forceps.....	91	Dental Scalers .....	51-54
Bone Laminectomy Forceps.....	92	Dental Tray .....	54
Bone Plate Benders.....	104	Depilation Forceps.....	37
Bone Plates .....	95-99, 102-103	Depilatory Needles .....	196
Bone Rasps .....	88	Depth Gauges .....	104
Bone Retractors.....	90	Dermatoscopes .....	73
Bone Rongeurs.....	92	Developing Fluid.....	276
Bone Saws .....	89	Developing Hanger.....	276-277
Bone Scoops .....	25-26	Diagnostic Lamp.....	141
Broad Compression Plates.....	98-99	Diagnostic Instruments.....	158-160
Broad Extension Plates .....	99	Diamond Cutting Disc.....	68
Brush Dispenser.....	227	Digital X-Ray.....	279-280, 282
Buckets.....	233	Display Rack for Endotracheal Tubes .....	139
Bulb Syringes .....	72	Disposable Aprons.....	310
Bur Guard.....	46	Disposable Culture Swabs .....	210
Bur Kits .....	45-46	Disposable Drape .....	307
<b>C</b>			
Canine and Feline Mouth Gags.....	57, 122	Disposable Gowns.....	310
Canine Skeleton .....	303-304	Dissecting Scissors .....	7
Cannulas .....	206	Distillator.....	217
Capnometer.....	148	Dog Catheters .....	208
Carbide Burs.....	68	Doppler.....	154
Cart for Ultrasound Machine.....	188	Drainage System .....	210
Cat Catcher .....	123	Drapes .....	307, 309
Cat Catheters .....	208	Dressing Scissors.....	5-6
Catching Net.....	122	Drill Guide.....	105, 113
Catheters.....	207-209, 212-213	Drill Insert Sleeves.....	113
		Dry Heat Sterilisers.....	221, 222
		<b>E</b>	
		Ear Cleaning Instruments.....	71

# Index

	Page		Page
Ear Forceps.....	71	Handles.....	105
Ear Irrigation.....	72	Headlamp.....	35-36
Ear Model (Dog).....	306	Heating Pads.....	239, 259
Ear Specula.....	158	Heat Sealing Unit.....	220
ECG-Paper.....	193	Heimlich Valve.....	211
ECG Accessories.....	193	High Frequency X-Ray Machines.....	265
Eickfil Suture.....	18	Hoof Bandage.....	313
ELAN-VET-LINE.....	119	Hoof Instruments.....	296
Electric Cautery.....	199-200	Hoof Knives.....	296
Electric Equine Tooth Rasps.....	65-66	Hoof Tallow.....	270
Electric Tattoo Kit.....	298	Horse Foot.....	304
Electrosurgery Set.....	118	Hydraulic Surgery Tables.....	231, 234
Electrosurgery Unit.....	195, 198	Hypomochlion.....	69
Electrodes.....	196	<b>I</b>	
Electronic Timer.....	291	Image Capture System.....	170
Emasculators.....	294-295	Implant Cutters.....	82
Endoscope Adapters.....	169	Incubator.....	292-293
Endoscope Cart.....	176-177	Indicator Tape.....	221-222
Endoscope Cleaning.....	177	Inflatable Support.....	242
Endoscopes.....	161	Inflow Cannula.....	165
Endoscope Sheaths.....	161-162	Infusion Kit for Horses.....	201
Endotracheal Tubes.....	136-137, 139	Infusion Pump.....	202
Endotracheal Tubes for Horses.....	140	Inhalation Mask.....	155
Enterotomy Scissors.....	8	Inhalation System for Horses.....	155
Equine Anaesthesia.....	131-133	Instrument Boxes.....	219
Equine Cassette Holder.....	269	Instrument Brush.....	226
Equine Catheters.....	209	Instrument Cabinet.....	248
Equine Dental Equipment.....	58-62	Instrument Cleaning Agents.....	225
Equine Dental Forceps.....	58	Instrument Containers.....	223
Equine Head Protection.....	242	Instrument Marking Tape.....	221
Equine Mouth Gags.....	140	Instrument Oil.....	225
Equine Mouth Speculum.....	69-70	Instrument Tables.....	248-249
Equine Mouth Wedges.....	70	Instrument Washer.....	226
Equine Neck Cradle.....	157	Intensifying Screens.....	267
Equine Stomach Tubes.....	213	Intensive Care Units.....	255
Equine Surgery Table.....	241	Interlocking Nail System.....	80
Equine Tooth Rasps.....	62-64	Iris Lamp.....	283
ERG-System.....	32	Iris Scissors.....	4
Examination Light.....	243	Irrigating Cannula.....	206
Examination Table.....	227-229	IV Stand.....	203
Expansion Screw.....	48	<b>K</b>	
Exposure Indicator Tape Strips.....	223	K-Wire Bender.....	83
Extension Plates.....	96	K-Wire Cutter.....	82-83
External Fixation Bars.....	73-75, 79	K-Wire Pins.....	77-78
Eye Implants.....	41	Kennel.....	255
Eye Surgery Kit.....	38	Kennel Runs.....	257
<b>F</b>		Kidney Bowls.....	291
Feeding Needles.....	203	KIRSCHNER-ELLIS Pins.....	74
Feline Skeleton.....	304	KIRSCHNER Trocar Pins.....	74
Femur-Condylar Plates.....	103	Knee Retractors.....	87-88
Fibre Optic Cable.....	167	<b>L</b>	
Filmscribor.....	278	Lacrimal Needles.....	205
Fixing Arm.....	88	Laminectomy Rongeurs.....	92
Fixing Fluid.....	276	Lamps.....	244-246
Flexible Endoscopes.....	173	Laparoscopes.....	161
Fold Flat Cages.....	257	Laparoscopy Instruments.....	166
FOLEY Catheters.....	212	Laryngoscopes.....	141-142
Forceps.....	10-13, 16, 25, 90, 174, 201, 294, 297-298, 303	Larynx Retractors.....	23
Fundus Camera.....	29	Lead Divider.....	268
<b>G</b>		Lead Gloves/Protective Gloves.....	273
Gags.....	55, 57, 122	Ligature Needle.....	21
Gas Ampoules.....	223	Light Source.....	167-168
Gas Steriliser.....	223	Lights.....	244-246
GAYMAR T/Pump.....	238	Lightsource with CCD-Camera.....	170
Gonioscopy Lenses.....	31	Lubra-Plates.....	116
Graft Passers.....	85-86	<b>M</b>	
Grasping Forceps.....	25	Magnifying Glasses.....	33-35
Grids.....	268	Maintenance and Repair of Equine Dental Equipment.....	67
Guttapercha Points.....	48	MAYO Scissors.....	7-8
<b>H</b>		Medical Cabinet.....	247
Haematoma Compress.....	71	MELISEPTOL.....	226
Hand Switch.....	183	Meniscal Instruments.....	92
Handpieces.....	44, 120,	METZENBAUM Scissors.....	7-8

	Page		Page
MICRO Scalpel Handles.....	4	Practitioner Stools .....	236-237
Microscopes .....	33, 284-286	Pressure Infusor .....	164-165
Microscope-Accessories.....	286-287	Printer .....	187
Mini Bone Plates.....	93	Probe-pointed Scissors .....	5
Mini Compression Plates.....	94	Probes .....	22
Mini Fragment Plates.....	95	Prophy Paste.....	55
Mobile Stand for Pet Carriers .....	258	Protection Shield .....	49
Mobility Carts.....	307	Protective Gloves .....	123, 273
Molar Cutters .....	56	Pulsoxymeter.....	146-147
Monitor.....	171	Puncture Adapters .....	187
Monitoring.....	147-154	PVC Endotracheal Tubes .....	137
Mouth Gags.....	55, 57, 122	<b>R</b>	
Multi-Parameter-Monitor.....	151	Rack for Collars .....	156
Multifunction Videosystem.....	168	Radisurgery Scissors.....	199
Myelography Needles.....	205	Radisurgery Accessories.....	196-197
<b>N</b>		Radisurgery Unit.....	195, 198
Nail Clippers .....	303	Rail Systems.....	232
Navicular Stand .....	269	Rebreathing Bags.....	143, 145
NCP-Cortical Screws.....	115	Rechargeable Handle.....	157
Needle Boxes .....	19	Reconstruction Plates.....	100
Needle Holders.....	19-20	REDON-DRAINS.....	210
Needles .....	17, 205	Reduction Valves.....	130
Negative Threaded Pins .....	76	Reflex Hammers.....	191
Neuter Instruments.....	295	Refractometer.....	291
Non-Contact Plates (NCP) .....	115	Respiratory Monitor .....	153
Nylon Muzzles .....	313	Restraining Equipment.....	124
<b>O</b>		Restraint Gloves.....	123
Oesophagus Flushing Catheter.....	213	Retinal Camera.....	29
Oesophagus Monitor .....	153	Retractors.....	22-24, 90
Offset for Probes .....	183	Rigid Endoscopes.....	164
Operating Gowns.....	311	Rodent Cheek Dilators .....	55
Operating Table Frame.....	233	Rodent Molar Rasp.....	57
Ophthalmic Instruments.....	37-41	Rodent Mouth Gags .....	55
Ophthalmoscopes.....	26-27	Rongeurs.....	92, 164
Orthopaedic Drill.....	81	Rubber Mat.....	233
Orthopaedic Mallets.....	80	<b>S</b>	
Orthopaedic Washers .....	117	Safety Shield .....	47
Orthopaedic Wire Twister .....	85	Sample Retrieval Tube .....	175
Orthopaedic Kits .....	108-109	Saw Blades.....	121
Oscillating Saw.....	9, 120	Scales.....	306-307
Osteo Models .....	305-306	Scalpel Blades.....	3-4
Osteotomes .....	89-90	Schirmer Tear Test.....	31
Osteotomy Gauge Set.....	101	Scissors.....	4-9
Otoscope .....	171	Screen Cleaner.....	267
Otoscope Head.....	160	Screw racks.....	113
Otoscope Set.....	159	Scrub Brushes .....	227
Otoscope Sheath.....	162	Self Retaining Retractors.....	23-24
Oxygen Concentrator .....	128-129	Self Retaining Rib Spreaders .....	25
Oxygen Emergency Kit.....	130	Sensors for Pulseoxymeters.....	152
<b>P</b>		Sharpen scissors .....	8
Padded Plastic Splints.....	313	Sheath .....	165
Pancarpal Arthrodesis Plates .....	102	Sheaths and Trocars .....	165-166, 297
Pantarsal Plates .....	102	SHOR-LINE Kennels .....	250-251, 256
Paper for Video Printer .....	188	SHOR-LINE Kennel Accessories.....	252-254
PC-Based Electrocardiogram.....	192	SHOR-LINE Polykennel .....	256
PENROSE-DRAIN.....	211	Side Tables .....	249
Periosteal Elevators.....	26	Skeleton.....	303-304
Pet Carrier .....	257-258	Skin Stapler .....	21
Pet Pill Gun.....	313	Slit Illumination Head.....	158
PEZZER Catheters.....	209	Small Animal Scales .....	306
Pin Cutter.....	85	Small fragment T-Plate .....	97
Pins.....	75-78	Snares .....	123
Pin Dispenser .....	78	Soda Lime .....	145
Plaster Scissors.....	9	Spay Instruments.....	295
Plate Bending Forceps .....	104	Specula.....	158-159, 201
Plexiglas Collars .....	156	Spinal Instruments.....	116
Plexiglass Cassette Tunnel .....	270	Spinal Needles .....	205
Pleximeters.....	191	Spray Bottle.....	292
Pneumatic Surgical Motor System .....	119	Spreadable Specula .....	159
Positive Threaded Pins.....	75	Stainless Steel Box.....	233
Post Mortem Bags .....	314	Stainless Steel Bucket.....	64
Practitioner Chairs .....	236-238	STANDARD Scalpel Handles .....	3
Practitioner Standing Aid .....	238	STEINMANN Pins .....	75-76

# Index

	Page		Page
Sterilisation Containers.....	81-82, 219-220	Uterine Flushing Catheters.....	209
Sterilisation Pouches.....	220	Uterine Forceps.....	201
Sterilising Film.....	222	UV-Lamps.....	72
STERISOL UV Light.....	224	<b>V</b>	
Stethoscopes.....	190-191	Vacuclave.....	215
STEVENS Scissors.....	5	Vacuum Support Pump.....	240
Stitch Scissors.....	9	Vacuum Supports.....	239-240
Stitch Cutters.....	9	Vaginal Specula.....	159, 201
Stomach Tubes.....	212	Vaginoscopes.....	160
Suction- and Irrigation Pump.....	163	Vakuum Autoclave.....	216
Suction Pump.....	175	Vaporisers.....	134
Suction Tips.....	122	Ventilator.....	129-130
Surgeons Caps.....	311	Vet Bed.....	259
Surgeons Clothing.....	310	Veterinary Diagnostic Set.....	160
Surgery Drapes.....	308	Videoendoscope.....	172
Surgery Gloves.....	309	Video Otoscope.....	171
Surgery Lights.....	244-246	Video Printer.....	187
Surgery Tables.....	230-231, 234-235, 241	Visits Case.....	297
Surgery Table Tops.....	231	V-Top Surgery Tables.....	231
Surgical Burs.....	121	<b>W</b>	
Surgical Drape.....	309	Walk-on Platform Scales.....	307
Surgical Microscope.....	33	Wall Mount Surgery Table.....	235
Surgical Suction Devices.....	121-122	Water-Treatment Systems.....	216-217
Suture Clips.....	21	Water Container.....	54
Suture Needles.....	17	Wire Cutters.....	85
Syringe and Cannula Dispenser.....	248	Wire Extraction.....	83
Syringe Holder.....	204	Wire Saws.....	89
Syringe Pump.....	203	Wolf Tooth Elevator Kit.....	62
<b>T</b>		WOODS Lamps.....	72
Tables.....	227-231, 234-235, 248-249, 256	Wound Clips.....	21
Tap Handles.....	105	<b>X</b>	
Tattoo Forceps.....	298	X-Ray Accessories.....	266-274, 276-278, 282-283
Tattoo Ink.....	299	X-Ray Cassette.....	267
Tear Test.....	31	X-Ray Chemicals.....	276
Teething Ring.....	140	X-Ray Film.....	266
Tenaculum Forceps.....	25	X-Ray Film Scanner.....	281
Tests for Blood Gas Analyser.....	294	X-Ray Film Viewers.....	283
Test Tubes.....	287	X-Ray Marking.....	278
Thermometers.....	191	X-Ray Positioners.....	268-269
Thoracic Drains.....	211	X-Ray Positioning Aids.....	271-272
Tick Forceps.....	303	X-Ray Processors.....	275
Tie Down Attachments.....	232	X-Ray Stands.....	263-264
Thyroid Protection Shield.....	273	X-Ray Units.....	260-262 279-280, 282
Toggle Pin Instrumentation.....	116	<b>Y</b>	
Tongue Spatula.....	56	Y-Plates.....	103
Tonometer.....	30-31		
Tooth Rasp.....	57		
Tooth Rasps Blades.....	64		
Tourniquets.....	206-207		
Towel Clips.....	12		
TPLO Plates.....	102		
TPLO Saw Blades.....	101		
Tracheal Tubes.....	139		
Transducers.....	180, 182, 186		
Trans Ilias Nut.....	113		
Transport Slings.....	242		
Tray and IV Stand.....	232		
Trays for Autoclaves.....	216		
Trays for Pet Carrier.....	258		
Trephine.....	62		
Trocar Pins.....	77-78		
Tub/Tables.....	256		
<b>U</b>			
ULMER Fixator.....	144		
Ultrasonic Cleaner.....	224-225		
Ultrasonic Doppler.....	154		
Ultrasonic Scalers.....	51-54		
Ultrasound Gel.....	187		
Ultrasound Machines.....	178-179, 181-182, 184-185		
Ultrasound Positioner.....	189		
Ultrasound Table.....	189		
Urinary Catheters.....	207		
Uterine Culture Swabs.....	209-210		

Please copy



# Order Form

**Fax: +49 7461/96580-91**

**Phone: +49 7461/96580-55**

Name \_\_\_\_\_  
 Clinic Name \_\_\_\_\_  
 Street \_\_\_\_\_  
 Address \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Fax \_\_\_\_\_  
 E-mail \_\_\_\_\_

Date, Signature \_\_\_\_\_

We herewith order under the general EICKEMEYER order terms:			
Qty.	Art.No.	Description	Price



EICKEMEYER Medizintechnik für Tierärzte KG  
 Eltstraße 8 · D-78532 Tuttlingen · Germany  
 Tel: +49 7461/96580-55 · Fax: +49 7461/96580-91  
 E-mail: export@eickemeyer.de · Internet: www.eickemeyer.de

Please copy



# Order Form

**Fax: +49 7461/96580-91**

**Phone: +49 7461/96580-55**

Name \_\_\_\_\_  
 Clinic Name \_\_\_\_\_  
 Street \_\_\_\_\_  
 Address \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Fax \_\_\_\_\_  
 E-mail \_\_\_\_\_

Date, Signature \_\_\_\_\_

We herewith order under the general EICKEMEYER order terms:			
Qty.	Art.No.	Description	Price



EICKEMEYER Medizintechnik für Tierärzte KG  
 Eltstraße 8 · D-78532 Tuttlingen · Germany  
 Tel: +49 7461/96580-55 · Fax: +49 7461/96580-91  
 E-mail: export@eickemeyer.de · Internet: www.eickemeyer.de

# Order Form

**Fax: +49 7461/96580-91**

**Phone: +49 7461/96580-55**

Name \_\_\_\_\_  
 Clinic Name \_\_\_\_\_  
 Street \_\_\_\_\_  
 Address \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Fax \_\_\_\_\_  
 E-mail \_\_\_\_\_

\_\_\_\_\_  
 Date, Signature

**We herewith order under the general EICKEMEYER order terms:**

Qty.	Art.No.	Description	Price



EICKEMEYER Medizintechnik für Tierärzte KG  
 Eltastraße 8 · D-78532 Tuttlingen · Germany  
 Tel: +49 7461/96580-55 · Fax: +49 7461/96580-91  
 E-mail: export@eickemeyer.de · Internet: www.eickemeyer.de

Please copy



# Order Form

**Fax: +49 7461/96580-91**

**Phone: +49 7461/96580-55**

Name \_\_\_\_\_  
 Clinic Name \_\_\_\_\_  
 Street \_\_\_\_\_  
 Address \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Fax \_\_\_\_\_  
 E-mail \_\_\_\_\_

\_\_\_\_\_  
 Date, Signature

**We herewith order under the general EICKEMEYER order terms:**

Qty.	Art.No.	Description	Price



EICKEMEYER Medizintechnik für Tierärzte KG  
 Eltastraße 8 · D-78532 Tuttlingen · Germany  
 Tel: +49 7461/96580-55 · Fax: +49 7461/96580-91  
 E-mail: export@eickemeyer.de · Internet: www.eickemeyer.de

Please copy

